

KWAZULU-NATAL PROVINCE
KWAZULU-NATAL PROVINSIE
ISIFUNDAZWE SAKWAZULU-NATALI

Provincial Gazette • Provinsiale Koerant • Igazethi Yesifundazwe

(Registered at the post office as a newspaper) • (As 'n nuusblad by die poskantoor geregistreer)
(Irejistiwee njengephephandaba eposihhovisi)

Vol. 2

PIETERMARITZBURG,

9 OCTOBER 2008
9 OKTOBER 2008
9 kuMFUMFU 2008

No. 182

CONTENTS

No.		Page
PROVINCIAL NOTICE		
207	Provincial Hospitals Ordinance (13/1961): Regulations relating to the Administration, Management and Control of Provincial Hospitals Services and Institutions: Amendment	9
MUNICIPAL NOTICE		
35	Constitution of the Republic of South Africa (108/1996): uMlalazi Municipality By-laws: Fire Prevention By-laws	33
ADVERTISEMENTS		ADVERTENSIES
	Miscellaneous (see separate index, page 57)	Diverse (kyk afsonderlike bladwyser, bladsy 57)
No.		<i>Ikhasi</i>
IZIKHANGISO		
	Ezingxubevange (bheka uhlu oluseceleni, ekhasini 57)	

IMPORTANT NOTICE

The
KwaZulu-Natal Provincial Gazette Function
will be transferred to the
Government Printer in Pretoria
as from 26 April 2007

NEW PARTICULARS ARE AS FOLLOWS:

Physical address:

Government Printing Works
149 Bosman Street
Pretoria

Postal address:

Private Bag X85
Pretoria
0001

New contact persons: Louise Fourie Tel.: (012) 334-4686
Mrs H. Wolmarans Tel.: (012) 334-4591
Awie van Zyl.: (012) 334-4523

Fax number: (012) 323-8805

E-mail addresses: Louise.Fourie@gpw.gov.za
Hester.Wolmarans@gpw.gov.za

Contact persons for subscribers:

Mrs S. M. Milanzi Tel.: (012) 334-4734
Mrs J. Wehmeyer Tel.: (012) 334-4753
Fax.: (012) 323-9574

This phase-in period is to commence from **26 April 2007**, which is the closing date for all adverts to be received for the publication date of **3 May 2007**.

Subscribers and all other stakeholders are advised to send their advertisements directly to the **Government Printing Works**, one week (five working days) before the date of printing, which will be a Thursday.

Payment:

- (i) Departments/Municipalities: Notices must be accompanied by an order and official letterhead, including financial codes, contact person and address of Department.
- (ii) Private persons: Must pay in advance before printing.

AWIE VAN ZYL
Advertising Manager

IT IS THE CLIENTS RESPONSIBILITY TO ENSURE THAT THE CORRECT AMOUNT IS PAID AT THE CASHIER OR DEPOSITED INTO THE GOVERNMENT PRINTING WORKS BANK ACCOUNT AND ALSO THAT THE REQUISITION/COVERING LETTER TOGETHER WITH THE ADVERTISEMENTS AND THE PROOF OF DEPOSIT REACHES THE GOVERNMENT PRINTING WORKS IN TIME FOR INSERTION IN THE PROVINCIAL GAZETTE.

No ADVERTISEMENTS WILL BE PLACED WITHOUT PRIOR PROOF OF PRE-PAYMENT.

$\frac{1}{4}$ page **R 187.37**

Letter Type: Arial Size: 10

Line Spacing: At:
Exactly 11pt

**A PRICE
INCREASE OF
8,5% WILL BE
EFFECTIVE ON
ALL TARIFFS
FROM
1 MAY 2008**

$\frac{1}{4}$ page **R 374.75**

Letter Type: Arial Size: 10

Line Spacing: At:
Exactly 11pt

$\frac{1}{4}$ page **R 562.13**

Letter Type: Arial Size: 10

Line Spacing: At:
Exactly 11pt

$\frac{1}{4}$ page **R 749.50**

Letter Type: Arial Size: 10

Line Spacing: At:
Exactly 11pt



REPUBLIC
OF
SOUTH AFRICA

LIST OF FIXED TARIFF RATES AND CONDITIONS

FOR PUBLICATION OF LEGAL NOTICES
IN THE *KwaZulu-Natal PROVINCIAL GAZETTE*

COMMENCEMENT: 1 MAY 2007

CONDITIONS FOR PUBLICATION OF NOTICES

CLOSING TIMES FOR THE ACCEPTANCE OF NOTICES

1. (1) The *KwaZulu-Natal Provincial Gazette* is published every week on Thursday, and the closing time for the acceptance of notices which have to appear in the *KwaZulu-Natal Provincial Gazette* on any particular Thursday, is **15:00 one week prior to the publication date**. Should any Thursday coincide with a public holiday, the publication date remains unchanged. However, the closing date for acceptance of advertisements moves backwards accordingly, in order to allow for 5 working days prior to the publication date.
- (2) The date for the publication of an **Extraordinary KwaZulu-Natal Province Provincial Gazette** is negotiable.
2. (1) Notices received **after closing time** will be held over for publication in the next *KwaZulu-Natal Provincial Gazette*.
- (2) Amendments or changes in notices cannot be undertaken unless instructions are received **before 10:00 on Fridays**.
- (3) Notices for publication or amendments of original copy can not be accepted over the telephone and must be brought about by letter, by fax or by hand. The Government Printer will not be liable for any amendments done erroneously.
- (4) In the case of cancellations a refund of the cost of a notice will be considered only if the instruction to cancel has been received on or before the stipulated closing time as indicated in paragraph 2(2).

APPROVAL OF NOTICES (This only applies to Private Companies)

3. In the event where a cheque, submitted by an advertiser to the Government Printer as payment, is dishonoured, then the Government Printer reserves the right to refuse such client further access to the *KwaZulu-Natal Provincial Gazette* until any outstanding debts to the Government Printer is settled in full.

THE GOVERNMENT PRINTER INDEMNIFIED AGAINST LIABILITY

4. The Government Printer will assume no liability in respect of—
 - (1) any delay in the publication of a notice or publication of such notice on any date other than that stipulated by the advertiser;
 - (2) erroneous classification of a notice, or the placement of such notice in any section or under any heading other than the section or heading stipulated by the advertiser;

- (3) any editing, revision, omission, typographical errors, amendments to copies or errors resulting from faint or indistinct copy.

LIABILITY OF ADVERTISER

5. Advertisers will be held liable for any compensation and costs arising from any action which may be instituted against the Government Printer in consequence of the publication of any notice.

COPY

6. Notices must be typed on one side of the paper only and may not constitute part of any covering letter or document.
7. At the top of any copy, and set well apart from the notice, the following must be stated:

Where applicable

- (1) The heading under which the notice is to appear.
- (2) The cost of publication applicable to the notice, in accordance with the "Word Count Table".

PAYMENT OF COST (This only applies to Private Companies)

9. **With effect from 26 April 2007 no notice will be accepted for publication unless the cost of the insertion(s) is prepaid in CASH or by CHEQUE or POSTAL ORDERS. It can be arranged that money can be paid into the banking account of the Government Printer, in which case the deposit slip accompanies the advertisement before publication thereof.**
10. (1) The cost of a notice must be calculated by the advertiser in accordance with the word count table.

(2) Where there is any doubt about the cost of publication of a notice, and in the case of copy, an enquiry, accompanied by the relevant copy, should be addressed to the **Advertising Section, Government Printing Works, Private Bag X85, Pretoria, 0001 [Fax: (012) 323-8805], before publication.**
11. Overpayment resulting from miscalculation on the part of the advertiser of the cost of publication of a notice will not be refunded, unless the advertiser furnishes adequate reasons why such miscalculation occurred. In the event of underpayments, the difference will be recovered from the advertiser, and the notice(s) will not be published until such time as the full cost of such publication has been duly paid in cash or by cheque or postal orders, or into the banking account.

12. *In the event of a notice being cancelled, a refund will be made only if no cost regarding the placing of the notice has been incurred by the Government Printing Works.*
13. The Government Printer reserves the right to levy an additional charge in cases where notices, the cost of which has been calculated in accordance with the Word Count Table, are subsequently found to be excessively lengthy or to contain overmuch or complicated tabulation.

PROOF OF PUBLICATION

14. **Copies of the *KwaZulu-Natal Provincial Gazette* which may be required as proof of publication, may be ordered from the Government Printer at the ruling price.** The Government Printer will assume no liability for any failure to post such *KwaZulu-Natal Provincial Gazette(s)* or for any delay in despatching it/them.

GOVERNMENT PRINTERS BANK ACCOUNT PARTICULARS

Bank:	ABSA
	BOSMAN STREET
Account No.:	4057114016
Branch code:	632-005
Reference No.:	00000006
Fax No.:	(012) 323 8805

Enquiries:

Mrs. L. Fourie	Tel.: (012) 334-4686
Mrs. H. Wolmarans	Tel.: (012) 334-4591
Mr. A. van Zyl	Tel.: (012) 334-4523

PROVINCIAL NOTICE—PROVINSIALE KENNISGEWING—IZAZISO ZESIFUNDAZWE

The following notices are published for general information.

Onderstaande kennisgewings word vir algemene inligting gepubliseer.

DR K. B. MBANJWA
Director-General

DR K. B. MBANJWA
Direkteur-generaal

300 Langalibalele Street
Pietermaritzburg
9 October 2008

Langalibalelestraat 300
Pietermaritzburg
9 Oktober 2008

Izaziso ezilandelayo zikhishelwe ulwazi lukawonkewonke.

DKT. K. B. MBANJWA
uMqondisi-Jikelele

300 Langalibalele Street
Pietermaritzburg
9 kuMfumu 2008

REGULATIONS RELATING TO THE ADMINISTRATION,
MANAGEMENT AND CONTROL OF PROVINCIAL
HOSPITALS, SERVICES AND INSTITUTIONS ESTABLISHED
IN TERMS OF SECTION 4 OF THE PROVINCIAL HOSPITALS
ORDINANCE, 1961 (ORDINANCE 13 OF 1961) : AMENDMENT

The MEC of Health has in terms of section 26 of the Provincial Hospitals Ordinance, 1961 (Ordinance No. 13 of 1961), with effect from 1 November 2008, amended the Regulations published on 19 October 1961 under Provincial Notice 473-

1 By the substitution for Schedules I of the following Schedule:

"SCHEDULE I

TARIFF OF FEES FOR IN- AND OUT-PATIENT SERVICES
RENDERED AND SUPPLIES PROVIDED AT, IN OR FROM
PROVINCIAL HOSPITALS, SERVICES AND INSTITUTIONS

1. There shall be payable in respect of services rendered and supplies provided at, in or from provincial hospitals, community health centres and clinics the following charges which are defined by and subject to the KwaZulu-Natal Hospital Fees Manual which is available on request from any Provincial hospital in the Province

Code	Description	Basis	Full-paying Hospital Patients			Private Patients			Part-paying Hospital Patients		
			Professional Fee	Facility Fee			Professional Fee	Facility Fee			
				Level 1	Level 2	Level 3		Level 1		Level 2	Level 3
01	Anaesthetics										
0111	Anaesthetics Cat A - General Medical Practitioner	procedure	R122	N/a	N/a	N/a	N/a	N/a	N/a	N/a	As determined by the MEC from time to time
0112	Anaesthetics Cat A - Specialist Medical Practitioner	procedure	R183	N/a	N/a	N/a	N/a	N/a	N/a	N/a	
0121	Anaesthetics Cat B - General Medical Practitioner	procedure	R208	N/a	N/a	N/a	N/a	N/a	N/a	N/a	
0122	Anaesthetics Cat B - Specialist Medical Practitioner	procedure	R313	N/a	N/a	N/a	N/a	N/a	N/a	N/a	
0131	Anaesthetics Cat C - General Medical Practitioner	procedure	R730	N/a	N/a	N/a	N/a	N/a	N/a	N/a	
0132	Anaesthetics Cat C - Specialist Medical Practitioner	procedure	R1,096	N/a	N/a	N/a	N/a	N/a	N/a	N/a	
02	Confinement										
0210	Confinement - Facility Fee	incident		R2,253	R2,253	R2,623		R2,253	R2,253	R2,623	
0211	Confinement - General medical practitioner	incident	R1,222				N/a				
0212	Confinement - Specialist medical practitioner	incident	R1,578				N/a				

0610	Inpatient General ward - Facility Fee	Day		R414	R528	R998		R414	R528	R998	
0611	Inpatient General ward - General medical practitioner	Day	R86				N/a				
0612	Inpatient General ward - Specialist medical practitioner	Day	R150				N/a				
0620	Inpatient High care - Facility Fee	12h		R642	R803	R1,151		R642	R803	R1,151	
0621	Inpatient High care - General medical practitioner	12h	R45				N/a				
0622	Inpatient High care - Specialist medical practitioner	12h	R85				N/a				
0630	Inpatient Intensive care - Facility Fee	12h		R 2,110	R 2,110	R 2,523		R 2,110	R 2,110	R 2,523	
0631	Inpatient Intensive care - General medical practitioner	12h	R50				N/a				
0632	Inpatient Intensive care - Specialist medical practitioner	12h	R95				N/a				
0640	Inpatient Chronic care - Facility Fee	Day		R243	R243	R243		R243	R243	R243	
0641	Inpatient Chronic care - General medical practitioner	Day	R28				N/a				
0642	Inpatient Chronic care - Specialist medical practitioner	Day	R65				N/a				
0643	Inpatient Chronic care - Nursing practitioner	Day	R17				N/a				
0650	Day patient - Facility Fee	Day		R 345	R 435	R 638		R 345	R 435	R 638	As determined by the MEC
0651	Day patient - General medical practitioner	Day	R86				N/a				from time to time
0652	Day patient - Specialist medical practitioner	Day	R150				N/a				
0653	Day patient - Nursing practitioner	Day	R50				N/a				
0660	Inpatient Boarder - Facility Fee	Day		R199	R199	R199		R199	R199	R199	
0663	Inpatient Boarder - Nursing practitioner	Day	R17				R17				
07	Mortuary										
0710	Mortuary - Facility Fee	Day		R106	R106	R120		R106	R106	R120	
0720	Cremation certificate - Facility Fee	Certificate		R106	R106	R120		R106	R106	R120	
08	Pharmaceutical										
0810	Medication fee - Facility fee	prescription		R19	R19	R22		R19	R19	R22	
0820	Pharmaceutical Flat Rate - OPD	Item		R223	R223	R340		R223	R223	R340	
0825	Pharmaceutical Flat Rate - IP	Item		R235	R235	R410		R235	R235	R410	
09	Oral Health										
0910	Oral Care Cat A - Facility Fee	procedure		R16	R16	R18		R16	R16	R18	
0911	Oral Care Cat A - General practitioner	procedure	R27				N/a				
0912	Oral Care Cat A - Specialist practitioner	procedure	R22				N/a				
0914	Oral Care Cat A - Allied health practitioner	procedure	R21				N/a				
0920	Oral Care Cat B - Facility Fee	procedure		R48	R48	R55		R48	R48	R55	
0921	Oral Care Cat B - General practitioner	procedure	R52				N/a				
0922	Oral Care Cat B - Specialist practitioner	procedure	R84				N/a				

0924	Oral Care Cat B - Allied health practitioner	procedure	R43				N/a				
0930	Oral Care Cat C - Facility Fee	procedure		R292	R292	R334		R292	R292	R334	
0931	Oral Care Cat C - General practitioner	procedure	R323				N/a				
0932	Oral Care Cat C - Specialist practitioner	procedure	R555				N/a				
0940	Oral Care Cat D - Facility Fee	procedure		R1,149	R1,149	R 1,314		R1,149	R1,149	R 1,314	
0941	Oral Care Cat D - General practitioner	procedure	R991				N/a				
0942	Oral Care Cat D - Specialist practitioner	procedure	R 2,034				N/a				
0950	Oral Care Cat E - Facility Fee	procedure		R 3,868	R 3,868	R 4,421		R 3,868	R 3,868	R 4,421	
0951	Oral Care Cat E - General practitioner		R 3,333				N/a				
0952	Oral Care Cat E - Specialist practitioner		R 6,840				N/a				
10	Consultations										As determined
1010	Outpatient Consultation - Facility Fee	visit		R51	R51	R62		R51	R51	R62	by the MEC
1011	Outpatient Consultation - General medical practitioner	visit	R57				N/a				from time to time
1012	Outpatient Consultation - Specialist medical practitioner	visit	R132				N/a				
1013	Outpatient Consultation - Nursing practitioner	visit	R33				N/a				
1014	Outpatient Consultation - Allied health practitioner	visit	R35				N/a				
1020	Emergency Consultation - Facility Fee	visit		R104	R104	R123		R104	R104	R123	
1021	Emergency Consultation - General medical practitioner	visit	R86				N/a				
1022	Emergency Consultation - Specialist medical practitioner	visit	R197				N/a				
1023	Emergency Consultation - Nursing practitioner	visit	R50				N/a				
1024	Emergency Consultation - Allied health practitioner	visit	R51				N/a				
11	Minor Theatre Procedures										
1110	Minor Procedure Cat A - Facility Fee	procedure		R243	R243	R291		R243	R243	R291	
1111	Minor Procedure Cat A - General medical practitioner	procedure	R84				N/a				
1112	Minor Procedure Cat A - Specialist medical practitioner	procedure	R162				N/a				
1120	Minor Procedure Cat B - Facility Fee	procedure		R243	R243	R291		R243	R243	R291	
1121	Minor Procedure Cat B - General medical practitioner	procedure	R124				N/a				
1122	Minor Procedure Cat B - Specialist medical practitioner	procedure	R 282				N/a				
1130	Minor Procedure Cat C - Facility Fee	procedure		R243	R243	R291		R243	R243	R291	
1131	Minor Procedure Cat C - General medical practitioner	procedure	R196				N/a				
1132	Minor Procedure Cat C - Specialist medical practitioner	procedure	R440				N/a				
1140	Minor Procedure Cat D - Facility Fee	procedure		R243	R243	R291		R243	R243	R291	

1141	Minor Procedure Cat D - General Medical practitioner	procedure	R518							
1142	Minor Procedure Cat D - Specialist medical practitioner	procedure	R1,166							
12	Major Theatre Procedures									
1210	Theatre Procedure Cat A - Facility Fee	procedure		R758	R1,151	R1,328	N/a	R758	R1,151	R1,328
1211	Theatre Procedure Cat A - General medical practitioner	procedure	R84				N/a			
1212	Theatre Procedure Cat A - Specialist medical practitioner	procedure	R162				N/a			
1220	Theatre Procedure Cat B - Facility Fee	procedure		R 1,189	R 1,744	R2,009		R 1,189	R 1,744	R2,009
1221	Theatre Procedure Cat B - General medical practitioner	procedure	R124				N/a			As determined by the
1222	Theatre Procedure Cat B - Specialist medical practitioner	procedure	R282				N/a			MEC from
1230	Theatre Procedure Cat C - Facility Fee	procedure		R 2,042	R 2,997	R 3,459		R 2,042	R 2,997	R 3,459
1231	Theatre Procedure Cat C - General medical practitioner	procedure	R196				N/a			time to time
1232	Theatre Procedure Cat C - Specialist medical practitioner	procedure	R440				N/a			
1240	Theatre Procedure Cat D - Facility Fee	procedure		R 5,238	R 7,683	R 8,855		R 5,238	R 7,683	R 8,855
1241	Theatre Procedure Cat D - General medical practitioner	procedure	R 518				N/a			
1242	Theatre Procedure Cat D - Specialist medical practitioner	procedure	R 1,166				N/a			
13	Treatments									
1310	Supplementary Health Treatment - Facility Fee	contact		R33	R33	R39		R33	R33	R39
1313	Supplementary Health Treatment - Nurse Practitioner	contact	R29				N/a			
1314	Supplementary Health Treatment - Allied health practitioner	contact	R29				N/a			
1320	Supplementary Health Group Treatment - Facility Fee	contact		R25	R25	R28		R23	R23	R26
1324	Supplementary Health Group Treatment - Allied health practitioner	contact	R21				N/a			
14	Emergency Medical Services									
1410	Patient transport service - Facility Fee	100km		R218	R218	R218		R218	R218	R218
1420	Basic life support - Facility Fee	50km		R595	R595	R595		R595	R595	R595
1430	Intermediate life support - Facility Fee	50km		R804	R804	R804		R804	R804	R804
1440	Advanced life support - Facility Fee	50km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1450	Emergency service standby - Facility Fee	Once-Off		R175	R175	R175		R175	R175	R175
1451	Emergency service standby - General medical practitioner	Hour	R252				N/a			

1452	Emergency service standby - Specialist medical practitioner	Hour	R473				N/a			
1453	Emergency service standby - Nursing practitioner	Hour	R169				N/a			
1455	Emergency service standby - Basic life support practitioner	Hour	R88				N/a			
1456	Emergency service standby - Intermediate life support practitioner	Hour	R109							
1457	Emergency service standby - Advanced life support practitioner	Hour	R233							
1460	Rescue - Facility Fee	Incident		R637	R637	R637		R637	R637	R637
1461	Rescue - General medical practitioner	Incident	R955				N/a			
1462	Rescue - Specialist medical practitioner	Incident	R1,432				N/a			
1463	Rescue - Nursing practitioner	Incident	R637				N/a			
1465	Rescue - Basic life support practitioner	Incident	R88				N/a			
1466	Rescue - Intermediate life support practitioner	Incident	R109				N/a			
1467	Rescue - Advanced life support practitioner	Incident	R233				N/a			
1470	Emergency transport air services fixed wing	50km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1480	Emergency transport air services helicopter	50km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1490	Emergency service standby - Facility Fee	Additional 50km		R129	R129	R129		R129	R129	R129
15	Assistive Devices & Prosthesis									
1510	Assistive Devices & Prosthesis - Item Fee	item	Varies							
1520	Prosthetic Devices - Item fee	item	Varies							
1530	Dental Items - Item Fee	item	Varies							
16	Cosmetic Surgery									As determined by the MEC from
1610	Cosmetic Surgery Cat A - Facility Fee	procedure		R 1,653	R 1,653	R 1,888		R 1,653	R 1,653	R 1,888
1611	Cosmetic Surgery Cat A - General Practitioner	procedure	R953				N/a			time to time
1612	Cosmetic Surgery Cat A - Specialist Practitioner	procedure	R 1,432				N/a			
1620	Cosmetic Surgery Cat B - Facility Fee	procedure		R 3,717	R 3,717	R 4,249		R 3,717	R 3,717	R 4,249
1621	Cosmetic Surgery Cat B - General Practitioner	procedure	R 1,129				N/a			
1622	Cosmetic Surgery Cat B - Specialist Practitioner	procedure	R 1,694				N/a			
1630	Cosmetic Surgery Cat C - Facility Fee	procedure		R 6,004	R 6,004	R 6,862		R 6,004	R 6,004	R 6,862
1631	Cosmetic Surgery Cat C - General Practitioner	procedure	R 1,909				N/a			
1632	Cosmetic Surgery Cat C - Specialist Practitioner	procedure	R 2,864				N/a			
1640	Cosmetic Surgery Cat D - Facility Fee	procedure		R 10,141	R 10,141	R 10,821		R 10,141	R 10,141	R 10,821
1641	Cosmetic Surgery Cat D - General Practitioner	procedure	R 2,142				N/a			
1642	Cosmetic Surgery Cat D - Specialist Practitioner	procedure	R 3,152				N/a			
17	Laboratory Services									
1700	Drawing of Blood - Facility Fee	contact		R 19	R 19	R 19		R 19	R 19	R 19
1710	Laboratory Test*	Adm/visit		R223	R223	R340		R223	R223	R340

18	Radiation Oncology									
1800	Radiation Oncology (NHRPL less VAT)	item	varies							
19	Nuclear Medicines									
1900	Itemisation of Isotopes	item	varies							
1910	Nuclear Medicine Cat A - Facility Fee	procedure		R534	R534	R534		R534	R534	R534
1912	Nuclear Medicine Cat A - Specialist practitioner	procedure	R356				N/a			
1920	Nuclear Medicine Cat B - Facility Fee	procedure		R1,146	R1,146	R1,146		R1,146	R1,146	R1,146
1922	Nuclear Medicine Cat B - Specialist practitioner	procedure	R766				N/a			
1930	Nuclear Medicine Cat C - Facility Fee	procedure		R2,072	R2,072	R2,072		R2,072	R2,072	R2,072
1932	Nuclear Medicine Cat C - Specialist practitioner	procedure	R1,382				N/a			
1940	Nuclear Medicine Cat D - Facility Fee	procedure		R3,294	R3,294	R3,294		R3,294	R3,294	R3,294
1942	Nuclear Medicine Cat D - Specialist practitioner	procedure	R2,196				N/a			
1950	Positron Emission Tomography (PET) Cat E - Facility Fee	procedure		R9,725	R9,725	R9,725		R9,725	R9,725	R9,725
1952	Positron Emission Tomography (PET) Cat E - Speciality Fee	procedure	R3,534				N/a			
20	Ambulatory									
2010	Ambulatory Procedure Cat A - Facility Fee	procedure		R78	R78	R95		R78	R78	R95
2011	Ambulatory Procedure Cat A -General medical practitioner	procedure	R28				N/a			
2012	Ambulatory Procedure Cat A - Specialist medical practitioner	procedure	R56				N/a			
2013	Ambulatory Procedure Cat A - Nursing practitioner	procedure	R17							
2014	Ambulatory Procedure Cat A - Allied Health Worker	procedure	R17				N/a			
2020	Ambulatory Procedure Cat B - Facility Fee	procedure		R78	R78	R95		R78	R78	R95
2021	Ambulatory Procedure Cat B - General medical Practitioner	procedure	R40							As determined by the
2022	Ambulatory Procedure Cat B - Specialist medical practitioner	procedure	R62				N/a			MEC from
2023	Ambulatory Procedure Cat B - Nursing Practitioner	procedure	R22				N/a			
2024	Ambulatory Procedure Cat B - Allied Health Worker	procedure	R22							time to time
21	Blood and Blood Products									
2100	Blood and Blood Products	varies								
22	Hyperbaric Oxygen Therapy									
2210	Hyperbaric Oxygen Therapy - Facility Fee	session		R815	R815	R815		R815	R815	R815
2211	Hyperbaric Oxygen Therapy - General medical practitioner	session	R344							
2212	Hyperbaric Oxygen Therapy - Specialist medical practitioner	session	R344							

2220	Emergency Hyperbaric Oxygen Therapy- Facility Fee	session		R822	R822	R822		R822	R822	R822
2221	Emergency Hyperbaric Oxygen Therapy -General medical practitioner	session	R501							
2222	Emergency Hyperbaric Oxygen Therapy - Specialist practitioner	session	R501							
23	Consumables (Not included in Facility Fee) Buy-outs									
2300	Consumables not included in the facility fee	item	varies							
24	Autopsies									
2410	Autopsies - Facility Fee	per case		R51	R51	R62		R51	R51	R62
2411	Autopsies - General practitioner	per case	R57				N/a			
2412	Autopsies -Specialist medical practitioner	per case	R132				N/a			
2.	For the purposes of this Schedule -									
	(a) the expression "level 1 institution" shall include the following provincial health facilities									
	Appelsbosch, Beatrice Street Clinic, Benedictine, Bethesda, Catherine Booth, Ceza, Charles Johnson Memorial, Christ-the-King, Church of Scotland, Clairwood, Dundee, East Griqualand and Usher Memorial, Ekombe, Ekupumuleni, Emmaus, Estcourt, G.J. Crookes, Greytown, Hillcrest, Hlabisa, Itshelejuba, Manguzi, Mahatma Gandhi, Mbongolwane, Montebello, Mosvold, Mseleni, Niemeyer Memorial, Nkandla, Nkonjeni, Osindisweni, Phoenix Assessment and Therapy Centre, Pietermaritzburg Assessment and Therapy Centre, Rietvlei, St. Appolinaris, St. Andrew's, St Francis, St Margaret, St. Mary's Kwamagwaza, Tayler Bequest, Umgeni Care and Rehabilitation Centre, Umpumulo, Untunjambili, Vryheid, Wentworth and all community health centres and clinics;									
	(b) the expression "level 2 institution" shall include the following provincial health facilities:									
	Addington, Edendale, Eshowe, Fort Napier, King Edward VIII, King George V, Ladysmith, Lower Umfolozi District and War Memorial, Madadeni, Murchison, Newcastle, Ngwelezana, Northdale, Port Shepstone, Prince Mshiyeni, RK Khan, St Aidans, Stanger, Townhill; and									
	(c) the expression "level 3 institution" shall include the following provincial health facilities:									
	Grey's, Inkosi Albert Luthuli Central and Umzimkhulu."									

**REGULASIES BETREFFENDE DIE ADMINISTRASIE,
BESTUUR EN BEHEER VAN PROVINSIALE
HOSPITALE, DIENSTE EN INRIGTINGS WAT KRAGTENS
ARTIKEL 4 VAN DIE ORDONNANSIE OP PROVINSIALE HOSPITALE,
1961 (ORDONNANSIE NO. 13 VAN 1961), DAARGESTEL IS: WYSIGING**

Die Minister van Gesondheid het ingevolge artikel 26 van die Ordonnansie op Provinsiale Hospitale, 1961 (Ordonnansie No. 13 van 1961), die regulasies soos op 19 Oktober 1961 by Provinsiale kennisgewing 473 gepubliseer, met ingang van 1 November 2008, gewysig -

1. deur Bylae I deur die volgende bylae te vervang:

BYLAE I

**GELDETARIEF VIR BINNE- EN BUIEPASIËNTEDIENSTE
GELEWER EN VOORRADE VERSKAF BY, IN OF VANUIT
PROVINSIALE HOSPITALE, DIENSTE EN INRIGTINGS**

- I Die volgende vorderings is betaalbaar ten opsigte van dienste gelewer en voorrade verskaf by, in of vanuit provinsiale hospitale, gemeenskapsgesondheidsentrums en klinieke, welke vorderings bepaal is deur en onderhewig is aan die KwaZulu-Natal Hospitaalgeelde Handboek wat op versoek van enige provinsiale hospitaal in die provinsie beskikbaar is:

Kode	Beskrywing	Basis	Volttarief-hospitaalpasiente			Professionele gelde	Privaat pasiente			Deeltarief-hospitaalpasiente		
			Professionele gelde	Fasiliteitsgelde			Professionele gelde	Fasiliteitsgelde				
				Vlak 1	Vlak 2			Vlak 3	Vlak 1		Vlak 2	Vlak 3
01	Narkosemiddels											
0111	Narkosemiddels, Kategorie A - Algemene Praktisyn	prosedure	R122	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.			
0112	Narkosemiddels, Kategorie A - Spesialispraktisyn	prosedure	R183	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.			
0121	Narkosemiddels, Kategorie B - Algemene Praktisyn	prosedure	R208	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.			
0122	Narkosemiddels, Kategorie B - Spesialispraktisyn	prosedure	R313	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.			
0131	Narkosemiddels, Kategorie C - Algemene Praktisyn	prosedure	R730	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.			
0132	Narkosemiddels, Kategorie C - Spesialispraktisyn	prosedure	R1,096	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.	N.v.t.			
02	Bevalling											
0210	Bevalling - Fasiliteitsgeld	voorval		R2,253	R2,253	R2,623		R2,253	R2,253	R2,623		
0211	Bevalling - Algemene Praktisyn	voorval	R1,222			N.v.t.						
0212	Bevalling - Spesialispraktisyn	voorval	R1,578			N.v.t.						
0213	Bevalling - Verpleegpraktisyn	voorval	R1,478			N.v.t.						
03	Dialise											

soos van tyd tot tyd
deur die Minister bepaal

0310	Hemo - Fasiliteitsgeld	dag		R809	R809	R926		R809	R809	R926
0311	Hemo-dialise - Algemene Praktisyn	dag	R154				N.v.t.			
0312	Hemo-dialise - Spesialispraktisyn	dag	R192				N.v.t.			
0313	Hemo-dialise - Verpleegpraktisyn	dag	R123				N.v.t.			
0320	Peritoneale Dialise - Fasiliteitsgeld	sessie		R124	R124	R142		R124	R124	R142
0321	Peritoneale Dialise - Algemene Praktisyn	sessie	R24				N.v.t.			
0322	Peritoneale Dialise - Spesialispraktisyn	sessie	R30				N.v.t.			
0323	Peritoneale Dialise - Verpleegpraktisyn	sessie	R17							
0330	Plasmoforese - Fasiliteitsgeld	sessie		R809	R809	R926		R809	R809	R926
0331	Plasmoforese - Algemene Praktisyn	sessie	R152				N.v.t.			
0332	Plasmoforese - Spesialispraktisyn	sessie	R191				N.v.t.			
04	Mediese Verslae	verslag								
0410	Mediese Verslag - Fasiliteitsgeld	verslag		R78	R78	R95	N.v.t.	R78	R78	R95
0411	Mediese Verslag - Algemene Praktisyn	verslag	R146				N.v.t.			
0412	Mediese Verslag - Spesialispraktisyn	verslag	R225							
0421	Afskrifte van mediese verslae, rekords, x-strale en voltooiing van sertifikate/vorms - Algemene Praktisyn	afskrif	R73				N.v.t.			
0422	Afskrifte van mediese verslae, rekords, x-strale en voltooiing van sertifikate/vorms - Spesialis Praktisyn	afskrif	R112				N.v.t.			
0425	Afskrifte van x-strale, ultraklank, ens.	afskrif	R73							
05	Afbeelding	prosedure								
0510	Radiologie, Kategorie A - Fasiliteitsgeld	prosedure		R41	R41	R46		R41	R41	R46
0511	Radiologie, Kategorie A - Algemene Praktisyn	prosedure	R40				N.v.t.			
0512	Radiologie, Kategorie A - Spesialis Praktisyn	prosedure	R76				N.v.t.			
0514	Radiologie, Kategorie A - Verbonde Gesondheidspraktisyn	prosedure	R39				N.v.t.			
0520	Radiologie, Kategorie B - Fasiliteitsgeld	prosedure		R112	R112	R129		R112	R112	R129
0521	Radiologie, Kategorie B - Algemene Praktisyn	prosedure	R108				N.v.t.			
0522	Radiologie, Kategorie B - Spesialispraktisyn	prosedure	R211				N.v.t.			
0524	Radiologie, Kategorie B - Verbonde Gesondheidspraktisyn	prosedure	R106				N.v.t.			
0530	Radiologie, Kategorie C - Fasiliteitsgeld	prosedure		R523	R523	R597		R523	R523	R597
0531	Radiologie, Kategorie C - Algemene Praktisyn	prosedure	R335				N.v.t.			
0532	Radiologie, Kategorie C - Spesialispraktisyn	prosedure	R1,031				N.v.t.			
0540	Radiologie, Kategorie D - Fasiliteitsgeld	prosedure		R1,332	R1,332	R1,522		R1,332	R1,332	R1,522
0541	Radiologie, Kategorie D - Algemene Praktisyn	prosedure	R1,233				N.v.t.			
0542	Radiologie, Kategorie D - Spesialispraktisyn	prosedure	R2,574				N.v.t.			
06	Binnepasiënte									
0610	Binnepasiënt Algemene Saal - Fasiliteitsgeld	dag		R414	R528	R998		R414	R528	R998
0611	Binnepasiënt Algemene Saal - Algemene praktisyn	dag	R86				N.v.t.			
0612	Binnepasiënt Algemene Saal - Spesialis Praktisyn	dag	R150				N.v.t.			
0620	Binnepasiënt Hoërsorg - Fasiliteitsgeld	12u		R642	R803	R1,151		R642	R803	R1,151
0621	Binnepasiënt Hoërsorg - Algemene Praktisyn	12u	R45				N.v.t.			
0622	Binnepasiënt Hoërsorg - Spesialis Praktisyn	12u	R85				N.v.t.			
0630	Binnepasiënt Waakeenheid - Fasiliteitsgeld	12u		R 2,110	R 2,110	R 2,523		R 2,110	R 2,110	R 2,523

soos van tyd tot tyd
deur die Minister bepaal

0631	Binnepasiënt Waakeenheid - Algemene Praktisyn	12u	R50				N.v.t.			
0632	Binnepasiënt Waakeenheid - Spesialispraktisyn	12u	R95				N.v.t.			
0640	Binnepasiënt Kroniese Sorg - Fasiilteitsgeld	dag		R243	R243	R243		R243	R243	R243
0641	Binnepasiënt Kroniese Sorg - Algemene Praktisyn	dag	R28				N.v.t.			
0642	Binnepasiënt Kroniese Sorg - Spesialispraktisyn	dag	R65				N.v.t.			
0643	Binnepasiënt Kroniese Sorg - Verpleegpraktisyn	dag	R17				N.v.t.			
0650	Dagpasiënt - Fasiilteitsgeld	dag		R 345	R 435	R 638		R 345	R 435	R 638
0651	Dagpasiënt - Algemene Praktisyn	dag	R86				N.v.t.			
0652	Dagpasiënt - Spesialis Praktisyn	dag	R150				N.v.t.			
0653	Dagpasiënt - Verpleegpraktisyn	dag	R50				N.v.t.			
0660	Binnepasiënt Loseerder - Fasiilteitsgeld	dag		R199	R199	R199		R199	R199	R199
0663	Binnepasiënt Loseerder - Verpleegpraktisyn	dag	R17							R16
07	Lykhuis									
0710	Lykhuis - Fasiilteitsgeld	dag		R106	R106	R120		R106	R106	R120
0720	Verassingsertifikaat - Fasiilteitsgeld	sertifikaat		R106	R106	R120		R106	R106	R120
08	Geneesmiddel									
0810	Medikasiegeld - Fasiilteitsgeld	voorskrif		R19	R19	R22		R19	R19	R22
0820	Geneesmiddel Vaste tarief - OPD	item		R223	R223	R340		R223	R223	R340
0825	Geneesmiddel Vaste tarief - IP	item		R235	R235	R410		R235	R235	R410
09	Mondgesondheid									
0910	Mond Sorg, Kategorie A - Fasiilteitsgeld	prosedure		R16	R16	R18		R16	R16	R18
0911	Mond Sorg, Kategorie A - Algemene Praktisyn	prosedure	R27				N.v.t.			
0912	Mond Sorg, Kategorie A - Spesialis Praktisyn	prosedure	R22				N.v.t.			
0914	Mond Sorg, Kategorie A - Verbonde Gesondheidspraktisyn	prosedure	R21				N.v.t.			
0920	Mond Sorg, Kategorie B - Fasiilteitsgeld	prosedure		R48	R48	R55		R48	R48	R55
0921	Mond Sorg, Kategorie B - Algemene Praktisyn	prosedure	R52				N.v.t.			
0922	Mond Sorg, Kategorie B - Spesialispraktisyn	prosedure	R64				N.v.t.			
0924	Mond Sorg, Kategorie B - Verbonde Gesondheidspraktisyn	prosedure	R43				N.v.t.			
0930	Mond Sorg, Kategorie C - Fasiilteitsgeld	prosedure		R292	R292	R334		R292	R292	R334
0931	Mond Sorg, Kategorie C - Algemene Praktisyn	prosedure	R323				N.v.t.			
0932	Mond Sorg, Kategorie C - Spesialis Praktisyn	prosedure	R555				N.v.t.			
0940	Mond Sorg, Kategorie D - Fasiilteitsgeld	prosedure		R1,149	R1,149	R 1,314		R1,149	R1,149	R 1,314
0941	Mond Sorg, Kategorie D - Algemene Praktisyn	prosedure	R991				N.v.t.			
0942	Mond Sorg, Kategorie D - Spesialis Praktisyn	prosedure	R 2,034				N.v.t.			
0950	Mond Sorg, Kategorie E - Fasiilteitsgeld	prosedure		R 3,868	R 3,868	R 4,421		R 3,868	R 3,868	R 4,421
0951	Mond Sorg, Kategorie E - Algemene Praktisyn		R 3,333				N.v.t.			
0952	Mond Sorg, Kategorie E - Spesialis Praktisyn		R 6,840				N.v.t.			
10	Konsultasies									
1010	Buitepasiënt Konsultasie - Fasiilteitsgeld	besoek		R51	R51	R62		R51	R51	R62
1011	Buitepasiënt Konsultasie - Algemene Praktisyn	besoek	R57				N.v.t.			
1012	Buitepasiënt Konsultasie - Spesialispraktisyn	besoek	R132				N.v.t.			
1013	Buitepasiënt Konsultasie - Verpleegpraktisyn	besoek	R33				N.v.t.			

soos van tyd tot tyd
deur die Minister bepaal

1014	Buitepasiënt Konsultasie - Verbonde Gesondheidspraktisyn	besoek	R35				N.v.t.			
1020	Nood Konsultasie - Fasiliteitsgeld	besoek		R104	R104	R123		R104	R104	R123
1021	Nood Konsultasie - Algemene Praktisyn	besoek	R86				N.v.t.			
1022	Nood Konsultasie - Spesialispraktisyn	besoek	R197				N.v.t.			
1023	Nood Konsultasie - Verpleegpraktisyn	besoek	R50				N.v.t.			
1024	Nood Konsultasie - Verbonde Gesondheidspraktisyn	besoek	R51				N.v.t.			
11	Geringe Operasiesaalprosedure									
1110	Geringe Prosedure, Kategorie A - Fasiliteitsgeld	prosedure		R243	R243	R291		R243	R243	R291
1111	Geringe Prosedure, Kategorie A - Algemene Praktisyn	prosedure	R84				N.v.t.			
1112	Geringe Prosedure, Kategorie A - Spesialispraktisyn	prosedure	R162				N.v.t.			
1120	Geringe Prosedure, Kategorie B - Fasiliteitsgeld	prosedure		R243	R243	R291		R243	R243	R291
1121	Geringe Prosedure, Kategorie B - Algemene Praktisyn	prosedure	R124				N.v.t.			
1122	Geringe Prosedure, Kategorie B - Spesialispraktisyn	prosedure	R 282				N.v.t.			
1130	Geringe Prosedure, Kategorie C - Fasiliteitsgeld	prosedure		R243	R243	R291		R243	R243	R291
1131	Geringe Prosedure, Kategorie C - Algemene Praktisyn	prosedure	R196				N.v.t.			
1132	Geringe Prosedure, Kategorie C - Spesialispraktisyn	prosedure	R440				N.v.t.			
1140	Geringe Prosedure, Kategorie D - Fasiliteitsgeld	prosedure		R243	R243	R291		R243	R243	R291
1141	Geringe Prosedure, Kategorie D - Algemene Praktisyn	prosedure	R518				N.v.t.			
1142	Geringe Prosedure, Kategorie D - Spesialispraktisyn	prosedure	R1,166				N.v.t.			
12	Groot Operasiesaalprosedure									
1210	Operasiesaalprosedure, Kategorie A - Fasiliteitsgeld	prosedure		R758	R1,151	R1,328		R758	R1,151	R1,328
1211	Operasiesaalprosedure, Kategorie A - Algemene Praktisyn	prosedure	R84				N.v.t.			
1212	Operasiesaalprosedure, Kategorie A - Spesialispraktisyn	prosedure	R162				N.v.t.			
1220	Operasiesaalprosedure, Kategorie B - Fasiliteitsgeld	prosedure		R 1,189	R 1,744	R 2,009		R 1,189	R 1,744	R 2,009
1221	Operasiesaalprosedure, Kategorie B - Algemene Praktisyn	prosedure	R124				N.v.t.			
1222	Operasiesaalprosedure, Kategorie B - Spesialis Praktisyn	prosedure	R282				N.v.t.			
1230	Operasiesaalprosedure, Kategorie C - Fasiliteitsgeld	prosedure		R 2,042	R 2,997	R 3,459		R 2,042	R 2,997	R 3,459
1231	Operasiesaalprosedure, Kategorie C - Algemene Praktisyn	prosedure	R196				N.v.t.			
1232	Operasiesaalprosedure, Kategorie C - Spesialispraktisyn	prosedure	R440				N.v.t.			
1240	Operasiesaalprosedure, Kategorie D - Fasiliteitsgeld	prosedure		R 5,238	R 7,683	R 8,855		R 5,238	R 7,683	R 8,855
1241	Operasiesaalprosedure, Kategorie D - Algemene Praktisyn	prosedure	R 518				N.v.t.			
1242	Operasiesaalprosedure, Kategorie D - Spesialispraktisyn	prosedure	R 1,166				N.v.t.			
13	Behandeling									
1310	Aanvullende Gesondheidsbehandeling - Fasiliteitsgeld	kontak		R33	R33	R39		R33	R33	R39
1313	Aanvullende Gesondheidsbehandeling - Verpleegpraktisyn	kontak	R29				N.v.t.			
1314	Aanvullende Gesondheidsbehandeling - Verbonde Gesondheidspraktisyn	kontak	R29				N.v.t.			

soos van tyd tot tyd
deur die Minister bepaal

1320	Aanvullende Gesondheid Groepbehandeling - Fasiliteitsgeld	kontak		R25	R25	R28		R25	R25	R28
1324	Aanvullende Gesondheid Groepbehandeling - Verbonde Gesondheidspraktisyn	kontak	R21				N.v.t.			
14	Mediese Nooddienste									
1410	Pasiëntvervoerdiens - Fasiliteitsgeld	100 km		R218	R218	R218		R218	R218	R218
1420	Basiese Lewensbystand - Fasiliteitsgeld	50 km		R595	R595	R595		R595	R595	R595
1430	Intermediêre Lewensbystand - Fasiliteitsgeld	50 km		R804	R804	R804		R804	R804	R804
1440	Gevorderde Lewensbystand - Fasiliteitsgeld	50 km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1450	Nooddienparaatheid - Fasiliteitsgeld	Eenmalig		R175	R175	R175		R175	R175	R175
1451	Nooddienparaatheid - Algemene Praktisyn	Uur	R252				N v t			
1452	Nooddienparaatheid - Spesialispraktisyn	Uur	R473				N v t			
1453	Nooddienbystand - Verpleegpraktisyn	Uur	R169				N v t			
1455	Nooddienbystand - Verbonde Gesondheidspraktisyn	Uur	R88				N.v.t			
	Nooddienbystand - Intermediêre Lewensbystandspraktisyn									
1456	Nooddienbystand - Gevorderde Lewensbystandspraktisyn	Uur	R109							
1457	Nooddienbystand - Gevorderde Lewensbystandspraktisyn	Uur	R233							
1460	Redding - Fasiliteitsgeld	voorval		R637	R637	R637		R637	R637	R637
1461	Redding - Algemene Praktisyn	voorval	R955				N.v.t.			
1462	Redding - Spesialispraktisyn	voorval	R1,432				N.v.t			
1463	Redding - Verpleegpraktisyn	voorval	R637				N.v.t.			
1465	Redding - Verbonde Gesondheidspraktisyn	voorval	R88				N.v.t.			
1466	Redding - Intermediêre Lewensbystandspraktisyn	voorval	R109				N.v.t			
1467	Redding - Gevorderde Lewensbystandspraktisyn	voorval	R233				N.v.t.			
1470	Noodvervoerlugdienste Vastevlerk	50 km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1480	Noodvervoerlugdienste Helikopter	50 km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
		Bykomende								
1490	Nooddienstebystand - Fasiliteitsfooi	50 km		R129	R129	R129		R129	R129	R129
15	Hulpmiddels en Protese									
1510	Itemgeld	item	varieer							
1520	Prostetiese Instrumente - Itemgeld	item	varieer							
1530	Tandheelkundige Items - Itemgeld	item	varieer							
16	Kosmetiese Chirurgie									
1610	Kosmetiese Chirurgie, Kategorie A - Fasiliteitsgeld	prosedure		R 1,653	R 1,653	R 1,888		R 1,653	R 1,653	R 1,888
1611	Kosmetiese Chirurgie, Kategorie A - Algemene Praktisyn	prosedure	R953				N.v.t.			
1612	Kosmetiese Chirurgie, Kategorie A - Spesialispraktisyn	prosedure	R 1,432				N.v.t.			
1620	Kosmetiese Chirurgie, Kategorie B - Fasiliteitsgeld	prosedure		R 3,717	R 3,717	R 4,249		R 3,717	R 3,717	R 4,249
1621	Kosmetiese Chirurgie, Kategorie B - Algemene Praktisyn	prosedure	R 1,129				N.v.t			
1622	Kosmetiese Chirurgie, Kategorie B - Spesialispraktisyn	prosedure	R 1,694				N.v.t.			
1630	Kosmetiese Chirurgie, Kategorie C - Fasiliteitsgeld	prosedure		R 6,004	R 6,004	R 6,862		R 6,004	R 6,004	R 6,862
1631	Kosmetiese Chirurgie, Kategorie C - Algemene Praktisyn	prosedure	R 1,909				Nv t			
1632	Kosmetiese Chirurgie, Kategorie C - Spesialispraktisyn	prosedure	R 2,864				Nv t			

soos van tyd tot tyd deur die Minister bepaal

1640	Kosmetiese Chirurgie, Kategorie D - Fasiliteitsgeld	prosedure		R 10,141	R 10,141	R 10,821		R 10,141	R 10,141	R 10,821
1641	Kosmetiese Chirurgie, Kategorie D - Algemene Praktisyn	prosedure	R 2,142				N.v.t.			
1642	Kosmetiese Chirurgie, Kaegriet D - Spesialispraktisyn		R 3,152				N.v.t.			
17	Laboratoriumdienste									
1700	Trek van bloed - Fasiliteitsgeld	kontak		R19	R19	R19		R19	R19	R19
1710	Laboratoriumdienste	varieer		R223	R223	R340		R223	R223	R340
18	Bestraling Onkologie									
1800	Bestraling Onkologie (NRPL min BTW)	item	varieer							
19	Kernmedisyne									
1900	Spesilisering van isotope	item	varieer							
1910	Kernmedisyne, Kategorie A - Fasiliteitsgeld	prosedure		R534	R534	R534		R534	R534	R534
1912	Kernmedisyne, Kategorie A - Spesialispraktisyn	prosedure	R356				N.v.t.			
1920	Kernmedisyne, Kategorie B - Fasiliteitsgeld	prosedure		R1,146	R1,146	R1,146		R1,146	R1,146	R1,146
1922	Kernmedisyne, Kategorie B - Spesialispraktisyn	prosedure	R766				N.v.t.			
1930	Kernmedisyne, Kategorie C - Fasiliteitsgeld	prosedure		R2,072	R2,072	R2,072		R2,072	R2,072	R2,072
1932	Kernmedisyne, Kategorie C - Spesialispraktisyn	prosedure	R1,382				N.v.t.			
1940	Kernmedisyne, Kategorie D - Fasiliteitsgeld	prosedure		R3,294	R3,294	R3,294		R3,294	R3,294	R3,294
1942	Kernmedisyne, Kategorie D - Spesialispraktisyn	prosedure	R2,196				N.v.t.			
1950	Positron Emissie Tomografie (PET) Kat E - Fasiliteitsfooi	prosedure		R9,725	R9,725	R9,725		R9,725	R9,725	R9,725
1952	Positron Emissie Tomografie (PET) Kat E - Spesialiteitsfooi	prosedure	R3,534				N/a			
20	Ambulante Prosedures									
2010	Ambulante Prosedure, Kategorie A - Fasiliteitsgeld	prosedure		R78	R78	R95		R78	R78	R95
2011	Ambulante Prosedure, Kategorie A - Algemene Praktisyn	prosedure	R28				N.v.t.			
2012	Ambulante Prosedure, Kategorie A - Spesialispraktisyn	prosedure	R56				N.v.t.			
2013	Ambulante Prosedure, Kategorie A - Verpleegpraktisyn	prosedure	R17							
2014	Ambulante Prosedure, Kategorie A - Verbonde Gesondheidspraktisyn	prosedure	R17				N.v.t.			
2020	Ambulante Prosedure, Kategorie B - Fasiliteitsgeld	prosedure		R78	R78	R95		R17	R17	R95
2021	Ambulante Prosedure, Kategorie B - Algemene Praktisyn	prosedure	R40							
2022	Ambulante Prosedure, Kategorie B - Spesialis Praktisyn	prosedure	R62				N.v.t.			
2023	Ambulante Prosedure, Kategorie B - Verpleegpraktisyn	prosedure	R22				N.v.t.			
2024	Ambulante Prosedure, Kategorie B - Verbonde Gesondheidspraktisyn	prosedure	R22							
21	Bloed en Bloedprodukte									
2100	Bloed en Bloedprodukte	varieer								
22	Hoogdruk-suurstofbehandeling									

soos van tyd tot tyd
deur die Minister bepaal

2210	Hoogdruk-suurstofbehandeling - Fasiliteitsgeld	sessie		R815	R815	R815		R815	R815	R815
2211	Hoogdruk-suurstofbehandeling - Algemene Praktisyn	sessie	R344							
2212	Hoogdruk-suurstofbehandeling - Spesialispraktisyn	sessie	R344							
2220	Nood Hiperbariese Suurstof terapie - Fasiliteitsfooi	sessie		R822	R822	R822		R822	R822	R822
2221	Nood Hiperbariese Suurstof terapie - Algemene mediese praktisyn	sessie	R501							
2222	Nood Hiperbariese Suurstof terapie - Spesialispraktisyn	sessie	R501							
23	Verbruikbare Items									
2300	Verbruikbare items nie by fasiliteitsgeld ingesluit nie	item	varieer							
24	Lykskouings									
2410	Lykskouing - Fasiliteitsgeld	geval		R51	R51	R62		R51	R51	R62
2411	Lykskouing - Algemene Praktisyn	geval	R57			N.v.t.				
2412	Lykskouing - Spesialispraktisyn	geval	R132			N.v.t.				

soos van tyd tot tyd
deur die Minister bepaal

Vir die doeleindes van hierdie bylae -

(a) sluit die uitdrukking "vlak 1 inrigting" die volgende provinsiale gesondheidsgeriewe in

Appelsbosch, Beatricestraat Kliniek, Benedictine, Bethesda, Catherine Booth, Ceza, Charles Johnson Gedenkhospitaal, Christ-the-King, Church of Scotland, Clairwood, Dundee, Griekwaland-Oos en Usher Gedenkhospitaal, Ekombe, Ekupumeleni, Emmaus, Estcourt, G.J. Crookes, Greytown, Hillcrest, Hlabisa, Itshelejuba, Manguzi, Mahatma Gandhi, Mbongolwane, Montebello, Mosvold, Mseleni, Niemeyer Gedenk, Nkandla, Nkonjeni, Osindisweni, Phoenix Assessment and Therapy Centre, Pietermaritzburg Assessment and Therapy Centre, Rietvlei, St. Appolinaris, St. Andrew's, St Francis, St Margaret, St. Mary's KwaMagwaza, Tayler Legaat, Umgeni Sorg- en Rehabilitasiesentrum, Umpumulo, Untunjambili, Vryheid, Wentworth en alle gemeenskapsgesondheidsentrums en klinieke; en

(b) sluit die uitdrukking "vlak 2 inrigting" die volgende provinsiale gesondheidsgeriewe in .

Addington, Edendale, Eshowe, Fort Napier, King Edward VIII, King George V, Ladysmith, Lower Umfolozi District and War Memorial, Madadeni, Murchison, Newcastle, Ngwelezana, Northdale, Port Shepstone, Prince Mshiyeni, R.K. Khan, St Aidsens, Stanger and Town Hill; en

(c) sluit die uitdrukking "vlak 3 inrigting" die volgende provinsiale gesondheidsgeriewe in

Grey's, Inkosi Albert Luthuli Sentraal en Umzimkhulu."

0131	Imithi yokubulala imizwa, Umkhakha C - Udokotela	inqubo	R730	N/a	N/a	N/a	N/a	N/a	N/a	
0132	Imithi yokubulala imizwa, Umkhakha C - Uchwepheshe	inqubo	R1,096	N/a		N/a	N/a	N/a	N/a	
02	Ukubeletha									
0210	Ukubeletha - Imali yesibhedlela	isehlakalo		R2,253	R2,253	R2,623		R2,253	R2,253	R2,623
0211	Ukubeletha - Udokotela	isehlakalo	R1,222				N/a			
0212	Ukubeletha - Uchwepheshe	isehlakalo	R1,578				N/a			
0213	Ukubeletha - Umhlengikazi	isehlakalo	R1,478				N/a			
03	Ukuhlanza									
0310	Ukuhlanza okuphathelene negazi - Imali yesibhedlela	usuku		R809	R809	R926		R809	R809	R926
0311	Ukuhlanza igazi ezinsweni - Udokotela	usuku	R154				N/a			
0312	Ukuhlanza igazi ezinsweni - Uchwepheshe	usuku	R192				N/a			
0313	Ukuhlanza igazi ezinsweni - Unesi	usuku	R123				N/a			
0320	Ukuhlanza umhlwemhlwe - Imali yesibhedlela	isigaba		R124	R124	R142		R124	R124	R142
0321	Ukuhlanza umhlwemhlwe - Udokotela	isigaba	R24				N/a			
0322	Ukuhlanza umhlwemhlwe - Uchwepheshe	isigaba	R30				N/a			
0323	Ukuhlanza kontwentwesi lwesisu-Unesi	isigaba	R17							
0330	Ukuphehlwa kwegazi - Imali yesibhedlela	isigaba		R809	R809	R926		R809	R809	R926
0331	Ukuphehlwa kwegazi - Udokotela	isigaba	R152				N/a			
0332	Ukuphehlwa kwegazi - Uchwepheshe	isigaba	R191				N/a			
04	Imibiko ngesimo sempilo	umbiko								
0410	Umbiko ngesimo sempilo - Imali yesibhedlela	umbiko		R78	R78	R95	N/a	R78	R78	R95 njengoba kunqunywe
0411	Umbiko ngesimo sempilo - Udokotela	umbiko	R146				N/a			nguNgqongqoshe izikhathi
0412	Umbiko ngesimo sempilo - Uchwepheshe	umbiko	R225				N/a			ngezikhathi
0421	Amakhophi emibiko ngesimo sempilo, amarekhodi, ama X-Reyi, ukugcwaliswa kwezitifiketi/ amafomu - Udokotela	ikhophi	R73				N/a			
0422	Amakhophi emibiko ngesimo sempilo, amarekhodi, ama X-Reyi, ukugcwaliswa kwezitifiketi/ amafomu - Uchwepheshe	ikhophi	R112				N/a			
0425	Amakhophi ama x-reyi, omshini wamafutha njll	ikhophi	R73							
05	Imisebenzi yokuhlola izifo	inqubo								
0510	Imisebenzi yokuhlola izifo, Umkhakha A - Imali yesibhedlela	inqubo		R41	R41	R46		R41	R41	R46
0511	Imisebenzi yokuhlola izifo, Umkhakha A - Udokotela	inqubo	R40				N/a			
0512	Imisebenzi yokuhlola izifo, Umkhakha A - Uchwepheshe	inqubo	R76				N/a			
0514	Imisebenzi yokuhlola izifo, Umkhakha A - Udokotela owunimbini	inqubo	R39				N/a			
0520	Imisebenzi yokuhlola izifo, Umkhakha B - Imali yesibhedlela	inqubo		R112	R112	R129		R112	R112	R129

0521	Imisebenzi yokuhlola izifo, Umkhakha B - Udokotela	inqubo	R108							N/a	
0522	Imisebenzi yokuhlola izifo, Umkhakha B - Uchwepheshe	inqubo	R211							N/a	
0524	Imisebenzi yokuhlola izifo, Umkhakha B - Udokotela owumbimbi	inqubo	R106							N/a	
0530	Imisebenzi yokuhlola izifo, Umkhakha C - Imali yesibhedlela	inqubo		R523	R523	R597		R523	R523	R597	
0531	Imisebenzi yokuhlola izifo, Umkhakha C - Udokotela	inqubo	R335							N/a	
0532	Imisebenzi yokuhlola izifo, Umkhakha C - Uchwepheshe	inqubo	R1,031							N/a	
0540	Imisebenzi yokuhlola izifo, Umkhakha D - Imali yesibhedlela	inqubo		R1,332	R1,332	R1,522		R1,332	R1,332	R1,522	
0541	Imisebenzi yokuhlola izifo, Umkhakha D - Udokotela	inqubo	R1,233							N/a	
0542	Imisebenzi yokuhlola izifo, Umkhakha D - Uchwepheshe	inqubo	R2,574							N/a	
06	Iziguli ezilalisiwe										
0610	Izimali zewodi - Imali yesibhedlela	usuku		R414	R528	R998		R414	R528	R998	njengoba kunqunywe
0611	Izimali zewodi - Udokotela	usuku	R86								nguNgqongqoshe izikhathi
0612	Izimali zewodi - Uchwepheshe	usuku	R150								ngezikhathi
0620	Egunjini labadinga ukunakekelwa kakhulu - Imali yesibhedlela	12h		R642	R803	R1,151		R642	R803	R1,151	
0621	Egunjini labadinga ukunakekelwa kakhulu - Udokotela	12h	R45								N/a
0622	Egunjini labadinga ukunakekelwa kakhulu - Uchwepheshe	12h	R85								N/a
0630	Izimali ezikhokhwa egunjini labagula kakhulu - Imali yesibhedlela	12h		R 2,110	R 2,110	R 2,523		R 2,110	R 2,110	R 2,523	
0631	Izimali ezikhokhwa egunjini labagula kakhulu - Udokotela	12h	R50								N/a
0632	Izimali ezikhokhwa egunjini labagula kakhulu - Uchwepheshe	12h	R95								N/a
0640	Ukunakekelwa kwezifo zansu zonke - Imali yesibhedlela	usuku		R243	R243	R243		R243	R243	R243	
0641	Ukunakekelwa kwezifo zansu zonke - Udokotela	usuku	R28								N/a
0642	Ukunakekelwa kwezifo zansu zonke - Uchwepheshe	usuku	R65								N/a
0643	Ukunakekelwa kwezifo zansu zonke - Umhlengikazi	usuku	R17								N/a
0650	Isiguli sosuku - Imali yesibhedlela	usuku		R345	R435	R 638		R 345	R 435	R 638	
0651	Isiguli sosuku - Udokotela	usuku	R86								N/a
0652	Isiguli sosuku - Uchwepheshe	usuku	R150								N/a
0653	Isiguli sosuku - Umhlengikazi	usuku	R50								N/a
0660	Izimali ezikhokhwa ngabahlaliswa ngaphakathi - Imali yesibhedlela	usuku		R199	R199	R199		R199	R199	R199	
0663	Izimali ezikhokhwa ngabahlaliswa ngaphakathi - Umhlengikazi	usuku	R17								R17
07	Izimali ezikhokhwa emakhazeni										
0710	Izimali ezikhokhwa emakhazeni - Imali yesibhedlela	usuku		R106	R106	R120		R106	R106	R120	

0720	Izitifiketi zokushisa izidumbu - Imali yesibhedlela	ngesitifiketi	R106	R106	R120	R106	R106	R120	
08	Ukuthakwa kwemithi								
0810	Imali yemithi - Imali yesibhedlela	imithi enqunywe	R19	R19	R22	R19	R19	R22	
0820	Ukuthakwa kwemithi isamba esingaguquki - OPD	ngokuvakasha	R223	R223	R340	R223	R223	R340	
0825	Ukuthakwa kwemithi isamba esingaguquki - IP	ukwamukelwa	R235	R235	R410	R235	R235	R410	
09	Ukunakekelwa kozomlomo								
0910	Ukunakekelwa komlomo, Umkhakha A - Imali yesibhedlela	inqubo	R16	R16	R18	R16	R16	R18	
0911	Ukunakekelwa komlomo, Umkhakha A - Udokotela	inqubo	R27			N/a			njengoba kunqunywe
0912	Ukunakekelwa komlomo, Umkhakha A - Uchwepheshe	inqubo	R22			N/a			nguNgqongqoshe izikhathi
0914	Ukunakekelwa komlomo, Umkhakha A - Udokotela owumbimbi	inqubo	R21			N/a			ngezikhathi
0920	Ukunakekelwa komlomo, Umkhakha B - Imali yesibhedlela	inqubo	R48	R48	R55	R48	R48	R55	
0921	Ukunakekelwa komlomo, Umkhakha B - Udokotela	inqubo	R52			N/a			
0922	Ukunakekelwa komlomo, Umkhakha B - Uchwepheshe	inqubo	R84			N/a			
0924	Ukunakekelwa komlomo, Umkhakha B - Udokotela owumbimbi	inqubo	R43			N/a			
0930	Ukunakekelwa komlomo, Umkhakha C - Imali yesibhedlela	inqubo	R292	R292	R334	R292	R292	R334	
0931	Ukunakekelwa komlomo, Umkhakha C - Udokotela	inqubo	R323			N/a			
0932	Ukunakekelwa komlomo, Umkhakha C - Uchwepheshe	inqubo	R555			N/a			
0940	Ukunakekelwa komlomo, Umkhakha D - Imali yesibhedlela	inqubo	R1,149	R1,149	R 1,314	R1,149	R1,149	R 1,314	
0941	Ukunakekelwa komlomo, Umkhakha D - Udokotela	inqubo	R991			N/a			
0942	Ukunakekelwa komlomo, Umkhakha D - Uchwepheshe	inqubo	R 2,034			N/a			
0950	Ukunakekelwa komlomo, Umkhakha E - Imali yesibhedlela	inqubo	R 3,868	R 3,868	R 4,421	R 3,868	R 3,868	R 4,421	
0951	Ukunakekelwa komlomo, Umkhakha E - Udokotela	inqubo	R 3,333			N/a			
0952	Ukunakekelwa komlomo Umkhakha E - Uchwepheshe	inqubo	R 6,840			N/a			
10	Ukubona udokotela								
1010	Ukubona udokotela ungezukulaliswa - Imali yesibhedlela	ngokuvakasha	R51	R51	R62	R51	R51	R62	
1011	Ukubona udokotela ungezukulaliswa - Udokotela	ngokuvakasha	R 57			N/a			
1012	Ukubona udokotela ungezukulaliswa - Uchwepheshe	ngokuvakasha	R 132			N/a			
1013	Ukubona udokotela ungezukulaliswa - Umhlengikazi	ngokuvakasha	R 33			N/a			
1014	Ukubona udokotela ungezukulaliswa - Udokotela owumbimbi	ngokuvakasha	R 35			N/a			
1020	Ukubonwa okuphuthumayo - Imali yesibhedlela	ngokuvakasha	R104	R104	R123	R104	R104	R123	
1021	Ukubonwa okuphuthumayo - Udokotela	ngokuvakasha	R 86			N/a			
1022	Ukubonwa okuphuthumayo - Uchwepheshe	ngokuvakasha	R 197			N/a			

1023	Ukubonwa okuphuthumayo - Umhlengikazi	ngokuvakasha	R 50				N/a				
1024	Ukubonwa okuphuthumayo - Udokotela owumbimbi	ngokuvakasha	R 51				N/a				
11	Inqubo yokuhlinzwa okuncane ethiyetha										
1110	Ukuhlinzwa Okuncane, Umkhakha A - Imali yesibhedlela	inqubo		R243	R243	R291		R243	R243	R291	
1111	Ukuhlinzwa okuncane, Umkhakha A - Udokotela	inqubo	R84				N/a				
1112	Ukuhlinzwa okuncane, Umkhakha A - Uchwepheshe	inqubo	R162				N/a				
1120	Ukuhlinzwa okuncane, Umkhakha B - Imali yesibhedlela	inqubo		R243	R243	R291		R243	R243	R291	
1121	Ukuhlinzwa okuncane, Umkhakha B - Imali yesibhedlela	inqubo	R124				N/a				
1122	Ukuhlinzwa okuncane, Umkhakha B - Uchwepheshe	inqubo	R282				N/a				
1130	Ukuhlinzwa okuncane, Umkhakha C - Imali yesibhedlela	inqubo		R243	R243	R291		R243	R243	R291	
1131	Ukuhlinzwa okuncane, Umkhakha C - Udokotela	inqubo	R196				N/a				
1132	Ukuhlinzwa okuncane, Umkhakha C - Uchwepheshe	inqubo	R440				N/a			njengoba kunqunywe	
1140	Ukuhlinzwa okuncane, Umkhakha D - Imali yesibhedlela	inqubo		R243	R243	R291		R243	R243	R291	nguNgqongqoshe izikhathi
1141	Ukuhlinzwa okuncane, Umkhakha D - Udokotela	inqubo	R518				N/a			ngezikhathi	
1142	Ukuhlinzwa okuncane, Umkhakha D - Uchwepheshe	inqubo	R1,166				N/a				
12	Imisebenzi emikhulu yasethiyetha										
1210	Inqubo yasegunjini lokuhlinza, Umkhakha A - Imali yesibhedlela	inqubo		R758	R1,151	R1,328		R758	R1,151	R1,328	
1211	Inqubo yasegunjini lokuhlinza, Umkhakha A - Udokotela	inqubo	R84				N/a				
1212	Inqubo yasegunjini lokuhlinza, Umkhakha A - Uchwepheshe	inqubo	R162				N/a				
1220	Inqubo yasegunjini lokuhlinza, Umkhakha B - Imali yesibhedlela	inqubo		R 1,189	R 1,744	R 2,009		R 1,189	R 1,744	R 2,009	
1221	Inqubo yasegunjini lokuhlinza, Umkhakha B - Udokotela	inqubo	R124				N/a				
1222	Inqubo yasegunjini lokuhlinza, Umkhakha B - Uchwepheshe	inqubo	R282				N/a				
1230	Inqubo yasegunjini lokuhlinza, Umkhakha C - Imali yesibhedlela	inqubo		R 2,042	R 2,997	R 3,459		R 2,042	R 2,997	R 3,459	
1231	Inqubo yasegunjini lokuhlinza, Umkhakha C - Udokotela	inqubo	R196				N/a				
1232	Inqubo yasegunjini lokuhlinza, Umkhakha C - Uchwepheshe	inqubo	R440				N/a				
1240	Inqubo yasegunjini lokuhlinza, Umkhakha D - Imali yesibhedlela	inqubo		R 5,238	R 7,683	R 8,855		R 5,238	R 7,683	R 8,855	
1241	Inqubo yasegunjini lokuhlinza, Umkhakha D - Udokotela	inqubo	R 518				N/a				
1242	Inqubo yasegunjini lokuhlinza, Umkhakha D - Uchwepheshe	inqubo	R 1,166				N/a				
13	Ukwelashwa										
1310	Ukwelapha okwesekayo - Imali yesibhedlela	inqubo		R33	R33	R39		R33	R33	R39	
1313	Ukwelapha okwesekayo-Unesi	inqubo	R29				N/a				
1314	Ukwelapha okwesekayo - Udokotela owumbimbi	inqubo	R29				N/a				

1320	Ukwelapha ngamaqoqo - Imali yesibhedlela	inqubo		R25	R25	R28		R25	R25	R28
1324	Ukwelapha ngamaqoqo okwesekayo - Udokotela owumbimbi	inqubo	R21				N/a			
14	Imisebenzi yosizo oluphuthumayo									
1410	Umsebenzi wokuthutha iziguli - Imali yesibhedlela	100km		R218	R218	R218		R218	R218	R218
1420	Ukwesekwa kwempilo okuyisisekelo - Imali yesibhedlela	50km		R595	R595	R595		R595	R595	R595
1430	Ukwesekwa kwempilo okusezingeni eliphakathi - Imali yesibhedlela	50km		R804	R804	R804		R804	R804	R804
1440	Ukwesekwa kwempilo okusezingeni elithe thuthu - Imali yesibhedlela	50km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1450	Umsebenzi ogadile ezimweni eziphuthumayo - Imali yesibhedlela	Ihora		R175	R175	R175		R175	R175	R175
1451	Umsebenzi ogadile ezimweni eziphuthumayo - Udokotela	Ihora	R252				N/a			
1452	Umsebenzi ogadile ezimweni eziphuthumayo - Uchwepheshe	Ihora	R473				N/a			njengoba kunqunywe
1453	Umsebenzi ogadile ezimweni eziphuthumayo - Umhlengikazi	Ihora	R169				N/a			nguNgqongqoshe izikhathi
1455	Umsebenzi ogadile ezimweni eziphuthumayo - Udokotela owumbimbi	Ihora	R88				N/a			ngezikhathi
1456	Umsebenzi ogadile ezimweni eziphuthumayo - Umsebenzi obhekene nezimo eziphuthumayo zokuhlengwa kwempilo	Ihora	R109							
1457	Umsebenzi ogadile ezimweni eziphuthumayo - Umsebenzi obhekene nokuhlengwa kwempilo okusezingeni	Ihora	R233							
1460	Uhlengo - Imali yesibhedlela	isehlakalo		R637	R637	R637		R637	R637	R637
1461	Uhlengo - Udokotela	isehlakalo	R955				N/a			
1462	Uhlengo - Uchwepheshe	isehlakalo	R1,432				N/a			
1463	Uhlengo - Umhlengikazi	isehlakalo	R637				N/a			
1465	Uhlengo - Udokotela owumbimbi	isehlakalo	R88				N/a			
1466	Uhlengo - Umsebenzi obhekene nokuhlengwa kwempilo ezimweni eziphuthumayo	isehlakalo	R109				N/a			
1467	Uhlengo - Umsebenzi obhekene nokuhlengwa kwempilo okusezingeni	isehlakalo	R233				N/a			
1470	Ukuthuthwa okuphuthumayo ngebhanoyi elinamaphiko	50km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1480	Ukuthuthwa okuphuthumayo ngendiza enophephela emhlane	50km u-50km		R1,336	R1,336	R1,336		R1,336	R1,336	R1,336
1490	Imisebenzi elindile ephuthumayo - Imali yesibhedlela	owengeziwe		R129	R129	R129		R129	R129	R129
15	Izinsizakuphila kanye nezitho zomzimba zokufakelwa									
1510	Imali yempahla	impahla ngayinye	kuyahluka							
1520	Izitho zomzimba zokufakelwa	impahla ngayinye	kuyahluka							

1530	Dental Items - item Fee	impahla ngayinye	kuyahluka							
16	Ukuhlinzwa kobuso									
1610	Ukuhlinzwa kobuso, Umkhakha A - Imali yesibhedlela	inqubo		R 1,653	R 1,653	R 1,888		R 1,653	R 1,653	R 1,888
1611	Ukuhlinzwa kobuso, Umkhakha A - Udokotela	inqubo	R953				N/a			
1612	Ukuhlinzwa kobuso, Umkhakha A - Uchwepheshe	inqubo	R 1,432				N/a			
1620	Ukuhlinzwa kobuso, Umkhakha B - Imali yesibhedlela	inqubo		R 3,717	R 3,717	R 4,249		R 3,717	R 3,717	R 4,249
1621	Ukuhlinzwa kobuso, Umkhakha B - Udokotela	inqubo	R 1,129				N/a			
1622	Ukuhlinzwa kobuso, Umkhakha B - Uchwepheshe	inqubo	R 1,694				N/a			
1630	Ukuhlinzwa kobuso, Umkhakha C - Imali yesibhedlela	inqubo		R 6,004	R 6,004	R 6,862		R 6,004	R 6,004	R 6,862
1631	Ukuhlinzwa kobuso, Umkhakha C - Udokotela	inqubo	R 1,909				N/a			
1632	Ukuhlinzwa kobuso, Umkhakha C - Uchwepheshe	inqubo	R 2,864				N/a			
1640	Ukuhlinzwa kobuso, Umkhakha D - Imali yesibhedlela	inqubo		R 10,141	R 10,141	R 10,821		R 10,141	R 10,141	R 10,821
1641	Ukuhlinzwa kobuso, Umkhakha D - Udokotela	inqubo	R 2,142				N/a			
1642	Ukuhlinzwa kobuso, Umkhakha D - Uchwepheshe		R 3,152				N/a			
17	Imisebenzi yaselaborethi*									
1700	Ukumpontshwa igazi - mImali yesibhedlela	mahlanze		R19	R19	R19		R19	R19	R19
1710	Ukuhlolwa kwaselaborethi*	ukulaliswa		R223	R223	R340		R223	R223	R340
18	Ukushiswa komdlavuza									
1800	Ukushiswa komdlavuza (i-VAT ene-NHRPL encane)	ngakunye	kuyehluka							
19	Ukwelashwa ngemisebe									
1900	Ukuhlelwa kwama ayisothophi*	ngakunye	kuyehluka							
1910	Ukwelashwa ngemisebe, Umkhakha A-Imali yesibhedlela	inqubo		R534	R534	R534		R534	R534	R534
1912	Ukwelashwa ngemisebe, Umkhakha A-Uchwepheshe	inqubo	R356				N/a			
1920	Ukwelashwa ngemisebe, Umkhakha B - Imali yesibhedlela	inqubo		R1,146	R1,146	R1,146		R1,146	R1,146	R1,146
1922	Ukwelashwa ngemisebe, Umkhakha B - Uchwepheshe	inqubo	R766				N/a			njengoba kunqunywe
1930	Ukwelashwa ngemisebe, Umkhakha C - Imali yesibhedlela	inqubo		R2,072	R2,072	R2,072		R2,072	R2,072	R2,072
1932	Ukwelashwa ngemisebe, Umkhakha C - Uchwepheshe	inqubo	R1,382				N/a			nguNgqongqoshe izikhathi ngezikhathi
1940	Ukwelashwa ngemisebe, Umkhakha D - Imali yesibhedlela	inqubo		R3,294	R3,294	R3,294		R3,294	R3,294	R3,294
1942	Ukwelashwa ngemisebe, Umkhakha D - Uchwepheshe	inqubo	R2,196				N/a			
1950	Ukwelashwa ngemisebe (PET) Umkhakha E - Imali yesibhedlela	inqubo		R9,725	R9,725	R9,725		R9,725	R9,725	R9,725
1952	Ukwelashwa ngemisebe (PET) Umkhakha E -Uchwepheshe	inqubo	R3,534				N/a			

20	Ukwelashwa kwabazihambelayo Ukwelashwa kwabazihambelayo, Umkhakha A - Imali yesibhedlela	inqubo		R78	R78	R95		R78	R78	R95	
2011	Ukwelashwa kwabazihambelayo, Umkhakha A - udokotela	inqubo	R28			N/a					
2012	Ukwelashwa kwabazihambelayo, Umkhakha A - uchwepheshe	inqubo	R56			N/a					
2013	Ukwelashwa kwabazihambelayo, Umkhakha A - uMlilenigikazi	inqubo	R17			N/a					
2014	Ukwelashwa kwabazihambelayo, Umkhakha A - Isisebenzi sethimba lezempilo	inqubo	R17			N/a					
2020	Ukwelashwa kwabazihambelayo, Umkhakha Uhlobo B - imali yesibhedlela	inqubo		R78	R78	R95		R78	R78	R95	
2021	Ukwelashwa kwabazihambelayo, Umkhakha B - udokotela	inqubo	R40			N/a					
2022	Ukwelashwa kwabazihambelayo, Umkhakha B - uchwepheshe	inqubo	R62			N/a					
2023	Ukwelashwa kwabazihambelayo, Umkhakha B-unesi	inqubo	R 22			N/a					
2024	Ukwelashwa kwabazihambelayo Uhlobo B - Isisebenzi sethimba lezempilo	inqubo	R22			N/a					
21	Igazi kanye nemikhiqizo yegazi										
2100	Igazi nemikhiqizo yalo	kuyehluka									
22	Ukwelashwa Ngomfutho Womoya									njengoba kunqunywe	
2210	Ukwelashwa Ngomfutho Womoya - Imali yesibhedlela	ihlandla		R815	R815	R815		R815	R815	R815	nguNgqongqoshe izikhathi
2211	Ukwelashwa Ngomfutho Womoya - Udokotela	ihlandla	R344								ngezikhathi
2212	Ukwelashwa Ngomfutho Womoya - Uchwepheshe	ihlandla	R344								
2220	Ukwelashwa ngomfutho womoya okuPhuthumayo - Imali yesiBhedlela	ihlandla		R822	R822	R822		R822	R822	R822	
2221	Ukwelashwa ngoMfutho woMoya okuPhuthumayo - uDokotela owejwayelekile	ihlandla	R501								
2222	Ukwelashwa ngoMfutho woMoya - uDokotela onguChwepheshe	ihlandla	R501								
23	Okuthengwayo (okungangeni emalini yesibhedlela)										
2300	Okuthengwayo okungafakiwe emalini yesibhedlela	ngakunye	kuyehluka								
24	Ukuhlinzwa kwezidumbu										
2410	Ukuhlinzwa kwezidumbu - Imali yesibhedlela	ukuhlinzwa		R51	R51	R62		R51	R51	R62	
2411	Ukuhlinzwa kwesidumbu - Udokotela	ukuhlinzwa	R57			N/a					
2412	Ukuhlinzwa kwesidumbu - Uchwepheshe	ukuhlinzwa	R132			N/a					

2. Ngezinhloso zalolu Hlelo -

(a) amazwi " isikhungo esisesigabeni 1" ayobandakanya lezi zinsiza zezempilo zesifundazwe ezilandelayo:

Appelsbosch, Beatrice Street, Benedictine, iBethesda, iCatherine Booth, kwaCeza, Charles Johnson Memorial
Christ-thKing, Church of Scotland, Clairwood, Dundee, East Griqualand nUsher Memorial, Ekhombe, eKuphumuleni,
Emmaus, Charles Johnson Memorial, Estcourt, G.J. Crookes, Greytown, Hillcrest, kwaHlabisa, eTshelejuba, eManguzi,
eMahatma Gandhi, eMbongolwane, eMontebello, eMosvold, eMseleni, Niemeyer Memorial, Nkandla, Nkonjeni, Osindisweni,
Phoenix Assessment and Therapy Centre, Pietermaritzburg Assessment and Therapy Centre, Rietvlei, St. Appolinaris,
St. Andrew's, St Francis, St Margaret, St. Mary's KwaMagwaza, Tayler Bequest, Mngeni Care and Rehabilitation Centre, Mpumulo,
kwaNtunjambili, eVryheid, Wentworth nazo zonke izikhungo zempilo nemitholampilo; futhi

(b) amazwi "isikhungo esisesigabeni 2" ayobandakanya lezi zinsiza zezempilo ezilandelayo:

Addington, Edendale, Eshowe, Fort Napier, King Edward VIII, King George V, Ladysmith, Lower Umfolozi District and
War Memorial, Madadeni, Murchison, Newcastle, Ngwelezana, Northdale, Port Shepstone, Prince Mshiyeni,
R.K. Khan, St Aidens, Stanger, Townhill; kanthi

(c) amazwi "isikhungo esisesigabeni 3" ayobandakanya lezi zinsiza zezempilo ezilandelayo:

Ise-Grey's, Inkosi Albert Luthuli Central, naseMzimkhulu."

MUNICIPAL NOTICE

No. 35**9 October 2008**

The Council of the uMlalazi Municipality, has in terms of Section 156 of the Constitution, 1996 (Act No. 108 of 1996) read in conjunction with Section 11 of the Local Government Municipal Systems Act 2000 (Act No. 32 of 2000) introduced the following Bylaws relating to Fire Prevention, which Bylaw shall come into operation on the date of publication of this notice.

uMLALAZI MUNICIPALITY BYLAWS**FIRE PREVENTION BYLAWS****CHAPTER 1 :**

1. Definitions

CHAPTER 2 : FIRE PROTECTION OF BUILDINGS

- Section 2. Reporting a fire hazard and other threatening danger
- Section 3. Access for Emergency Vehicles
- Section 4. Division and occupancy separating elements
- Section 5. Fire doors and assemblies
- Section 6. Escape routes

CHAPTER 3 : FIRE SAFETY EQUIPMENT

- Section 7. Fire extinguishers
- Section 8. Testing and maintenance of fire protection systems
- Section 9. Interference with fire protection systems and fire extinguishers

CHAPTER 4 : PUBLIC SAFETY

- Section 10. Attendance of a service
- Section 11. Formulation of an emergency evacuation plan.
- Section 12. Displaying of escape route plans
- Section 13. Barricading of vacant buildings

CHAPTER 5 : HOUSEKEEPING

- Section 14. Combustible waste and refuse
- Section 15. Combustible or inflammable substances and sweeping compounds
- Section 16. Accumulation in chimneys, flues and ducts
- Section 17. Sources of ignition

- Section 18. Smoking
- Section 19. Electrical fittings, equipment and appliances
- Section 20. Flame emitting device

CHAPTER 6 : FIRE HAZARDS

- Section 21. Combustible material
- Section 22. Lighting of fires and burning of combustible material

CHAPTER 7 : INFLAMMABLE SUBSTANCES

- Section 23. Storage and use of inflammable substances
- Section 24. Certificate of registration
- Section 25. Permanent or temporary above ground storage tank for an inflammable liquid
- Section 26. Underground storage tank for an inflammable liquid
- Section 27. Bulk storage depot for inflammable substances
- Section 28. Small installations for liquefied petroleum gas
- Section 29. Liquid petroleum gas installation in mobile units and small non-permanent buildings
- Section 30. The fuelling of forklift trucks and other LP gas operated Vehicles

- Section 31. The storage and filling of refillable liquid petroleum gas containers
- Section 32. Bulk storage vessel for liquid petroleum gas
- Section 33. Termination of the storage and use of inflammable substances
- Section 34. Reporting accidents
- Section 35. Inflammable stores
- Section 36. Container handling and storage
- Section 37. Spray rooms and booths
- Section 38. Liquid petroleum gas containers

CHAPTER 8 : GENERAL PROVISIONS

- Section 39. Indemnity
- Section 40. Offences and penalties
- Section 41. Enforcement provisions
- Section 42. Authority to investigate
- Section 43. Failure to comply with provisions
- Section 44. Short title and commencement

Chapter 1 : DEFINITIONS

Definitions

In this bylaw, unless the context indicates otherwise-

"above ground storage tank" means a tank situated above ground for the storage of a inflammable liquid;

"automatic releasing hold-open device" means a device used to hold open a fire door and operates on the detection of a fire to close the fire door;

"building" means any structure, whether of a temporary or permanent nature and irrespective of the materials used in the construction thereof, erected or used for or in connection with:

- 1.1 the accommodation or convenience of human beings or animals;
- 1.2 the manufacture, processing, storage or sale of any goods;
- 1.3 the rendering of any service;
- 1.4 the destruction or treatment of combustible refuse or combustible waste;
- 1.5 the cultivation or growing of any plant or crop;
- 1.6 any wall, swimming pool, reservoir or bridge or any other structure connected therewith;
- 1.7 any fuel pump or any tank used in connection therewith;
- 1.8 any facilities or system, or part or portion thereof, within or outside or incidental to a building, for the provision of a water supply, drainage, sewerage, stormwater disposal, electricity supply or other similar service in respect of the building;

"bund wall" means a containment wall surrounding an above ground storage tank, constructed of an impervious material and designed to contain 100% of the contents of the tank;

"combustible material" means combustible refuse, combustible waste or any other material capable of igniting;

"combustible refuse" means any combustible rubbish, litter or other material that has been discarded;

"combustible waste" means any combustible waste material which is salvageable,

retained or collected for scrap or reprocessing;

"dangerous goods" means a inflammable gas, liquid or solid as contemplated in SANS 0228;

"division separating element" means a building element or component which separates one area in a building from another and has a fire resistance of not less than that required by the National Building Regulations (t1) read with the SANS 0400;

"emergency evacuation plan" means a plan specifically designed to aid in the evacuation of occupants from a building in the event of a fire or other threatening danger and assigns responsibility to various staff, indicates escape routes to be used and provides for general contingencies for a safe and quick evacuation from a building;

"emergency route" means that part of an escape route that provides fire protection to the occupants of any building and which leads to an escape door;

"emergency vehicle" means any fire, rescue or other vehicle intended for use at fires and other threatening dangers;

"escape door" means the door in an escape route, which at ground level leads directly to a street or public place or to any approved open space which leads to a street or public place;

"escape route" means the entire path of travel from the furthest point in any room in a building to the nearest escape door and may include an emergency route;

"escape route plan" means a diagram indicating the floor layout, the occupant's current position and the route of travel to the nearest primary and secondary escape routes in the building, as well as the action to be taken in the event of a fire or other threatening danger;

"fire brigade services act" means the fire brigade services act, 1987 (act 99 of 1987);

"fire damper" means an automatic damper and its assembly that complies with the requirements contained in SANS 193;

"fire door" means an automatic or self-closing door or shutter assembly especially constructed to prevent the passage of fire for a specific length of time;

"fire extinguisher" means a portable or mobile rechargeable container which has a fire extinguishing substance that is expelled by the action of internal pressure for the purposes of extinguishing a fire;

"fire hazard" means any situation, process, material or condition which may cause a fire or explosion or provide a ready fuel supply to increase the spread or intensity of the fire or explosion and which poses a threat to life or property;

"fire lanes" means the road, path or other passageway constructed or designated to allow access for emergency vehicles;

"fire protection system" means any device or system designed and installed to-

1.9 detect, control or extinguish a fire, or

1.10 alert occupants or the fire service, or both, to a fire, but excludes portable and mobile fire extinguishers;

"fire wall" means a wall that is able to withstand the effects of fire for a specific period of time as contemplated in the National Building Regulations (t1) read with SANS 0400;

"inflammable gas" as contemplated in SANS 0228, means a gas that at 20 degrees centigrade and at a standard pressure of 101,3 kilopascals:

1.11 is ignitable when in a mixture of 13% or less (by volume) with air, or

1.12 has a inflammable range with air of at least 12 percentage points, regardless of the lower inflammable limit;

"inflammable liquid" means a liquid, or mixtures of liquids, or a liquid containing solids in solution or in suspension that give off a inflammable vapour at or below 60,5 degrees centigrade;

"inflammable solid" means a solid that is easily ignited by external sources, such as sparks and flames, solids that are readily combustible, solids that are liable to cause, or contribute to, a fire through friction or solids that are desensitized (wetted) explosives that can explode if not diluted sufficiently;

"inflammable substance" means a inflammable liquid or a inflammable gas;

"inflammable store" means a store that is used for the storage of inflammable liquids and complies with the criteria set out in section 46 of this by-law;

"hazardous substances act" means the hazardous substances act, 1973 (act 15 of 1973);

"National Building Regulations" means the regulations promulgated in terms section 17(1) of the National Building Regulations and building Standards Act,

1977 (act 103 of 1977), and:

- 1.13 "National Building Regulations (a2)" means the provisions regulating the submission of building plans and particulars to the Council;
- 1.14 "National Building Regulations (a20)" means the provisions regulating the classification and designation of occupancies;
- 1.15 "National Building Regulations (a21)" means the provisions regulating the population of a building;
- 1.16 "National Building Regulations (t1)" means the provisions regulating general requirements for fire protection of a building, and
- 1.17 "National Building Regulations (t2)" means the provisions regulating the offences for non-compliance with the National Building Regulations (t1);

"National Road Traffic Act" means the National Road Traffic Act, 1996 (act 93 of 1996);

"non-combustible" means a substance or material classified as non-combustible when tested in accordance with SANS 0177: part 5;

"occupancy separating element" means a building element or component which separates one occupancy in a building from another and has a fire resistance of not less than that required by the National Building Regulations (t1) read with the SANS 0400;

"Occupational Health and Safety Act" means the Occupational Health and Safety Act, 1993 (act 85 of 1993);

"operator" means the person responsible for the use of a motor vehicle and who has been registered as the operator of such a vehicle in terms of the National Road Traffic Act;

"owner" means:

- 1.18 in relation to premises, other than a building, either a natural or juristic person whose identity is determined by operation of law;
- 1.19 in relation to a building, either a natural or juristic person in whose name the land on which such building was or is erected or such land, as the case may be, is registered in the deeds office in question;
- 1.20 in relation to an installation, either a natural or juristic person in whose

name a contract is entered into regarding approval, erection and maintenance of the installation; provided that such a person is not the owner mentioned in 1.19, and

- 1.21 in the event of the Council being unable to determine the identity of a person mentioned in 1.18, 1.19 and 1.20, any person who is entitled to the benefit of the use of such premises, building or installation or who enjoys such benefit;

"person in charge" means:

- 1.22 in relation to premises, either a natural or juristic person who is permanently or temporarily responsible for the management, or utilisation of the premises;
- 1.23 in relation to a building, either a natural or juristic person who is permanently or temporarily responsible for the management, maintenance or utilisation of the building;
- 1.24 in relation to an installation, either a natural or juristic person who is permanently or temporarily responsible for the management or utilisation of the installation; provided that such a person is not the person mentioned in 1.22, and
- 1.25 in the event of the Council being unable to determine the identity of a person mentioned in (1.22), (1.23) and (1.24), any person who is in the opinion of the Council deemed to be in charge of such premises, building or installation;

"premises" means any building, beach, land, terrain, road, vehicle and can include a vessel, train or aircraft;

"site" means any erf, lot, plot, stand or other piece of land on which a building has been, is being or is to be erected;

"Standards Act" means the Standards Act 93 of 1996;

"storage vessel" means a pressure vessel as defined in the regulations for pressure vessels promulgated in terms of the Occupational Health and Safety Act;

"summary abatement" means to immediately judge a condition to be a fire hazard or other threatening danger to life or property and to order immediate correction of such condition;

"tank" means a container mounted permanently or temporarily on or embodied in a vehicle and so constructed to be suitable for the containment of inflammable

liquid or gas cargo;

"underground tank" means a tank used or intended to be used for the storage of inflammable liquid wholly sunk into and below the surface of the ground;

"vehicle" means a vehicle as defined in the National Road Traffic Act 93 of 1996.

and any reference to an SANS code shall refer to the relevant code published by the South African bureau of standards and issued in terms of the Standards Act 93 of 1996 and SANS codes.

CHAPTER 2 : FIRE PROTECTION OF BUILDINGS

2. Reporting a fire hazard and other threatening danger

An owner or the person in charge of any premises must, upon discovering any evidence of a fire hazard or other threatening danger pertaining to this by-law, immediately notify the Council of such fire hazard or threatening danger.

3. Access for emergency vehicles

3.1 When, in the opinion of the Council, premises are not readily accessible from public roads it must be provided with emergency vehicle access which must -

3.1.1 be constructed so that it is capable of supporting the mass of the heaviest emergency vehicle required to cater for the risk of the premises; and

3.1.2 where the premises have a motorized or electronically operated gate, be equipped in such a manner that access to the premises can be gained without the use of a motor or electronic device.

3.2 Fire lanes must be provided for all premises which are set back more than 45 metres from a public road or exceed nine metres in height and are set back over 15 metres from a public road.

3.3 Fire lanes must be at least four metres in width, the position of which must be decided upon after consultation with the Council, and the area from ground level to a clearance height of four metres above the fire lane must remain unobstructed.

3.4 A cul-de-sac that is more than 90 metres in length, must be provided with a minimum turning circle at the closed end of the road capable of accommodating the largest emergency vehicle which is required to cater for the risk of the premises.

- 3.5 The design, marking, use and maintenance of fire lanes not forming part of a public road must comply with the requirements of the Council.
- 3.6 It is unlawful for a person to park a vehicle in or otherwise obstruct a fire lane.

4. Division and occupancy separating elements

An owner or person in charge of a building may not alter a division or occupancy separating element in anyway that would render it less effective or to allow flame, heat or combustion products from penetrating into the adjacent compartment or structure.

5. Fire doors and assemblies

- 5.1 Subject to the provisions of SANS 1253, a fire door and assembly must be maintained in such a manner that in the event of a fire it retains its integrity, insulation and stability for the time period required for that particular class of door.
- 5.2 A fire door may be kept open, only when it is equipped with an automatic releasing hold-open device approved by the Council.
- 5.3 a fire door and assembly may not be rendered less effective through-:
- 5.3.1 altering the integrity, insulation or stability of a particular class of door;
 - 5.3.2 disconnecting the self-closing mechanism;
 - 5.3.3 wedging, blocking or obstructing the door so that it cannot close;
 - 5.3.4 painting the fusible link actuating mechanism of a door;
 - 5.3.5 disconnecting or rendering less effective an electric or electronic release mechanism, or
 - 5.3.6 any other action that renders a fire door or assembly less effective.

6. Escape routes

- 6.1 No part of a fire escape route shall be obstructed or rendered less effective in any way.
- 6.2 A locking device, which is fitted to an access or escape door in an escape route, must be of a type approved by the Council.
- 6.3 Where required by the Council, an escape route must be clearly indicated with signage, which complies with SANS 1186, indicating the direction of travel in the event of fire or any other emergency.

CHAPTER 3 : FIRE SAFETY EQUIPMENT

7. Fire extinguishers

- 7.1 Fire extinguishers must be provided and installed on premises as required by the National Building Regulations (t1) and (t2).
- 7.2 Fire extinguishers must be maintained in accordance with the requirements of the occupational health and safety regulations, SANS 1475: part 1, SANS 1571, SANS 1573 and SANS 0105: part 1.
- 7.3 No person may fill, recharge, recondition, modify, repair, inspect or test a fire extinguisher in terms of SANS 1475: part i, unless such a person is the holder of a permit issued by the South African bureau of standards or a certificate of competence issued by the South African qualifications certification committee.
- 7.4 The owner or person in charge of the premises may not allow a fire extinguisher to be filled, recharged, reconditioned, modified, repaired, inspected or tested by a person not in possession of a permit or certificate mentioned in subsection 7.3.
- 7.5 Where a fire extinguisher has been filled, recharged, reconditioned, modified, repaired, inspected or tested by a person not in possession of a permit mentioned in subsection 7.3, the Council must instruct the owner or person in charge of such premises to have the work carried out by a person who is in possession of such a permit or certificate.
- 7.6 When, in the opinion of the Council, a fire extinguisher is unsafe or ineffective either by reason of deterioration, design or construction, the Council must instruct the owner or the person in charge of the premises to have the appliance inspected and tested in terms of SANS 1475: part 1 and SANS 1571.
- 7.7 A fire extinguisher may not be removed from the premises for filling, recharging, reconditioning, modification, repair, inspection or testing unless the appliance is replaced temporarily with a similar appliance in good working condition.
- 7.8 A fire extinguisher may not be installed, dismantled, recharged, disconnected, serviced, modified, repaired or tested in an area where such action would create a danger or hazard.

8. Testing and maintenance of fire protection systems

- 8.1 A fire protection system must be tested and maintained on a regular basis and the owner or person in charge of the premises must keep a detailed record of the test and maintenance of the system.
- 8.2 A person may not test a fire protection system before notifying the occupants of the premises concerned of the starting and completion times of the test, and where applicable, the parties who monitor the fire protection system.
- 8.3 A fire protection system designed for detecting, fighting, controlling and extinguishing a fire must be maintained in accordance with the National Building Regulations (t2).
- 8.4 A fire protection system may not be installed, dismantled, recharged, disconnected, serviced, modified, repaired or tested in any area where such action would create a danger or hazard.
- 8.5 The owner or person in charge of the premises must immediately notify the Council when the fire protection system, or a component thereof, is rendered inoperable or taken out of service and must notify the Council as soon as the system is restored.
- 8.6 The owner or person in charge of the premises must take all steps deemed necessary by the Council to provide alternate equipment to maintain the level of safety within the premises.

9. Interference with fire protection systems and fire extinguishers

No person shall tamper or interfere with a fire extinguisher or fire protection system, except as may be necessary during emergencies, maintenance, drills or prescribed testing.

CHAPTER 4 : PUBLIC SAFETY

10. Attendance of a service

- 10.1 When the Council is of the opinion that a representatives of the fire-brigade service are required to be in attendance during a function in a place used for entertainment or public assembly, the Council may provide, in the interest of public safety and subject to the exigencies of the service, one or more members, a vehicle or equipment of a service to be in attendance on the premises for the duration of the function or part thereof.
- 10.2 Where the entertainment or public assembly is taking place on Council property, the costs of the attendance of the representatives of the fire brigade service shall be recoverable from the organizers.

11. Formulation of an emergency evacuation plan

- 11.1 the owner or person in charge of a school, hospital, residential institution, hotel, guest house, hostel or other similar occupancy which has a population in excess of 25 persons (including staff), must formulate an emergency evacuation plan detailing the appropriate action to be taken by the staff or the occupants in the event of a fire or other threatening danger.
- 11.2 the Council may order the owner or person in charge of the premises, other than those contemplated in subsection 11.1, to formulate an emergency evacuation plan detailing the appropriate action to be taken by the staff or the occupants in the event of a fire or other threatening danger.
- 11.3 The plan mentioned in subsections 11.1 and 11.2 must be revised if an aspect thereof is no longer applicable or if the building for which the plan was designed has changed.
- 11.4 The emergency evacuation plan must be tested in its entirety at a maximum of six-monthly intervals or when the plan has been revised and a record of the testing must be kept in a register.
- 11.5 The register mentioned in subsection 11.4 must contain the following information:
- 11.5.1 the date and time of the test;
 - 11.5.2 the number of participants;
 - 11.5.3 the outcome of the test and any corrective actions required, and
 - 11.5.4 the name and signature of the person supervising the test.
- 11.6 The register, together with the emergency evacuation plan, must be available on the premises for inspection by the Council.
- 11.7 The Council may evaluate the formulation and implementation of the emergency evacuation plan and may officially communicate any recommendations or remedial actions to improve or rectify faults in the plan.

12. Displaying of escape route plans

The escape route plan must be displayed in a conspicuous position in any room designed for sleeping purposes.

13. Barricading of vacant buildings

The owner or person in charge of a building or portion thereof which is vacant

must remove all combustible waste or refuse therefrom and lock, barricade or otherwise secure all windows, doors and other openings in the building to the satisfaction of the Council which will prevent the creation of a fire hazard caused by the entering of an unauthorized person.

CHAPTER 5 : HOUSKEEPING

14. Combustible waste and refuse

- 14.1 The owner or person in charge of the premises or a portion thereof must not allow combustible waste or refuse to accumulate in any area or in any manner so as to create a fire hazard or other threatening danger.
- 14.2 Combustible waste and refuse must be properly stored or disposed of to prevent a fire hazard or other danger.

15. Combustible or inflammable substances and sweeping compounds

- 15.1 Only water-based solutions, detergents, floor sweeping compounds and grease absorbents must be used for cleaning purposes.
- 15.2 The use of sawdust or similar combustible materials to soak up spilled combustible or inflammable substances is prohibited.

16. Accumulations in chimneys, flues and ducts

The owner or person in charge of the premises or a portion thereof must not allow soot or any other combustible substance to accumulate in a chimney, flue or duct of the premises in such quantities or in such a manner as to constitute a fire hazard or other threatening danger.

17. Sources of ignition

- 17.1 Smoking, the carrying of matches, the use of heating, flame-emitting devices or spark-producing equipment is prohibited in areas containing combustible or inflammable substances.
- 17.2 Hot ashes, cinders or smoldering coals must be placed in a non-combustible container and the container must be placed on a non-combustible surface or stand.
- 17.3 An adequate distance, as deemed appropriate by the Council, must be ensured and maintained between combustible substances and heating or lighting equipment or other sources of ignition.

- 17.4 Portable heaters must be secured so that they cannot be overturned and the Council may prohibit the use of portable heaters in respect of occupancies or situations where such use or operation would present a fire hazard or other threatening danger.

18. Smoking

- 18.1 If conditions exist where smoking creates a fire hazard on the premises, smoking is prohibited and "no smoking" signs must be displayed as directed by the Council and the signs must comply with SANS 1186: part 1.
- 18.2 No person may remove a "no smoking" sign.
- 18.3 No person may light or smoke a cigar, cigarette, pipe, tobacco or other substance or ignite or otherwise set fire to other material, nor hold, possess, throw or deposit any lighted or smoldering substance in any place where expressly prohibited.
- 18.4 A person may not throw, put down or drop a burning match, burning cigarette, or other burning material or any material capable of spontaneous combustion or self-ignition in a public road or public place.

19. Electrical fittings, equipment and appliances

No person may cause or permit –

- 19.1 an electrical supply outlet to be overloaded; or
- 19.2 an electrical appliance or extension lead to be used in a manner which is likely to create a fire hazard or other threatening danger.

20. Flame-emitting device

A person may not cause or permit a flame-emitting device, such as a candle, lantern or torch, but not limited thereto, to be used in a manner which is likely to create a fire hazard or other threatening danger.

CHAPTER 6 : FIRE HAZARDS

21. Combustible material

- 21.1 A person may not store, transport, use or display or cause or permit to be stored, transported, used or displayed, whether inside or outside any premises, any combustible material or a inflammable substance in quantities or in a position or in a manner likely to cause or create a fire

hazard or other threatening danger.

- 21.2 The owner or person in charge of any premises may not permit vegetation to grow or accumulate thereon, or other combustible material to accumulate thereon, in a manner likely to cause a fire hazard or other threatening danger.

22. Lighting of fires and burning of combustible material

- 22.1 The lighting of fires and the disposal of combustible material by burning is prohibited, save in the circumstances set out in this section.
- 22.2 A person may light a fire or use a flame-emitting device for the purpose of preparing food or for any other domestic purpose in a manner which will not cause a fire hazard or other threatening danger or where such a fire is not precluded by any other legislation.
- 22.3 Burning may take place on state land, a farm, a small holding, or land within a proclaimed township that is not utilised for residential purposes provided that the prior approval is obtained from the Council.

CHAPTER 7 : INFLAMMABLE SUBSTANCES

23. Storage and use of an inflammable substance

- 23.1 Prior to the construction of a new installation or the alteration of an existing installation, whether temporary or permanent, for the storage of an inflammable substance, the owner or person in charge of the installation must submit a building plan to the Council, in accordance with the National Building Regulations, and a copy of the approved plan must be available at the site where the installation is being constructed under SANS code.
- 23.2 Prior to the commissioning of an above ground or underground storage tank installation, liquid petroleum gas installation or associated pipework, the owner or person in charge of the installation must ensure that it is pressure-tested in accordance with the provisions of the National Building Regulations (t1), SANS 0131: parts 1 and 2, SANS 089: part 3 and SANS 087: parts 1,3 and 7 (whichever is applicable) in the presence of the Council.
- 23.3 Notwithstanding subsection 23.2, the Council may require an existing above ground or underground storage tank installation, liquid petroleum gas installation or associated pipework, to be pressure-tested in accordance with the provisions of the National Building Regulations

(t)(1) and SANS codes.

- 23.4 The Council must be notified at least 48 hours prior to the pressure test.
- 23.5 The owner or person in charge of the premises may not store or use:
- 23.5.1 an inflammable gas in excess of 19 kilogram, or
 - 23.5.2 an inflammable liquid of a danger group (i), (ii), (iii) or (iv) in excess of 200 litres, unless he or she has obtained a certificate of registration from the Council.

24. Certificate of registration

- 24.1 The owner or person in charge of the premises, who requires a certificate of registration mentioned in section 23.5, must submit an application to the Council.
- 24.2 The Council must refuse to issue the certificate of registration if the premises do not comply with the requirements of the SANS code as well as additional requirements set out in this by-law, and where the Council is of the opinion that the non-compliance of the premises can be remedied, the Council must instruct the owner or person in charge of the premises in writing to take all reasonable steps to render the premises safe prior to usage of the premises and the issuing of the certificate.
- 24.3 A certificate of registration must be renewed annually, on or before the date as indicated on the certificate of registration, and whenever the quantity or class of the inflammable substance requires to be changed.
- 24.4 Premises must be used in accordance with any conditions specified in the certificate of registration and when in the opinion of the Council, a inflammable substance is stored or utilised for any process in a manner which is hazardous to life or property, or an installation is unauthorised, an order may be issued for the removal of the inflammable substance or installation from the premises.
- 24.5 A supplier may not supply inflammable substances to the owner or person in charge of the premises, unless the owner or person in charge of the premises is in possession of a valid certificate of registration issued by the Council.
- 24.6 A certificate of registration is valid only:
- 24.6.1 for the installation for which it was issued;
 - 24.6.2 for the state of the premises at the time of issue, and

24.6.3 for the quantities stated on the certificate.

24.7 The certificate of registration must be available on the premises for inspection at all times.

25. Permanent or temporary above ground storage tank for an inflammable liquid

25.1 A temporary above ground storage tank other than that at a bulk storage depot is permitted, at the discretion of the Council, on the merit of the situation, provided that the following requirements are complied with:

25.1.1 if it has a capacity not exceeding 9 000 litres and is not used for the storage of inflammable substances with a flash point below 40 degrees centigrade;

25.1.2 to be on the premises for a period not exceeding six months;

25.1.3 the entire installation must comply with SANS 0131: part 1 or SANS 0131: part 2 whichever is applicable, and

25.1.4 written application together with a plan must be forwarded to the controlling authority at least 14 days prior to the erection of the tank and prior written permission must be obtained from the Council for the erection of the tank.

25.2 Notwithstanding section 28(1), if a larger capacity above ground storage tank is required or the tank is to be a permanent installation, an acceptable rational design based on a relevant national or international code or standard must be submitted to the Council for approval in terms of the National Building Regulations (t1).

25.3 The design requirements and construction of a permanent tank must be in accordance with relevant national or international recognised codes.

25.4 The rated capacity of a permanent or temporary tank must provide sufficient ullage to permit expansion of the product contained therein by reason of the rise in temperature during storage.

25.5 A permanent or temporary tank must be erected at least 3,5 metres from boundaries, buildings and other inflammable substances or combustible materials.

25.6 A permanent or temporary tank must be located on firm level ground and the ground must be of adequate strength to support the mass of the tank and contents.

25.6 A permanent or temporary tank must have a bund wall.

- 25.7 Adequate precautions must be taken to prevent spillage during the filling of a tank.
- 25.8 Sufficient fire extinguishers, as determined by the Council, must be provided in weatherproof boxes in close proximity to a tank.
- 25.9 Symbolic safety signs depicting "no smoking", "no naked lights" and "danger" must be provided adjacent to a tank, and the signs must comply with SANS 1186: part 1.
- 25.10 The inflammable liquid in the tank must be clearly identified, using the HAZCHEM placards listed in SANS 0232: part 1.
- 25.11 An electrical or an internal combustion-driven pump must be equipped and so positioned as to eliminate the danger of the inflammable liquid being ignited.
- 25.12 The electrical installation associated with the above ground storage tank must comply with SANS 0108 and SANS 089: part 2.

26. Underground storage tank for an inflammable liquid

The installation of underground storage tanks, pumps, dispensers and pipework at service stations and consumer installations must be in accordance with National Building Regulations (t1) read in conjunction with SANS 0400, SANS 089: part 3 and SANS 0131: part 3.

27. Bulk storage depot for inflammable substances

The handling, storage and distribution of inflammable substances at bulk depots must be in accordance with the National Building Regulations (t1), read in conjunction with SANS 089: part 1.

28. Small installations for liquefied petroleum gas

Liquefied petroleum gas installations involving gas storage containers of individual water capacity not exceeding 500 litres and a combined water capacity not exceeding 3 000 litres per installation must be installed and handled in accordance with SANS 087: part 1.

29. Liquid petroleum gas installation in mobile units and small non-permanent buildings

A liquid petroleum gas installation in mobile units and small non-permanent

buildings shall be in accordance with SANS 087: part 2.

30. The fuelling of forklift trucks and other LP gas operated vehicles

The fuelling of forklift trucks and other LP gas operated vehicles shall be in accordance with SANS 087: part 8.

31. The storage and filling of refillable liquid petroleum gas containers

Storage and filling sites used for refillable liquid petroleum gas containers of capacity not exceeding 9kg must be in accordance with SANS 087: part 7.

32. Bulk storage vessel for liquid petroleum gas

The layout, design and operation of installations for the storage of a bulk liquid petroleum vessel and allied facilities must be in accordance with the National Building Regulations (t1), read in conjunction with SANS 087:part 3.

33. Termination of the storage and use of inflammable substances

33.1 If an above ground or underground tank installation, liquid petroleum gas installation or associated pipework is no longer required for the storage or use of an inflammable substance, the owner or person in charge of the premises on which the installation was erected must:

33.1.1 within seven days of the cessation, notify the Council in writing thereof;

33.1.2 within 30 days of the cessation, remove the inflammable substance from the installation and render it safe;

33.1.3 within six months of the cessation, remove the installation including any associated pipework, from the premises entirely, unless the controlling authority otherwise instructs, and

33.1.4 restore a public footpath or roadway, which has been disturbed by the removal to the satisfaction of the Council within a period of seven days of the completion of the removal of the installation.

33.2 If the removal of an underground tank installation detrimentally affects the stability of the premises, the owner or person in charge of the installation must apply in writing to the Council to fill the tank with liquid cement slurry.

34. Reporting accidents

If an accident occurs which involves a inflammable substance and results in a fire, an explosion, spillage or loss of a inflammable substance, as well as personal

injury or death, the owner or person in charge of the premises must immediately notify the Council.

35. Inflammable stores

- 35.1 The construction of an inflammable store must be in accordance with the National Building Regulations (t1) read in conjunction with SANS 0400.
- 35.2 The floor must be of concrete construction or other impermeable material and must be recessed below the door level or incorporate a sill.
- 35.3 The recess or sill must be of such a depth or height that in the case of spillage it will be capable of containing the quantity of inflammable liquid, as indicated on the certificate of registration and an additional 10% of the quantity mentioned on the certificate.
- 35.4 Notwithstanding the National Building Regulations (t1) read in conjunction with SANS 0400:
 - 35.4.1 the roof assembly of an inflammable store must be constructed of a concrete slab capable of providing a two-hour fire resistance when it forms part of another building;
 - 35.4.2 the ventilation of an inflammable store must be achieved by the use of bricks located in the external walls at the ratio of one air brick nominally above the sill level and one air brick located in the top third of the wall per 5 m² of wall area or part thereof, so that vapour cannot accumulate inside the store;
 - 35.4.3 the air bricks must be covered both internally and externally with closely-woven, non-corrodible wire gauze of at least 1 100 meshes per metre, and
 - 35.4.4 the wire gauze must be held in position by metal straps, a metal frame or cement.
- 35.5 When required by the Council, the inflammable store must be ventilated by a mechanical ventilation system approved by the Council and must comply with the following requirements:
 - 35.5.1 the ventilation system is to be intrinsically safe, provide 30 air changes per hour and must operate continuously;
 - 35.5.2 the fan extraction point must be nominally above sill level and must discharge through a vertical metal duct terminating at least 1 metre above roof height or at least 3,6 metres above ground level, whichever is the greater;

- 35.5.3 ducting material that is external to the store, but communicates with the remainder of the building, must be fitted with a fire damper of two-hour fire resistance at the point of exit from an inflammable store, and
- 35.5.4 the ducting must be as short as possible and must not have sharp bends.
- 35.6 Notwithstanding the National Building Regulations (t1) read in conjunction with SANS 0400, an inflammable store door must be constructed of material with a fire resistance of two hours, provided that all relevant safety distances are complied with, and the door must open outwards.
- 35.7 When required by the Council, a inflammable store door must be a d-class fire door, which complies with SANS 1253.
- 35.8 Notwithstanding the National Building Regulations (t1) read in conjunction with SANS 0400, artificial lighting in the inflammable store must be by electric light having vapour-proof fittings wired through seamless steel conduit and the switches operating the lights must be located outside the store.
- 35.9 No other electrical apparatus may be installed in the inflammable store.
- 35.10 An inflammable store must be provided with a foam inlet consisting of a 65 millimetre male instantaneous coupling and mild steel pipework leading to the inside thereof and the foam inlet must be identified by means of a sign displaying the words "foam inlet" in 100 millimetre block letters.
- 35.11 Racking or shelving erected in the inflammable store must be of non-combustible material.
- 35.12 The inflammable store must be identified by the words, "inflammable store-bewaarplek vir vlambare vloestowwe-isitoro indawo yokugcina izixhobo ezithatha lula umlilo", and the permissible quantity allowed within the inflammable store, indicated in 100 millimetre block letters on both the inside and outside of all doors communicating directly with the store.
- 35.13 The owner or person in charge of an inflammable store must ensure that the inflammable store doors are kept locked when the store is not in use.
- 35.14 A person shall not enter an inflammable store or cause or permit it to

be entered without the permission of the owner or person in charge of the premises.

- 35.15 Sufficient fire extinguishers, as determined by the Council, must be mounted on the external wall of the inflammable store in a conspicuous and easily accessible position.
- 35.16 Any hand tool used in the inflammable store must be intrinsically safe.
- 35.17 A person may not use or permit an inflammable store to be used for any purpose other than that indicated on the certificate of registration, unless the store is not in use as an inflammable store and the Council has been notified in terms of the following procedure:
- 35.17.1 within seven days of the cessation, notify the Council in writing thereof;
 - 35.17.2 within 30 days of the cessation, remove the inflammable substance from the inflammable store and render it safe, and
 - 35.17.3 within 30 days of the cessation, remove all signage.
- 35.18 Subject to the provisions in this section, the Council may call for additional requirements to improve the fire safety of a inflammable store.

36. Container handling and storage

- 36.1 All inflammable substance containers must be kept closed when not in use.
- 36.2 A person may not extract inflammable liquids from a container of a capacity exceeding 20 litres, unless the container is fitted with an adequately sealed pump or tap.
- 36.3 Inflammable liquid containers must be labelled and marked with words and decals, which indicate the inflammable liquids contained therein as well as the hazard of the liquids.
- 36.4 Inflammable substance containers must be declared gas or vapour-free by a competent person before any modification or repairs are undertaken.
- 36.5 All inflammable substance containers must be manufactured and maintained in such a condition as to be reasonably safe from damage and to prevent leakage of inflammable substances or vapours therefrom.
- 36.6 An empty inflammable liquid container must be placed in a inflammable store.

- 36.7 Where an inflammable store is not available for the storage of empty inflammable liquid containers, the Council may permit such storage in the open, provided that:
- 36.7.1 the storage area must be in a position and of sufficient size which in the opinion of the Council, will not cause a fire hazard or other threatening danger;
 - 36.7.2 the storage area is well ventilated and enclosed by a wire mesh fence and:
 - 36.7.2.1 the fence supports are of galvanized or reinforced concrete;
 - 36.7.2.2 has an outward opening gate that is kept locked when not in use, and
 - 36.7.2.3 when the floor area exceeds 10 m² an additional escape gate is installed, fitted with a sliding bolt or other similar locking device that can be opened from the inside without the use of a key;
 - 36.7.3 the storage area is free of vegetation and has a non-combustible firm level base;
 - 36.7.4 a two metre distance around the perimeter of the fenced area is clear of grass, weeds and similar combustible materials;
 - 36.7.5 when the storage area has a roof, the construction of the roof and supporting structure must be of non-combustible material;
 - 36.7.6 open flames, welding, cutting operations and smoking is prohibited in or near the storage area and signage is prominently displayed on the fence and complies with SANS 1186: part 1, and
 - 36.7.7 fire-fighting equipment is installed as determined by the Council.
- 36.8 An empty inflammable liquid container must be securely closed with a bung or other suitable stopper.

37. Spray rooms and booths

A spray room, booth or area designated for the application of a inflammable liquid must be constructed and equipped in such a manner as to comply with the general safety regulations promulgated in terms of the Occupational Health and Safety Act.

38. Liquid petroleum gas containers

38.1 A liquid petroleum gas container must be manufactured, maintained

and tested in accordance with SANS 087: part 1 and SANS 019.

38.2 A liquid petroleum gas container must be used and stored in such a manner as to prevent damage or leakage of liquid or vapour therefrom.

38.3 A liquid petroleum gas container of a capacity not exceeding nine kilogram must be filled and stored in accordance with SANS regulation 087: part 7

CHAPTER 8 : GENERAL PROVISIONS

39. Indemnity

The Council is not liable for damage or loss as a result of, but not limited to, bodily injury, loss of life or loss of or damage to property or financial loss, or consequential loss, which is caused by or arises out of or in connection with anything done or performed or omitted in good faith in the exercise or performance of a power, function or duty conferred or imposed in terms of this by-law.

40. Offences and penalties

Any person who –

40.1 contravenes or fails to comply with any provisions of these by-laws;

40.2 fails to comply with any notice issued in terms of these by-laws;

shall be guilty of an offence and upon conviction shall be liable to the fines determined by a Chief Magistrate of the Magistrate's Court with jurisdiction in the area in which the offence has been committed or imprisonment as determined by a competent court.

ADVERTISEMENTS—ADVERTENSIES—IZIKHANGISO**NOTICE OF LAND DEVELOPMENT APPLICATION****IMBONINI SERVICES PARK PHASE 2
DFA 2008/1022**

[Regulation 21(10) of the Development Facilitation Regulations in terms of the Development Facilitation Act, 1995]

HELENA JACOBS ^{PSF} (*Acting on behalf of Imbonini Park Phase 2 (Pty) Ltd*), P.O. Box 1224, Ballito, 4420 has lodged an application in terms of the Development Facilitation Act for the establishment of a land development area on:

1. PORTION 51 (of 45) OF THE FARM LOT 72 NO. 1526 – 9,2864ha;
2. PORTION 52 (of 45) OF THE FARM LOT 72 NO. 1526 – 37,3860ha;
3. REMAINING EXTENT OF PORTION 45 OF THE FARM LOT 72 NO. 1526 – 30,3031ha
[TO BE REDESIGNATED ERF 1588 SHAKAS HEAD]

Registration Division FU, Province of KwaZulu-Natal, Municipal Area of KwaDukuza, in extent 76,9755 hectares.

The approval of the following will be requested in the application:

- Approximately 58 Services Park zoned Erven
- 1 General Commercial Erf,
- Four 'General Residential' Erven for purposes of developing 600 residential units,
- Roads
- and Conservation Areas
- Installation of all necessary bulk, link and internal infrastructure;
- Suspension of certain laws;
- Extension of Umhlali Beach Town Planning Scheme;
- Amendments to the Umhlali Beach Town Planning Scheme;
- Approval of the layout plan; and
- Approval of conditions of establishment and land use controls.

The relevant plan(s), document(s) and information are available for inspection at

The Office of the Designated Officer, Mr. M Moonsamy, KwaDukuza Municipality, Ballito, 10 Leonora Drive, (Monday to Friday from 8h00-16h00) for a period of 21 days from **02 October 2008**. (date of first publication of this notice).

The application will be considered at a Tribunal hearing to be held at **The KwaDukuza Municipality, Ballito Council Chamber, 10 Leonora Drive, Ballito** on **09 December 2008** at **10h00** and the Pre-hearing conference will be held at **The KwaDukuza Municipality, Ballito Council Chamber, 10 Leonora Drive, Ballito** on **31 October 2008** at **10h00**. All interested and affected parties may attend an inspection in loco of the land development area which will be conducted by the Tribunal on **08 December 2008** at 14h00. Meeting point for the site inspection will be the Municipal Offices, 10 Leonora Drive, Ballito at 13h30.

Any person having an interest in the application should please note:

1. You may within a period of 21 days from the date of the first publication of this notice (i.e. 02 October 2008), provide the designated officer with your written objections or representations; or
2. If your comments constitute an objection to any aspect of the land development application, you must appear in person or through a representative before the Tribunal at the Pre-hearing conference on the date mentioned above (i.e. 31 October 2008).

Any written objection or representation must be delivered to the designated officer at

Mr. M Moonsamy
P.O. Box 72
KwaDukuza
4450

and you may contact the designated officer at the following :

Telephone Number : (032) 946 8000 / 8021 Fax Number : : (032) 946 8067

Copies of any written objection(s) or representation(s) must also be delivered to the representative of the applicant at the address given above, Telephone Number (032) 946 1361 and Fax (032) 946 0192, e-mail : helen.jacobs@vodamail.co.za .

Isijobelelo D / Part 5

ISAZISO SESICELO SKUTHUTHUKISA INDAWO

IMBONINI SERVICES PARK PHASE 2

DFA 2007/1022

[UMTHETHO 21(10) WEMITHETHO YOKUKHUTHAZA INTUTHUKO NGOKULANDELA UMTHETHO WOKUKHUTHAZA INTUTHUKO KA, 1995]

HELENA JACOBS ^{PSF} (Acting on behalf of Imbonini Park Phase 2 (Pty) Ltd), P.O. Box 1921, Stanger. Ufake isicelo ngokulandela uMthetho wokuKhuthaza iNtuthuko mayelana nokumiswa kwendawo yokuthuthukiswa eku:

1. PORTION 51 (of 45) OF THE FARM LOT 72 NO. 1526 – 9,2864ha;
2. PORTION 52 (of 45) OF THE FARM LOT 72 NO. 1526 – 37,3860ha;
3. REMAINING EXTENT OF PORTION 45 OF THE FARM LOT 72 NO. 1526 – 30,3031ha
[TO BE REDESIGNATED ERF 1588 SHAKAS HEAD]

Registration Division FU, Province of KwaZulu-Natal, Municipal Area of KwaDukuza, in extent 76,9755 hectares

Intuthuko izobandakanya loku:

- Iziza ezingaba amashumi amahlanu nesishiyagalolunye (58)c Services Park
- Isiza esisodwa sokuhwe ba ngokujwayelekile,
- Iziza ezinc (4) “ezijwayelekile zokuhlala” ngenhloso yokuthuthukisa nokwakha izindawo zokuhlala ezingamakhulu ayisithupha (600),
- imigwaqo
- Izidawo zokunakckela ukongiwa kwemvelo
- Ukufaka izidingo zokugcina impahla eningi, kuhlenganisa nengqalasizinda yangaphakathi;
- Ukugudluzwa irweminye yemithetho;
- Ukwandiswa kokuhlelwa kwedolobha laseMhlali Beach;
- Ukuchitshiyelwa kohlelo lwedolobha Umhlali Beach;
- Ukugunyazwa kohlelo lwepulani no;
- Kugunyazwa kwemibandela yokusungulwa kokuphathwa nokulawulwa lrwendawo.

Amapulani neminingwane edingekayo ukuze ihlolwe itholakala Ku:

Emahhovisi akaMasipala Mnuz Moonsamy, 10 Leonora Drive, Ballito emahovisi akaMasipala wakwaDukuza, (ngoMsombuluko kuya kuLwesihlanu, isikhathi 08h00-16h00) isikhathini ensingeqile ezinsukwini ezingu (21) kusuka kumhla-ka **02 October 2008**. Kushicilelwe lesisaziso.

Isicelo siyocutshungulwa eNkundleni yokulalela izicelo eyohlala: eMahhovisi oMkhandlu kaMasipala wakwaDukuza eBallito 10 Leonora Drive, Ballito mhlaka **09 December 2008 ngo 10h00**. Umhlangano wokwendulela ukuhlangana uyoba Ballito Council Chamber, KwaDukuza 10 Leonora Drive Ballito mhlaka **31 October 2008 ngo 10h00**

Wonke umuntu onentshisekelo kulesicelo noma othintekile uyanxuswa ukuba abekhona lapho kuklolwa mathupha indawo ethuthukiswayo okuyokwenziwa yiNkundla yokulalela izicelo mhlaka **08 December 2008** ngo 14h00. Indawo lapho kuyohlanganelwa khona mhlaka kuyohlolwa umhlaba ingandle kwase mahhovisi kaMasipala wakwaDukuza, 10 Leonora Drive, Ballito, ngo 13h30.

Noma yimuphi umuntu onentshisekelelo mayelana nesicelo kumeme aqaphele loku:

1. Zingalapheli izinsuku ezingu21 kusukela kushicilelwe lesisaziso (mhlaka 02 October 2008) afake uvo, noma isiphakamiso sakhe.

2. Uma uphikisana nalesicelo kufanele uzifikele mathupha noma uthumele ozokumela, emhlanganweni womhlaka 31 October 2008.

Noma yisiphi isikhalo noma umbono obhalwe phansi kumele uthunyelweku:

Malcolm Moonsamy

P.O. Box 72,

STANGER

4450

Inombolo yocingo : (032) 946 8000 / 8021

Inombolo yesikhahlamezi : (032) 946 8067

Noma yisiphi isikhalo noma umbono obhalwe phansi kumele uthunyelwe kwisiphathimandla esiqokiwe:

HELENA JACOBS ^{PSF}

Inombolo yocingo : (032) 946 1361

Inombolo yesikhahlamezi : (032) 946 0192

e-mail : helen.jacobs@vodamail.co.za

HIBISCUS COAST MUNICIPALITY
NOTICE NO. 147/2008

PROPOSED AMENDMENTS TO THE UMTAMVUNA, MPENJATI/SOUTHBROOM,
MARGATE, PORT SHEPSTONE AND HIBBERDENE TOWN PLANNING
SCHEMES (IN COURSE OF PREPARATION)

Notice is hereby given in terms of Section 47 *bis* (1) of the KZN Town Planning Ordinance, 1949 (Ordinance No 27 of 1949), as amended, that the Hibiscus Coast Municipality proposes to amend to the Umtamvuna, Mpenjati/Southbroom, Margate, Port Shepstone and Hibberdene Town Planning Schemes (in course of preparation) by amending the applicable standardised clauses for each scheme, it being noted that these amendments concern many different provisions, including, but not limited to the format of the clauses of each scheme; definitions, including those of basement, floor area, outbuildings and storey.

A copy of the proposed amendments will be available for inspection at the Municipal Offices, Crescent Road, Uvongo, during normal office hours and anyone with sufficient interest therein may lodge written objections or representations to the Municipal Manager, P.O. Box 5, Port Shepstone, 4240 (Fax 039-315 9220) by not later than 22 days from date of this publication.

SW MKHIZE
MUNICIPAL MANAGER

Hibiscus Coast Municipality
10 Connor Street
PO Box 5
Port Shepstone
4240

9 October 2008

UMASIPALA WASE- HIBISCUS COAST
ISAZISO NO.147 KU 2008

ISIPHAKAMISO SOKUCHIBIYELA UKUHLELWA KWAMADOLOBHA UMTAVUNA,
MPENJATHI/SOUTHBROOM, MARGATE, PORT SHEPSTONE KANYE NE-
HIBBERDENE

Umphakathi uyaziswa ngokomyalelo wesigaba B (1) somthetho wedolobha omayelana nokuhlelwa kweDolobha ongunombolo 27 ka 1949 njengoba uchitshiyelwe, ukuthi kuyisifiso sikamasipala wase- Hibiscus Coast ukuchibiyela uhlelo lokuhlelwa kwamadolobha Umtamvuna, Mpenjathi/Southbroom, Port Shepstone ne-Hibberdene ngokuchaza kabusha zonke izincazelo ezisetshenziswayo nezithinta ukuhlelwa kwezakhiwo eziningi kuhlanganisa izincazelo zokwakha iphansi, ubukhulu bendawo, ukwakhiwa kwezindlu ezinye ngaphandle.

Ikhophi yalezichibiyelo ezicutshungulwayo iyatholakala kulabo abafuna ukuyihlola emahhovisi kamasipala aku- Crescent Road eVungu ngezikhathi zokusebenza ezijwayelekile. Uma kukhona onentshisekelo yokuphikisa loluhlelo angabhala izikhalazo zakhe aziqondise kuMphathi kaMasipala ku- P O Box 5 Port Shepstone 4240, noma azithumele ngesikhahlemezi kulenombolo: (039) 315 9220 kungakapheli izinsuku ezingama- 22 kukhishwe lesaziso.

SW MKHIZE
UMPHATHI- DOLOBHA

10 Connor Street
P.O. Box 5
Port Shepstone
4240

9 October 2008

HIBISCUS COAST MUNICIPALITY
NOTICE NO. 148/2008

PROPOSED AMENDMENTS TO THE UMTANVUNA AND PORT SHEPSTONE
TOWN PLANNING SCHEMES (IN COURSE OF PREPARATION)

Notice is hereby given in terms of Section 47 *bis* B (1) of the Town Planning Ordinance No 27 of 1949, as amended, that it is the intention of the Hibiscus Coast Municipality to consider amendments to the Umtamvuna and Port Shepstone Town Planning Schemes (in course of preparation) by the rezoning of:

1. Erf 875 Palm Beach from "Special Residential 3" to "Worship";
2. Erven 610, 611 and 612 Port Shepstone from "Residential Only 2" to "Multi Use Retail 1" and
3. Erf 1832 Port Shepstone from "Public Open Space" to "Multi Use Retail 1" .

Copies of the proposed amendments will be available for inspection at the Municipal Offices, Crescent Road, Uvongo, during normal office hours and anyone with sufficient interest therein may lodge written objections or representations to the Municipal Manager, P.O. Box 5, Port Shepstone, 4240 (Fax 039-3159220) by no later than 22 days from date of this publication

SW MKHIZE
MUNICIPAL MANAGER

Municipal Offices
10 Connor Street
P.O. Box 5
Port Shepstone
4240

September 2008

UMKHANDLUDOLOBHA WASE HIBISCUS COAST
ISAZISO 148 ku 2008

ISICHIBIYELO ESIHLONGOZWAYO NGOKUHLELEKA KWAMADOLOBHA ASE
PORT SHEPSTONE, NOMTAVUNA (OLUPHEZU KWAMALUNGISELELO)

Umphakathi uyaziswa ukuthi kuyinhloso yomkhandlu iHibiscus Coast ngokwesigaba 47 B sika somqulu woMthetho wokuHlelwa kwamaDolobha, ka 1949(Ord. No. 27 ka 1949)(njengoba uchitshiyelwe), ukuthola imvume yokuchibiyela uhlelo lwedolobha lase Margate, oluphezu kwamalungiselelo, ngokushintsha:

1. Isiza 875 ePalm Beach sisuswa kwindawo yokuhlala ibe yindawo yokukhonza.
2. Iziza 610,611,612 kanye no 1832 ePort Shepstone zisuka kwindawo yokuhlala ziya ekubeni yindawo ye "Multi Use Retail"
3. Isiza 1832 ePort Shepstone sisuka kwindawo yomphakathi siya kwi "Multi Use Retail".

Ikhophi yesiphakamiso sesichibiyelo iyotholakala kulabo abafuna ukuyihlola emahovisi kamasipala akuCrescent Road eVungu ngezikhathi zomsebenzi. Nanoma ubani onentshisekelo angabhala aphikise noma abeke umbono wakhe awuqondise kuMphathi kaMasipala kwikheli P.O. BOX 5 Port Shepstone noma asebenzise isikhahlamezi kulenombolo (039-3159220) kungakapheli izinsuku ezingama 22 kukhishwe lesaziso.

SW MKHIZE
UMPHATHI KAMASIPALA

Hibiscus Coast Municipality
10 Connor Street
P.O.Box 5
Port Shepstone
4240

**uMNGENI MUNICIPALITY
NOTICE NO. 35/2008
HOWICK TOWN PLANNING SCHEME
PROPOSED REZONING**



**uMNGENI MUNISIPALITEIT
KENNISGEWING NO. 35/2008
HOWICK DORPBEPLANNINGSKEMA
VOORGESTELDE HERSONEERING**

Notice is hereby given in terms of Section 47 bis B (2) (b), read in conjunction with Section 47bis A (2) of the Town Planning Ordinance No. 27 of 1949, as amended, that it is the intention of the uMngeni Council to consider an application to rezone Portion 5 of Erf 1015 Howick being 96 Main Road from Special Residential 1 to Limited Commercial with an additional control limiting the use for Office purposes only.

The proposed amendments, together with relevant documents, will lie open for inspection at the uMngeni Municipal offices in Howick, Corner Somme and Dick Streets during normal office hours.

Any person having sufficient interest therein may lodge written objections or representations with the undersigned no later than 31 October 2008.

MR F D VILAKAZI
MUNICIPAL MANAGER

uMngeni Municipality
P O Box 5
HOWICK 3290

Kennis geskied hiermee ingevolge Artikel 47bis B(2)(b), saamgelees met Artikel 47bis A(2) van die Dorpbeplanningsordinansie, No. 27 van 1949, soos gewysig, dat die uMngeni Raad van voorneme is om 'n aansoek te oorweeg om Gedeelte 5 van Erf 1015 Howick, 96 Main Weg te hersoneer van Spesiale Residensiëel 1 na Beperkte Kommerisiëel vir kantoor gebruik alleenlik.

Die voorgestelde wysiging tesame met dokumente wat daarop betrekking het, sal gedurende normale kantoor ure by the kantoor van die uMngeni Munisipaliteit in Howick, op die hoek van Somme and Dicks Strate ter insae beskikbaar wees.

Enigeen met voldoende belang daarby, kan skriftelike besware or verhoë voor of op 31 Oktober 2008 by die ondertekende indien.

MNR F D VILAKAZI
MUNISIPALE BESTUURDER

uMngeni Munisipaliteit
Posbus 5
HOWICK 3290

ETHEKWINI MUNICIPALITY**INNER WEST AREA OFFICE****PROPOSED AMENDMENT: RESERVOIR HILLS TOWN PLANNING SCHEME IN THE COURSE OF PREPARATION**

Notice is hereby given that application has been made to the Council in terms of section 47 *bis* B of the Town-planning Ordinance, 1949 (Ordinance No. 27 of 1949) (as amended), for authority to amend the Reservoir Hills Town-planning Scheme Clauses in the course of preparation for Remainder of Erf 1361, Reservoir Hills (Ext 5), 17 Hayden Road, Reservoir Hills, from Education 1 to General Residential 2.

Copies of the proposed amendment are open for inspection at the Town Planning Office, 2 Club Lane, Pinetown, weekdays between the hours of 08h00 and 12h30.

Any person having sufficient interest in the proposed amendment may lodge written objections or representations relating thereto with the Director: Planning at the address below, by 31 October 2008.

Dr M. O. SUTCLIFFE, City Manager

eThekwini Municipality—Inner West Area Office, PO Box 244, Pinetown, 3600.

ETHEKWINI MUNICIPALITY**INNER WEST AREA OFFICE****ISICHIBIYELO ESIBHONGOZWAYO: SOHLELO LWEDOLOBHA LASE RESERVOIR HILLS
OLUPHEZU KWAMALUNGISELELO**

Kukhishwa isaziso sokuthi kufakwe isicelo eMkhandlwini ngokwesiGaba 47 sika B sikaSomqulu weMithetho wokuHlelwa kweDolobha, sika 1949 (Ordinance No. 27 ka 1949) (njengoba sichitshiyelwe), ukuthi imvume yokuchibiyela uhlelo lwedolobha lase Reservoir Hills oluphezu kwamalungiselelo ngokushintsha Remainder of Erf 1361, Reservoir Hills (Ext 5), inombolo yomgwaqo 17 Hayden Road, Reservoir Hills, kusuka Education 1 kuya General Residential 2.

Ikhophi yalesisichibiyelo esihlongozwayo sivulelekile ehhovisini e Town Planning, 2 Club Lane, Pinetown, ngezikhathi zokusebenza.

Noma ngubani othinteka ngokwenele kulesisichibiyelo esihlongozwayo angafaka incwadi yokuphikisana naso noma azokwethula ukuphikisa kwakhe ku Director we-Planning ekheleni elingezansi ngoLwesihlanu 31 October 2008.

Dr M. O. SUTCLIFFE, City Manager

eThekwini Municipality—Inner West Area Office, PO Box 244, Pinetown, 3600.

THE MSUNDUZI MUNICIPALITY**TOWN-PLANNING SCHEME**

Notice is hereby given in terms of section 47 *bis* B (2) (b), read in conjunction with section 4 *bis* A (2), of the Town-planning Ordinance (Ordinance No. 27 of 1949, as amended) that it is the intention of the Msunduzi Municipality to consider an application for an Appendix 3 amendment to the town-planning scheme to consider an application to relax the side space in the "General Residential" from 4.5 metres to 2.7 metres and rear-space from 9 metres to 2.2 metres in respect of Remainder of Erf 1013, Pietermaritzburg, being 293 Alexandra Road, Pelham.

A copy of the proposed amendment and documents can be inspected at the Corporate Asset Management Public Enquiry Counter, 5th Floor, Professor Nyembezi Building, 341 Church Street, Pietermaritzburg.

Any person having sufficient interest therein may lodge written objections or representations relating thereto with the Strategic Executive Manager (Corporate Strategic Planning) by not later than 29 October 2008, at 5th Floor, Professor Nyembezi Building, 341 Church Street, Pietermaritzburg (P.O. Box 1393, Pietermaritzburg, 3200).

Mr R. HASWELL, Municipal Manager

City Hall, Pietermaritzburg

DIE MSUNDUZI MUNISIPALITEIT**STADSBEPLANNINGSKEMA**

Kennis word hierby ingevolge artikel 47 *bis* B (2) (b), saamgelees met artikel 47 *bis* A (2) van die Dorpsbeplannings-ordonnansie (Ordonnansie No. 27 van 1949, soos gewysig) gegee dat die Msunduzi Munisipaliteit van voorneme is om 'n aansoek om 'n Aanhangsel 3 wysiging tot die stadsbeplanningskema te oorweeg ten einde die syaspasie te verslap van 4.5 meter tot 2.7 meter en die agter-spasie van 9 m tot 2.2 m, op 'n erf in die "Algemene Woonbuurt" sone, ten einde die ontwikkeling van woonstelle toe te laat ten opsigte van die Restant van Erf 1013, Pietermaritzburg, synde Alexandraweg 293, Pelham.

'n Afskrif van die voorgestelde wysiging en dokumentasie lê ter insae beskikbaar by die Openbare Navrae Toonbank van Korporatiewe Bate-bestuur, 5de Verdieping, Professor Nyembezi Sentrum, Kerkstraat 341, Pietermaritzburg.

Enige persoon met voldoende belang kan skriftelike besware of verhoë ten opsigte van die aansoek en voorgestelde wysigings voor of op 29 Oktober 2008. by die Strategiese Uitvoerende Bestuurder (Korporatiewe Strategiese Beplanning), 5 de Vloer, Professor Nyembezi Sentrum, Kerkstraat 341, Pietermaritzburg (Posbus 1393, Pietermaritzburg, 3200), indien.

Mnr. R. F. HASWELL, Munisipale Bestuurder

Stadsaal, Pietermaritzburg
