

# Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA  
REPUBLIEK VAN SUID-AFRIKA

Vol. 521

Pretoria, 26 November 2008

**No. 31644**

---

**CONTENTS • INHOUD**

*No.*

*Page  
No.    Gazette  
No.*

**GENERAL NOTICE**

**Transport, Department of**

*General Notice*

1486 National Ports Act (12/2005): Publication for comments: Amendment of regulation 17 revised Port Limits..... 3 31644

---

---

## GENERAL NOTICE

---

### NOTICE 1486 OF 2008

#### DEPARTMENT OF TRANSPORT

**PUBLICATION FOR COMMENTS: AMENDMENT OF REGULATION 17 OF  
THE NATIONAL PORTS ACT, 2005(ACT NO. 12 OF 2005) REVISED PORTS  
LIMITS**

---

The above-mentioned revised Ports Limits is hereby published for public comments. Interested persons are invited to submit written comments on the revised Port Limits by not later than 29<sup>th</sup> December 2008. Submission should be posted to the Director – General Department of Transport for the attention of T.H.M Mphahlele or Nompumelelo Dweba at:

**Mphahlet@dot.gov.za**  
Fax No. (012) 309 3044


**DwebaN@dot.gov.za**  
Fax No. (012) 309 3590

or

**The Department of Transport  
Private Bag x193  
PRETORIA  
0001**

SHEET 1 OF 2

CO-ORDINATES		
GEOGRAPHICAL		
	Latitude (S)	Longitude (E)
A	28° 47' 23"	32° 06' 45"
B	28° 49' 40"	32° 13' 40"
C	28° 55' 21"	32° 07' 26"
D	28° 51' 06"	32° 02' 36"



**NOTE:**  
The shaded area represents the body of water included in the Port Jurisdiction Area

Scale: 1 : 175 000

The figure A B C D E F G H J K high water mark a L M N P Q R S T U V W X Y Z A1 B1 C1 D1 E1 F1 G1 H1 J1 K1 L1 M1 N1 P1 Q1 R1 S1 T1 U1 V1 W1 X1 Y1 Z1 A2 B2 C2 D2 E2 F2 high water mark G2 H2 J2 K2 L2 M2 N2 P2 Q2 b high water mark A


represents 16 891.5 hectares, being

**THE PORT LIMITS FOR THE PORT OF RICHARDS BAY AS DEPICTED ON S.G. DIAGRAM No. 3499/2008**

situate in the uMhlathuzi Municipality Registration Division GV Province of Kwazulu Natal

CO-ORDINATES					SHEET 2 OF 2			
Y System WGS31		X		Y System WGS31		X		
±	0.0	±	0.0	±		0.0	±	0.0
A	-108 610.36	+ 3 186 481.43	A2	-105 270.50	+ 3 186 909.13			
B	-119 842.38	+ 3 190 786.41	B2	-105 271.02	+ 3 186 912.09			
C	-109 601.50	+ 3 201 184.73	C2	-105 313.99	+ 3 186 904.55			
D	-101 804.86	+ 3 193 284.26	D2	-105 314.42	+ 3 186 907.02			
E	-102 667.90	+ 3 192 299.29	E2	-105 344.33	+ 3 186 901.77			
F	-101 795.91	+ 3 191 494.26	F2	-105 346.53	+ 3 186 884.88			
G	-101 517.19	+ 3 191 355.23	G2	-105 590.29	+ 3 187 030.48			
H	-100 898.57	+ 3 190 487.89	H2	-105 636.67	+ 3 187 022.30			
J	- 99 788.66	+ 3 188 457.72	J2	-105 692.70	+ 3 187 166.50			
K	- 98 972.89	+ 3 187 986.74	K2	-105 725.40	+ 3 187 465.00			
L	- 96 415.02	+ 3 187 599.13	L2	-106 410.20	+ 3 187 604.40			
M	- 95 975.03	+ 3 187 379.12	M2	-106 666.10	+ 3 187 704.20			
N	- 96 208.86	+ 3 187 199.78	N2	-106 654.94	+ 3 187 742.69			
P	- 96 342.17	+ 3 187 382.27	P2	-106 667.00	+ 3 187 753.50			
Q	- 98 836.70	+ 3 187 748.42	Q2	-106 809.45	+ 3 187 872.40			
R	- 98 994.02	+ 3 187 640.59						
S	- 99 756.55	+ 3 185 536.89						
T	- 99 363.92	+ 3 185 387.99						
U	- 99 378.99	+ 3 185 346.60						
V	- 99 616.35	+ 3 185 432.38						
W	- 99 617.53	+ 3 185 429.11						
X	- 99 634.55	+ 3 185 382.09						
Y	- 99 587.51	+ 3 185 365.01						
Z	- 99 729.05	+ 3 185 368.96						
A1	- 99 986.61	+ 3 185 462.16						
B1	-100 134.63	+ 3 185 412.67						
C1	-100 614.26	+ 3 185 539.26						
D1	-104 694.41	+ 3 185 539.40						
E1	-104 708.17	+ 3 185 535.72						
F1	-104 738.69	+ 3 185 535.72						
G1	-104 755.16	+ 3 185 539.40						
H1	-105 215.21	+ 3 185 848.15						
J1	-105 414.69	+ 3 186 085.91						
K1	-105 440.66	+ 3 186 130.65						
L1	-105 449.67	+ 3 186 181.81						
M1	-105 449.67	+ 3 186 200.66						
N1	-105 444.16	+ 3 186 224.60						
P1	-105 218.62	+ 3 186 619.60						
Q1	-105 208.12	+ 3 186 656.58						
R1	-105 208.75	+ 3 186 695.61						
S1	-105 213.26	+ 3 186 716.14						
T1	-105 225.71	+ 3 186 787.09						
U1	-105 224.23	+ 3 186 787.35						
V1	-105 233.03	+ 3 186 837.51						
W1	-105 239.90	+ 3 186 836.30						
X1	-105 241.12	+ 3 186 843.23						
Y1	-105 235.72	+ 3 186 844.17						
Z1	-105 247.85	+ 3 186 913.10						

**THE PORT LIMITS FOR THE PORT OF RICHARDS BAY  
AS DEPICTED ON S.G. DIAGRAM NO. 3499/2008**



CO-ORDINATES						SHEET 2 OF 5
Y System WGS31 X			Y System WGS31 X			
±	0.0	±	0.0	±	0.0	
A	-12 056.61	+ 3 299 273.80	A2	- 3 794.67	+ 3 308 177.08	
B	-12 045.80	+ 3 309 250.32	B2	- 3 822.16	+ 3 308 196.75	
C	- 3 929.38	+ 3 309 294.50	C2	- 3 794.40	+ 3 308 230.05	
D	- 3 876.42	+ 3 309 243.54	D2	- 3 782.21	+ 3 308 185.69	
E	- 3 897.60	+ 3 309 172.92	E2	- 3 683.93	+ 3 308 214.01	
F	- 3 986.60	+ 3 308 978.53	F2	- 3 680.62	+ 3 308 315.54	
G	- 4 348.82	+ 3 308 420.86	G2	- 3 956.41	+ 3 308 445.26	
H	- 5 128.43	+ 3 307 422.16	H2	- 3 756.56	+ 3 308 706.84	
J	- 5 201.50	+ 3 307 327.76	J2	- 3 627.34	+ 3 308 747.61	
K	- 5 325.93	+ 3 307 120.03	K2	- 3 482.39	+ 3 308 847.99	
L	- 5 361.94	+ 3 307 159.75	L2	- 3 462.59	+ 3 308 829.35	
M	- 5 396.15	+ 3 307 126.73	M2	- 3 480.15	+ 3 308 810.58	
N	- 5 426.42	+ 3 307 088.30	N2	- 3 462.41	+ 3 308 795.10	
P	- 5 468.82	+ 3 307 022.87	P2	- 3 450.02	+ 3 308 797.05	
Q	- 5 507.50	+ 3 306 964.84	Q2	- 3 439.77	+ 3 308 808.00	
R	- 5 587.50	+ 3 306 839.71	R2	- 3 216.55	+ 3 308 599.28	
S	- 5 610.71	+ 3 306 805.05	S2	- 3 245.35	+ 3 308 459.52	
T	- 5 701.27	+ 3 306 678.74	T2	- 3 356.86	+ 3 308 161.68	
U	- 5 785.56	+ 3 306 555.27	U2	- 3 350.21	+ 3 308 158.99	
V	- 5 801.74	+ 3 306 529.69	V2	- 3 349.68	+ 3 308 160.39	
W	- 5 817.27	+ 3 306 502.66	W2	- 3 333.86	+ 3 308 154.00	
X	- 5 832.84	+ 3 306 471.70	X2	- 3 324.35	+ 3 308 133.45	
Y	- 5 845.50	+ 3 306 441.76	Y2	- 3 304.88	+ 3 308 125.58	
Z	- 5 855.24	+ 3 306 409.15	Z2	- 3 309.07	+ 3 308 114.39	
A1	- 5 880.56	+ 3 306 312.88	A3	- 3 297.70	+ 3 308 109.80	
B1	- 5 877.76	+ 3 306 311.18	B3	- 3 284.86	+ 3 308 105.52	
C1	- 5 906.79	+ 3 306 130.16	C3	- 3 278.77	+ 3 308 103.76	
D1	- 5 869.57	+ 3 306 000.83	D3	- 3 273.72	+ 3 308 102.53	
E1	- 5 839.43	+ 3 305 946.94	E3	- 3 268.50	+ 3 308 101.50	
F1	- 5 799.86	+ 3 305 908.17	F3	- 3 263.23	+ 3 308 100.67	
G1	- 5 747.47	+ 3 305 907.47	G3	- 3 258.11	+ 3 308 100.05	
H1	- 5 716.87	+ 3 305 922.95	H3	- 3 252.82	+ 3 308 099.57	
J1	- 5 594.94	+ 3 306 088.06	J3	- 3 247.52	+ 3 308 099.26	
K1	- 5 494.71	+ 3 306 167.89	K3	- 3 242.20	+ 3 308 099.10	
L	- 5 375.54	+ 3 306 346.99	L3	- 3 236.89	+ 3 308 099.22	
M1	- 5 270.10	+ 3 306 635.40	M3	- 3 231.16	+ 3 308 098.95	
N1	- 5 189.13	+ 3 306 773.41	N3	- 3 225.89	+ 3 308 099.40	
P1	- 5 087.51	+ 3 306 888.99	P3	- 3 220.65	+ 3 308 100.02	
Q1	- 4 967.23	+ 3 307 014.72	Q3	- 3 212.80	+ 3 308 101.30	
R1	- 4 844.64	+ 3 307 083.57	R3	- 3 205.08	+ 3 308 103.00	
S1	- 4 839.06	+ 3 307 088.35	S3	- 3 199.97	+ 3 308 104.35	
T1	- 4 749.16	+ 3 307 165.94	T3	- 3 194.92	+ 3 308 105.88	
U1	- 4 703.01	+ 3 307 205.77	U3	- 3 187.30	+ 3 308 108.40	
V1	- 4 587.80	+ 3 307 358.04	V3	- 3 177.70	+ 3 308 112.60	
W1	- 4 442.91	+ 3 307 521.73	W3	- 3 167.34	+ 3 308 117.76	
X1	- 4 329.83	+ 3 307 685.74	X3	- 3 159.40	+ 3 308 122.60	
Y1	- 4 043.74	+ 3 307 926.37	Y3	- 3 150.63	+ 3 308 128.61	
Z1	- 3 958.87	+ 3 308 062.49	Z3	- 3 142.34	+ 3 308 117.76	

**THE PORT LIMITS FOR THE PORT OF DURBAN  
AS DEPICTED ON S.G. DIAGRAM No. 3500/2008**

CO-ORDINATES						SHEET 3 OF 5
Y System WGS31 X			Y System WGS31 X			
±	0.0	±	0.0	±	0.0	
A4	- 3 134.50	+ 3 308 142.50	A6	- 1 046.58	+ 3 309 599.28	
B4	- 3 125.54	+ 3 308 152.23	B6	- 881.58	+ 3 309 729.15	
C4	- 3 115.70	+ 3 308 164.80	C6	- 832.40	+ 3 309 689.95	
D4	- 3 102.10	+ 3 308 189.30	D6	- 820.39	+ 3 309 639.72	
E4	- 3 089.50	+ 3 308 218.00	E6	- 815.19	+ 3 309 639.27	
F4	- 3 041.49	+ 3 308 225.87	F6	- 795.59	+ 3 309 640.12	
G4	- 3 020.35	+ 3 308 251.34	G6	- 686.52	+ 3 309 602.42	
H4	- 2 836.41	+ 3 308 375.65	H6	- 644.17	+ 3 309 568.12	
J4	- 2 837.90	+ 3 308 378.21	J6	- 342.82	+ 3 309 020.70	
K4	- 2 814.00	+ 3 308 392.32	K6	- 309.72	+ 3 308 958.94	
L4	- 2 811.76	+ 3 308 388.09	L6	- 207.41	+ 3 308 775.20	
M4	- 2 750.10	+ 3 308 420.30	M6	- 194.79	+ 3 308 782.06	
N4	- 2 733.36	+ 3 308 422.64	N6	- 179.05	+ 3 308 774.33	
P4	- 2 718.33	+ 3 308 420.02	P6	+ 78.07	+ 3 308 294.58	
Q4	- 2 709.96	+ 3 308 417.75	Q6	+ 101.79	+ 3 308 254.92	
R4	- 2 702.94	+ 3 308 415.83	R6	+ 122.75	+ 3 308 226.14	
S4	- 2 690.08	+ 3 308 428.39	S6	+ 149.47	+ 3 308 195.43	
T4	- 2 686.59	+ 3 308 435.31	T6	+ 189.19	+ 3 308 157.76	
U4	- 2 683.25	+ 3 308 441.92	U6	+ 360.38	+ 3 308 001.66	
V4	- 2 677.23	+ 3 308 442.41	V6	+ 371.55	+ 3 307 987.78	
W4	- 2 652.18	+ 3 308 461.24	W6	+ 621.48	+ 3 307 764.93	
X4	- 2 654.15	+ 3 308 478.07	X6	+ 676.09	+ 3 307 733.26	
Y4	- 2 635.25	+ 3 308 491.16	Y6	+ 701.55	+ 3 307 726.82	
Z4	- 2 628.22	+ 3 308 502.38	Z6	+ 778.53	+ 3 307 713.56	
A5	- 2 633.20	+ 3 308 511.09	A7	+ 802.49	+ 3 307 702.13	
B5	- 2 582.22	+ 3 308 551.65	B7	+ 803.33	+ 3 307 703.74	
C5	- 2 427.86	+ 3 308 656.71	C7	+ 823.35	+ 3 307 690.96	
D5	- 2 264.14	+ 3 308 768.17	D7	+ 825.46	+ 3 307 693.28	
E5	- 2 206.95	+ 3 308 800.15	E7	+ 861.67	+ 3 307 664.04	
F5	- 2 152.73	+ 3 308 816.45	F7	+ 860.82	+ 3 307 663.03	
G5	- 2 105.96	+ 3 308 821.76	G7	+ 876.82	+ 3 307 650.66	
H5	- 2 024.72	+ 3 308 820.62	H7	+ 875.82	+ 3 307 649.49	
J5	- 1 948.39	+ 3 308 830.00	J7	+ 902.79	+ 3 307 622.46	
K5	- 1 779.06	+ 3 308 881.02	K7	+ 926.92	+ 3 307 576.42	
L5	- 1 732.42	+ 3 308 902.97	L7	+ 933.42	+ 3 307 522.18	
M5	- 1 682.42	+ 3 308 943.55	M7	+ 915.26	+ 3 307 472.94	
N5	- 1 643.83	+ 3 309 000.23	N7	+ 893.71	+ 3 307 441.73	
P5	- 1 636.73	+ 3 308 997.60	P7	+ 938.84	+ 3 307 399.61	
Q5	- 1 582.72	+ 3 309 210.53	Q7	+ 916.70	+ 3 307 365.25	
R5	- 1 535.62	+ 3 309 403.59	R7	+ 892.88	+ 3 307 333.80	
S5	- 1 515.11	+ 3 309 457.59	S7	+ 493.78	+ 3 306 949.66	
T5	- 1 499.65	+ 3 309 448.58	T7	+ 442.07	+ 3 306 899.88	
U5	- 1 461.23	+ 3 309 500.67	U7	+ 391.50	+ 3 306 844.15	
V5	- 1 263.20	+ 3 309 655.55	V7	+ 277.92	+ 3 306 708.37	
W5	- 970.65	+ 3 309 789.92	W7	+ 250.72	+ 3 306 665.85	
X5	- 956.64	+ 3 309 790.39	X7	+ 189.79	+ 3 306 570.62	
Y5	- 930.00	+ 3 309 770.87	Y7	+ 168.94	+ 3 306 540.74	
Z5	- 1 059.10	+ 3 309 609.83	Z7	+ 79.26	+ 3 306 399.96	

**THE PORT LIMITS FOR THE PORT OF DURBAN  
AS DEPICTED ON S.G. DIAGRAM No. 3500/2008**




CO-ORDINATES						SHEET 4 OF 5
Y System WGS31 X			Y System WGS31 X			
±	0.0	±	0.0	±	0.0	
A8	+ 48.46	+ 3 306 359.30	A10	- 1 747.33	+ 3 305 119.42	
B8	- 102.62	+ 3 306 179.57	B10	- 1 979.63	+ 3 304 912.49	
C8	- 567.92	+ 3 305 681.22	C10	- 1 981.77	+ 3 304 912.76	
D8	- 583.90	+ 3 305 662.53	D10	- 1 986.61	+ 3 304 911.96	
E8	- 669.94	+ 3 305 580.07	E10	- 1 992.57	+ 3 304 913.19	
F8	- 702.16	+ 3 305 538.48	F10	- 1 997.32	+ 3 304 916.46	
G8	- 703.84	+ 3 305 539.71	G10	- 2 003.31	+ 3 304 923.38	
H8	- 719.55	+ 3 305 519.22	H10	- 2 006.91	+ 3 304 925.27	
J8	- 723.08	+ 3 305 521.67	J10	- 2 009.71	+ 3 304 926.16	
K8	- 770.99	+ 3 305 454.48	K10	- 2 013.16	+ 3 304 925.30	
L8	- 792.93	+ 3 305 423.70	L10	- 2 041.18	+ 3 304 904.58	
M8	- 839.94	+ 3 305 373.70	M10	- 2 065.23	+ 3 304 890.32	
N8	- 882.29	+ 3 305 329.77	N10	- 2 094.81	+ 3 304 877.39	
P8	- 853.65	+ 3 305 302.93	P10	- 2 128.72	+ 3 304 867.50	
Q8	- 920.81	+ 3 305 244.70	Q10	- 2 148.83	+ 3 304 864.58	
R8	- 931.23	+ 3 305 240.35	R10	- 2 162.38	+ 3 304 863.23	
S8	- 947.16	+ 3 305 236.16	S10	- 2 166.95	+ 3 304 862.17	
T8	- 958.96	+ 3 305 234.19	T10	- 2 172.22	+ 3 304 858.28	
U8	- 991.48	+ 3 305 233.81	U10	- 2 174.73	+ 3 304 852.70	
V8	- 1 024.02	+ 3 305 241.43	V10	- 2 177.57	+ 3 304 837.48	
W8	- 1 034.62	+ 3 305 246.37	W10	- 2 183.38	+ 3 304 828.60	
X8	- 1 044.61	+ 3 305 251.59	X10	- 2 930.33	+ 3 304 790.89	
Y8	- 1 049.33	+ 3 305 254.54	Y10	- 2 930.10	+ 3 304 786.50	
Z8	- 1 054.04	+ 3 305 257.54	Z10	- 2 975.45	+ 3 304 781.54	
A9	- 1 058.49	+ 3 305 260.89	A11	- 2 997.91	+ 3 304 782.09	
B9	- 1 062.80	+ 3 305 264.45	B11	- 3 020.27	+ 3 304 783.67	
C9	- 1 067.56	+ 3 305 267.41	C11	- 3 042.53	+ 3 304 786.27	
D9	- 1 125.60	+ 3 305 315.58	D11	- 3 064.66	+ 3 304 789.87	
E9	- 1 131.92	+ 3 305 308.14	E11	- 3 072.72	+ 3 304 791.45	
F9	- 1 148.25	+ 3 305 325.62	F11	- 3 080.64	+ 3 304 793.13	
G9	- 1 152.50	+ 3 305 321.48	G11	- 3 103.55	+ 3 304 798.77	
H9	- 1 187.64	+ 3 305 353.24	H11	- 3 133.65	+ 3 304 806.92	
J9	- 1 254.57	+ 3 305 371.47	J11	- 3 146.58	+ 3 304 834.35	
K9	- 1 277.71	+ 3 305 371.80	K11	- 3 172.56	+ 3 304 861.18	
L9	- 1 323.67	+ 3 305 365.01	L11	- 3 189.31	+ 3 304 805.81	
M9	- 1 362.68	+ 3 305 353.09	M11	- 3 253.55	+ 3 304 794.87	
N9	- 1 408.92	+ 3 305 332.16	N11	- 3 240.72	+ 3 304 719.76	
P9	- 1 515.12	+ 3 305 266.68	P11	- 3 249.02	+ 3 304 718.15	
Q9	- 1 476.42	+ 3 305 303.32	Q11	- 3 283.75	+ 3 304 722.63	
R9	- 1 479.44	+ 3 305 301.48	R11	- 3 483.36	+ 3 304 683.97	
S9	- 1 493.93	+ 3 305 288.92	S11	- 3 515.24	+ 3 304 721.77	
T9	- 1 602.30	+ 3 305 222.00	T11	- 3 830.86	+ 3 305 421.44	
U9	- 1 633.80	+ 3 305 202.50	U11	- 3 871.80	+ 3 305 490.16	
V9	- 1 633.50	+ 3 305 200.40	V11	- 3 893.94	+ 3 305 527.30	
W9	- 1 664.67	+ 3 305 181.12	W11	- 3 912.76	+ 3 305 543.86	
X9	- 1 699.33	+ 3 305 158.12	X11	- 3 907.60	+ 3 305 532.40	
Y9	- 1 724.20	+ 3 305 139.29	Y11	- 3 963.35	+ 3 305 507.81	
Z9	- 1 742.62	+ 3 305 123.92	Z11	- 3 999.63	+ 3 305 587.22	

**THE PORT LIMITS FOR THE PORT OF DURBAN  
AS DEPICTED ON S.G. DIAGRAM No. 3500/2008**

CO-ORDINATES			
Y System WGS31 X			
	±	0.0	±
			0.0
A12	- 4 022.15		+ 3 305 597.72
B12	- 4 054.20		+ 3 305 555.10
C12	- 4 111.19		+ 3 305 624.66
D12	- 4 155.56		+ 3 305 678.80
E12	- 4 211.12		+ 3 305 801.22
F12	- 4 336.79		+ 3 305 898.29
G12	- 4 380.91		+ 3 305 915.48
H12	- 4 476.21		+ 3 305 953.34
J12	- 4 521.92		+ 3 305 971.35
K12	- 4 578.46		+ 3 305 993.63
L12	- 4 663.64		+ 3 306 025.63
M12	- 4 796.85		+ 3 306 054.90
N12	- 4 806.84		+ 3 306 053.16
P12	- 4 848.25		+ 3 306 060.47
Q12	- 4 950.75		+ 3 306 085.12
R12	- 5 166.70		+ 3 305 775.19
S12	- 5 172.22		+ 3 305 742.85
T12	- 5 201.76		+ 3 305 724.58
EXCLUDED FIGURE:			
U12	- 3 953.76		+ 3 306 911.87
V12	- 3 954.24		+ 3 306 912.07
W12	- 4 035.72		+ 3 307 075.06
X12	- 4 035.61		+ 3 307 075.35
Y12	- 4 024.73		+ 3 307 080.72
Z12	- 4 024.47		+ 3 307 080.64
A13	- 4 014.86		+ 3 307 061.53
B13	- 4 009.41		+ 3 307 064.26
C13	- 4 018.96		+ 3 307 083.40
D13	- 4 018.87		+ 3 307 083.68
E13	- 3 740.95		+ 3 307 222.52
F13	- 3 705.10		+ 3 307 152.52
G13	- 3 623.07		+ 3 307 191.03
H13	- 3 558.61		+ 3 307 123.78
J13	- 3 558.71		+ 3 307 123.71
K13	- 3 926.79		+ 3 306 939.91
L13	- 3 921.03		+ 3 306 928.20

**THE PORT LIMITS FOR THE PORT OF DURBAN  
AS DEPICTED ON S.G. DIAGRAM No. 3500/2008**



CO-ORDINATES						SHEET 2 OF 3
Y System WGS27 X			Y System WGS27 X			
±	0.0	±	0.0	±	0.0	
A	- 90 457.58	+ 3 653 736.09	A2	- 83 548.45	+ 3 655 856.97	
B	- 86 438.88	+ 3 659 060.77	B2	- 83 513.14	+ 3 655 840.96	
C	- 83 852.86	+ 3 657 964.23	C2	- 83 478.82	+ 3 655 830.87	
D	- 83 849.47	+ 3 657 949.71	D2	- 83 466.52	+ 3 655 831.30	
E	- 83 999.16	+ 3 657 906.90	E2	- 83 469.41	+ 3 655 802.71	
F	- 84 090.14	+ 3 657 874.76	F2	- 83 374.76	+ 3 655 811.61	
G	- 84 224.60	+ 3 657 792.74	G2	- 83 305.75	+ 3 655 827.10	
H	- 84 320.84	+ 3 657 717.54	H2	- 83 279.50	+ 3 655 830.88	
J	- 84 389.58	+ 3 657 656.60	J2	- 83 230.45	+ 3 655 849.65	
K	- 84 456.31	+ 3 657 596.37	K2	- 83 214.84	+ 3 655 860.18	
L	- 84 517.23	+ 3 657 527.04	L2	- 83 211.89	+ 3 655 875.03	
M	- 84 547.08	+ 3 657 493.20	M2	- 83 198.37	+ 3 655 893.85	
N	- 84 835.05	+ 3 657 105.92	N2	- 83 141.54	+ 3 655 889.96	
P	- 85 140.80	+ 3 656 694.41	P2	- 83 127.60	+ 3 655 823.23	
Q	- 85 138.79	+ 3 656 681.02	Q2	- 83 269.99	+ 3 655 632.16	
R	- 85 203.71	+ 3 656 593.66	R2	- 83 254.37	+ 3 655 540.78	
S	- 85 204.45	+ 3 656 590.08	S2	- 83 478.49	+ 3 655 500.02	
T	- 85 206.13	+ 3 656 581.92	T2	- 83 579.36	+ 3 655 493.73	
U	- 85 203.26	+ 3 656 568.48	U2	- 83 603.55	+ 3 655 186.67	
V	- 84 965.11	+ 3 656 390.91	V2	- 83 600.18	+ 3 655 108.96	
W	- 84 925.38	+ 3 656 386.36	W2	- 83 655.14	+ 3 655 116.79	
X	- 84 915.56	+ 3 656 385.24	X2	- 83 662.27	+ 3 655 155.39	
Y	- 84 844.59	+ 3 656 377.10	Y2	- 83 686.22	+ 3 655 202.50	
Z	- 84 688.71	+ 3 656 359.25	Z2	- 83 691.75	+ 3 655 285.85	
A1	- 84 672.19	+ 3 656 357.36	A3	- 83 694.04	+ 3 655 300.99	
B1	- 84 636.90	+ 3 656 341.09	B3	- 83 713.39	+ 3 655 336.73	
C1	- 84 555.54	+ 3 656 302.46	C3	- 83 736.74	+ 3 655 334.77	
D1	- 84 524.46	+ 3 656 291.93	D3	- 83 835.19	+ 3 655 394.29	
E1	- 84 364.45	+ 3 656 207.30	E3	- 83 854.64	+ 3 655 405.13	
F1	- 84 314.77	+ 3 656 188.30	F3	- 83 879.57	+ 3 655 425.55	
G1	- 84 294.61	+ 3 656 167.41	G3	- 83 959.88	+ 3 655 453.06	
H1	- 84 212.16	+ 3 656 126.23	H3	- 84 008.53	+ 3 655 486.46	
J1	- 84 189.41	+ 3 656 116.64	J3	- 84 031.61	+ 3 655 504.51	
K1	- 84 103.85	+ 3 656 076.14	K3	- 84 081.43	+ 3 655 518.36	
L1	- 84 133.24	+ 3 656 014.10	L3	- 84 146.11	+ 3 655 488.55	
M1	- 84 068.76	+ 3 655 983.55	M3	- 84 175.29	+ 3 655 498.21	
N1	- 84 039.36	+ 3 656 045.58	N3	- 84 178.17	+ 3 655 503.36	
P1	- 83 946.93	+ 3 655 998.14	P3	- 84 250.71	+ 3 655 576.79	
Q1	- 83 909.35	+ 3 655 948.04	Q3	- 84 289.47	+ 3 655 538.43	
R1	- 83 887.66	+ 3 655 921.02	R3	- 84 331.77	+ 3 655 541.26	
S1	- 83 852.81	+ 3 655 896.05	S3	- 84 340.44	+ 3 655 569.23	
T1	- 83 828.18	+ 3 655 885.13	T3	- 84 385.63	+ 3 655 570.74	
U1	- 83 707.77	+ 3 655 860.00	U3	- 84 400.06	+ 3 655 566.59	
V1	- 83 665.96	+ 3 655 841.09	V3	- 84 418.89	+ 3 655 585.88	
W1	- 83 636.42	+ 3 655 817.90	W3	- 84 440.25	+ 3 655 594.41	
X1	- 83 605.13	+ 3 655 822.69	X3	- 84 531.51	+ 3 655 641.20	
Y1	- 83 595.23	+ 3 655 846.80	Y3	- 84 539.01	+ 3 655 651.62	
Z1	- 83 590.18	+ 3 655 843.72	Z3	- 84 539.71	+ 3 655 654.22	

**THE PORT LIMITS FOR THE PORT OF EAST LONDON  
AS DEPICTED ON S.G. DIAGRAM No. 6216/2008**

CO-ORDINATES					SHEET 3 OF 3		
Y System WGS27		X		Y System WGS27		X	
±	0.0	±	0.0	±	0.0	±	0.0
A4	-84 577.48	+ 3 655 674.86		A6	-85 358.75	+ 3 655 815.68	
B4	-84 585.49	+ 3 655 672.80		B6	-85 397.12	+ 3 655 788.35	
C4	-84 751.91	+ 3 655 722.10		C6	-85 422.86	+ 3 655 802.04	
D4	-84 767.67	+ 3 655 722.85		D6	-85 415.43	+ 3 655 821.73	
E4	-84 791.52	+ 3 655 716.30		E6	-85 414.55	+ 3 655 843.18	
F4	-84 823.89	+ 3 655 699.96		F6	-85 412.52	+ 3 655 907.09	
G4	-84 840.46	+ 3 655 686.68		G6	-85 429.69	+ 3 655 928.24	
H4	-84 859.53	+ 3 655 656.63					
J4	-84 865.70	+ 3 655 632.10					
K4	-84 867.14	+ 3 655 590.73					
L4	-84 826.58	+ 3 655 451.50					
M4	-84 841.86	+ 3 655 439.71					
N4	-84 857.42	+ 3 655 399.05					
P4	-84 856.76	+ 3 655 393.59					
Q4	-84 866.35	+ 3 655 374.00					
R4	-84 884.05	+ 3 655 339.36					
S4	-84 878.23	+ 3 655 319.39					
T4	-84 953.35	+ 3 655 318.64					
U4	-84 966.52	+ 3 655 312.63					
V4	-84 976.54	+ 3 655 276.24					
W4	-85 024.40	+ 3 655 167.96					
X4	-85 056.60	+ 3 655 159.16					
Y4	-85 075.22	+ 3 655 217.24					
Z4	-85 012.60	+ 3 655 355.37					
A5	-85 012.48	+ 3 655 379.86					
B5	-84 986.98	+ 3 655 402.08					
C5	-84 968.51	+ 3 655 422.47					
D5	-84 966.46	+ 3 655 425.45					
E5	-84 965.01	+ 3 655 428.41					
F5	-84 965.60	+ 3 655 522.61					
G5	-84 969.10	+ 3 655 548.85					
H5	-85 023.24	+ 3 655 614.80					
J5	-85 055.92	+ 3 655 588.49					
K5	-85 067.08	+ 3 655 650.15					
L5	-85 047.34	+ 3 655 695.79					
M5	-85 052.60	+ 3 655 754.77					
N5	-85 065.50	+ 3 655 774.44					
P5	-85 110.44	+ 3 655 784.94					
Q5	-85 113.50	+ 3 655 773.55					
R5	-85 154.48	+ 3 655 797.84					
S5	-85 196.45	+ 3 655 812.47					
T5	-85 194.49	+ 3 655 829.07					
U5	-85 193.70	+ 3 655 907.07					
V5	-85 210.01	+ 3 655 915.62					
W5	-85 233.49	+ 3 655 923.31					
X5	-85 239.63	+ 3 655 913.90					
Y5	-85 245.19	+ 3 655 911.73					
Z5	-85 259.68	+ 3 655 908.01					

**THE PORT LIMITS FOR THE PORT OF EAST LONDON  
AS DEPICTED ON S.G. DIAGRAM No. 6216/2008**

CO-ORDINATES		
GEOGRAPHICAL		
	Latitude (S)	Longitude (E)
a	33° 43' 16"	25° 51' 13"
A	33° 43' 51"	25° 51' 55"
B	34° 01' 44"	25° 43' 05"
C	33° 51' 48"	25° 39' 09"
b	33° 51' 48"	25° 38' 06"
Y System WGS25 X		
	± 0.0	± 0.0
A	- 80 200.20	+ 3 734 155.90
B	- 66 317.70	+ 3 767 099.30
C	- 60 375.90	+ 3 748 693.50
D	- 61 328.18	+ 3 744 330.12
E	- 61 094.74	+ 3 744 160.48
F	- 60 242.90	+ 3 743 541.50
G	- 61 010.20	+ 3 741 303.70
H	- 61 137.00	+ 3 740 958.90
J	- 61 240.60	+ 3 740 735.10
K	- 61 334.30	+ 3 740 570.40
L	- 61 494.70	+ 3 740 323.70
M	- 61 610.60	+ 3 740 110.10
N	- 61 683.23	+ 3 739 879.42
P	- 61 974.00	+ 3 738 900.00
Q	- 62 154.50	+ 3 738 635.00
R	- 62 639.00	+ 3 738 265.00
S	- 63 305.00	+ 3 737 835.00
T	- 63 662.50	+ 3 737 640.48
U	- 65 283.78	+ 3 739 916.23
V	- 65 052.18	+ 3 740 151.87
W	- 65 297.18	+ 3 740 442.88

The figure a A B C b high water mark c D E F G H J K L M N P Q R S T U V W d high water mark a, excluding the Islands of Jahleel, St. Croix and Brenton, and the 500 metres marine reserve surrounding each island


represents 31 151.2 hectares,

being

**THE PORT LIMITS FOR THE PORT OF NGQURA  
AS DEPICTED IN S.G. DIAGRAM No. 6217/2008**


situate in the Nelson Mandela Bay Metropolitan Municipality  
Administrative District of Port Elizabeth

Province of Eastern Cape



CO-ORDINATES			SHEET 1 OF 3
GEOGRAPHICAL			
	Latitude (S)	Longitude (E)	
a	33° 51' 48"	25° 38' 06"	
A	33° 51' 48"	25° 39' 09"	
B	34° 01' 44"	25° 43' 05"	
b	34° 01' 44"	25° 42' 05"	
<p>The figure a A B b high water mark c high water mark C D E F G H J K L M N P Q R S T U  V W X Y Z A1 B1 C1 D1 E1 F1 G1 H1 J1 K1 L1 M1 N1 P1 Q1 R1 S1 T1 U1 V1 W1 X1 Y1 Z1  A2 B2 C2 D2 E2 F2 G2 H2 J2 K2 L2 M2 N2 P2 Q2 R2 S2 T2 U2 V2 W2 X2 Y2 Z2 A3 B3 C3  D3 E3 F3 G3 H3 J3 K3 L3 M3 N3 high water mark a</p> <p>represents 7 512.1 hectares, <span style="float: right;">being</span></p> <p style="text-align: center;"><b>THE PORT LIMITS FOR THE PORT OF PORT ELIZABETH  AS DEPICTED ON S.G. DIAGRAM No. 6218/2008</b></p> <p>situate in Nelson Mandela Bay Metropolitan Municipality <span style="float: right;">Province of Eastern Cape</span>  Administrative District of Port Elizabeth</p>			





SHEET 2 OF 3

Indian Ocean

City of Port Elizabeth

PORT OF PORT ELIZABETH



**NOTE:**  
The shaded area represents the body of water included in the Port Jurisdiction Area

High Water Mark

**THE PORT LIMITS FOR THE PORT OF PORT ELIZABETH AS DEPICTED ON S.G. DIAGRAM No. 6218/2008**

Scale: 1 : 100 000

CO-ORDINATES						SHEET 3 OF 3
Y System WGS25 X			Y System WGS25 X			
±	0.0	±	0.0	±	0.0	
A	- 60 375.85	+ 3 748 693.54	A2	- 57 419.25	+ 3 759 075.28	
B	- 66 317.65	+ 3 767 099.31	B2	- 57 362.26	+ 3 759 037.02	
C	- 59 743.59	+ 3 760 585.99	C2	- 56 916.08	+ 3 758 690.25	
D	- 59 707.58	+ 3 760 365.10	D2	- 56 854.22	+ 3 758 634.41	
E	- 59 519.87	+ 3 760 512.63	E2	- 56 816.21	+ 3 758 592.55	
F	- 59 527.13	+ 3 760 522.04	F2	- 56 780.12	+ 3 758 545.18	
G	- 59 314.01	+ 3 760 690.73	G2	- 56 750.33	+ 3 758 499.18	
H	- 59 203.51	+ 3 760 692.06	H2	- 56 692.57	+ 3 758 395.94	
J	- 59 184.57	+ 3 760 709.57	J2	- 56 675.72	+ 3 758 363.71	
K	- 59 198.41	+ 3 760 742.41	K2	- 56 664.86	+ 3 758 340.72	
L	- 59 168.65	+ 3 760 724.32	L2	- 56 657.07	+ 3 758 319.42	
M	- 59 148.33	+ 3 760 740.69	M2	- 56 648.06	+ 3 758 286.10	
N	- 59 000.18	+ 3 760 691.00	N2	- 56 613.17	+ 3 758 099.81	
P	- 58 998.26	+ 3 760 694.68	P2	- 56 604.98	+ 3 758 043.31	
Q	- 58 981.02	+ 3 760 689.05	Q2	- 56 538.65	+ 3 757 478.63	
R	- 58 870.72	+ 3 760 637.14	R2	- 56 504.61	+ 3 756 147.75	
S	- 58 857.93	+ 3 760 629.31	S2	- 56 490.57	+ 3 756 149.14	
T	- 58 776.38	+ 3 760 564.31	T2	- 56 505.12	+ 3 756 071.49	
U	- 58 790.83	+ 3 760 542.43	U2	- 56 504.85	+ 3 755 972.07	
V	- 58 762.60	+ 3 760 537.34	V2	- 56 556.31	+ 3 755 662.78	
W	- 58 736.63	+ 3 760 529.59	W2	- 56 680.54	+ 3 754 916.11	
X	- 58 714.66	+ 3 760 520.44	X2	- 56 710.10	+ 3 754 738.48	
Y	- 58 615.66	+ 3 760 464.15	Y2	- 56 806.36	+ 3 754 363.93	
Z	- 58 621.39	+ 3 760 454.21	Z2	- 56 852.65	+ 3 754 306.10	
A1	- 58 503.10	+ 3 760 387.78	A3	- 56 891.83	+ 3 754 256.70	
B1	- 58 439.92	+ 3 760 342.79	B3	- 56 923.26	+ 3 754 198.11	
C1	- 58 446.30	+ 3 760 331.28	C3	- 56 935.31	+ 3 754 168.30	
D1	- 58 376.65	+ 3 760 272.23	D3	- 57 042.99	+ 3 753 825.20	
E1	- 58 298.16	+ 3 760 196.29	E3	- 57 071.62	+ 3 753 723.83	
F1	- 58 291.54	+ 3 760 189.89	F3	- 57 496.38	+ 3 752 067.96	
G1	- 58 233.41	+ 3 760 109.80	G3	- 57 542.06	+ 3 751 871.44	
H1	- 58 220.95	+ 3 760 100.30	H3	- 57 585.28	+ 3 751 657.22	
J1	- 58 177.40	+ 3 760 016.68	J3	- 57 602.91	+ 3 751 557.04	
K1	- 58 115.60	+ 3 759 882.36	K3	- 57 652.95	+ 3 751 374.00	
L1	- 58 093.11	+ 3 759 853.51	L3	- 58 352.57	+ 3 749 582.26	
M1	- 58 085.84	+ 3 759 842.48	M3	- 58 207.72	+ 3 749 494.25	
N1	- 58 065.68	+ 3 759 805.06	N3	- 58 418.45	+ 3 748 956.14	
P1	- 57 996.68	+ 3 759 627.19				
Q1	- 57 953.41	+ 3 759 569.84				
R1	- 57 935.78	+ 3 759 555.06				
S1	- 57 871.65	+ 3 759 512.21				
T1	- 57 854.45	+ 3 759 497.63				
U1	- 57 839.56	+ 3 759 481.58				
V1	- 57 822.29	+ 3 759 462.44				
W1	- 57 808.47	+ 3 759 446.56				
X1	- 57 805.57	+ 3 759 443.40				
Y1	- 57 578.06	+ 3 759 200.06				
Z1	- 57 565.10	+ 3 759 188.74				

**THE PORT LIMITS FOR THE PORT OF PORT ELIZABETH  
AS DEPICTED ON S.G. DIAGRAM No. 6218/2008**

CO-ORDINATES					SHEET 1 OF 2	
GEOGRAPHICAL						
Latitude (S)		Longitude (E)		Latitude (S)		Longitude (E)
A	34° 05' 25"	22° 09' 00"	B	34° 11' 10"	22° 09' 23"	
Y System WGS23 X			Y System WGS23 X			
± 0.0			± 0.0		± 0.0	
A	+ 78 432.33	+ 3 774 009.14	A1	+ 78 832.33	+ 3 783 867.70	
B	+ 77 763.93	+ 3 784 625.06	B1	+ 78 845.51	+ 3 783 857.42	
C	+ 78 224.94	+ 3 783 907.74	C1	+ 78 860.55	+ 3 783 848.62	
D	+ 78 230.59	+ 3 783 969.91	D1	+ 78 881.02	+ 3 783 840.46	
E	+ 78 247.67	+ 3 783 971.03	E1	+ 78 902.47	+ 3 783 834.96	
F	+ 78 302.38	+ 3 783 974.62	F1	+ 78 927.37	+ 3 783 831.84	
G	+ 78 341.07	+ 3 783 973.23	G1	+ 78 951.96	+ 3 783 832.78	
H	+ 78 348.09	+ 3 783 992.01	H1	+ 78 987.37	+ 3 783 840.39	
J	+ 78 362.84	+ 3 784 019.56	J1	+ 78 988.69	+ 3 783 862.71	
K	+ 78 378.12	+ 3 784 036.02	K1	+ 78 979.58	+ 3 783 864.15	
L	+ 78 401.43	+ 3 784 053.25	L1	+ 78 980.93	+ 3 783 886.63	
M	+ 78 424.41	+ 3 784 065.55	M1	+ 78 998.84	+ 3 783 885.62	
N	+ 78 427.58	+ 3 784 054.99	N1	+ 78 997.51	+ 3 783 863.79	
P	+ 78 460.10	+ 3 784 070.45	P1	+ 78 998.34	+ 3 783 863.89	
Q	+ 78 499.27	+ 3 784 076.23	Q1	+ 78 997.01	+ 3 783 842.24	
R	+ 78 564.06	+ 3 784 076.57	R1	+ 79 028.16	+ 3 783 847.76	
S	+ 78 591.53	+ 3 784 074.19	S1	+ 79 046.96	+ 3 783 851.54	
T	+ 78 639.91	+ 3 784 059.01	T1	+ 79 069.36	+ 3 783 857.79	
U	+ 78 638.61	+ 3 784 055.44	U1	+ 79 089.60	+ 3 783 866.02	
V	+ 78 679.53	+ 3 784 039.16	V1	+ 79 139.97	+ 3 783 888.87	
W	+ 78 681.45	+ 3 784 031.24	W1	+ 79 155.10	+ 3 783 895.73	
X	+ 78 701.95	+ 3 784 016.45	X1	+ 79 201.38	+ 3 783 915.99	
Y	+ 78 721.25	+ 3 783 997.46	Y1	+ 79 228.24	+ 3 783 923.38	
Z	+ 78 818.42	+ 3 783 881.64	Z1	+ 79 233.02	+ 3 783 917.38	


The figure A b high water mark c D E F G H J K L M N P Q R S T U V W X Y Z A1 B1 C1 D1 E1 F1 G1 H1 J1 K1 L1 M1 N1 P1 Q1 R1 S1 T1 U1 V1 W1 X1 Y1 Z1 high water mark A


represents 2 740.0 hectares, being

**THE PORT LIMITS FOR THE PORT OF MOSSEL BAY AS DEPICTED ON S.G. DIAGRAM No. 6219/2008**

situate in the Municipality of Mossel Bay  
Administrative District of Mossel Bay

Province of Western Cape






CO-ORDINATES						SHEET 2 OF 3
Y System WGS19 X			Y System WGS19 X			
±	0.0	±	0.0	±	0.0	
A	+ 57 950.82	+ 3 743 282.06	A2	+ 49 262.35	+ 3 754 102.91	
B	+ 48 864.30	+ 3 743 281.90	B2	+ 49 364.29	+ 3 754 209.39	
C	+ 47 256.48	+ 3 748 461.99	C2	+ 49 440.56	+ 3 754 285.09	
D	+ 47 252.21	+ 3 748 849.41	D2	+ 49 447.47	+ 3 754 291.83	
E	+ 47 268.44	+ 3 749 484.95	E2	+ 49 518.00	+ 3 754 354.80	
F	+ 47 334.47	+ 3 750 003.63	F2	+ 49 595.77	+ 3 754 417.77	
G	+ 47 415.23	+ 3 750 318.69	G2	+ 49 663.82	+ 3 754 467.44	
H	+ 47 618.15	+ 3 751 003.37	H2	+ 49 747.21	+ 3 754 528.29	
J	+ 47 706.77	+ 3 751 419.37	J2	+ 49 844.50	+ 3 754 606.70	
K	+ 47 723.70	+ 3 751 498.10	K2	+ 49 936.11	+ 3 754 675.34	
L	+ 47 717.80	+ 3 751 502.40	L2	+ 50 037.18	+ 3 754 743.98	
M	+ 47 769.22	+ 3 751 658.11	M2	+ 50 078.74	+ 3 754 734.22	
N	+ 47 795.36	+ 3 751 725.07	N2	+ 50 095.43	+ 3 754 739.26	
P	+ 47 878.54	+ 3 751 722.71	P2	+ 50 149.45	+ 3 754 794.33	
Q	+ 47 882.94	+ 3 751 733.97	Q2	+ 50 230.82	+ 3 754 858.60	
R	+ 47 951.32	+ 3 751 909.00	R2	+ 50 361.16	+ 3 754 953.06	
S	+ 48 144.47	+ 3 752 403.44	S2	+ 50 483.80	+ 3 755 040.10	
T	+ 48 138.37	+ 3 752 405.34	T2	+ 50 681.90	+ 3 755 043.90	
U	+ 47 923.23	+ 3 752 049.06	U2	+ 50 681.30	+ 3 755 059.40	
V	+ 47 920.99	+ 3 752 046.67	V2	+ 50 721.50	+ 3 755 060.70	
W	+ 47 831.49	+ 3 751 950.72	W2	+ 50 732.30	+ 3 755 057.10	
X	+ 47 749.85	+ 3 751 893.34	X2	+ 50 749.80	+ 3 755 056.50	
Y	+ 47 738.37	+ 3 751 899.35	Y2	+ 50 761.10	+ 3 755 055.40	
Z	+ 47 757.27	+ 3 751 930.19	Z2	+ 50 787.80	+ 3 755 055.40	
A1	+ 47 789.38	+ 3 751 971.65	A3	+ 50 909.30	+ 3 755 087.10	
B1	+ 47 886.81	+ 3 752 064.86	B3	+ 50 940.30	+ 3 755 087.60	
C1	+ 47 999.74	+ 3 752 247.85	C3	+ 50 965.60	+ 3 755 040.10	
D1	+ 48 271.18	+ 3 752 689.49	D3	+ 51 050.70	+ 3 755 042.00	
E1	+ 48 302.15	+ 3 752 744.76	E3	+ 51 104.90	+ 3 755 049.20	
F1	+ 48 339.32	+ 3 752 811.14	F3	+ 51 179.00	+ 3 755 062.80	
G1	+ 48 360.00	+ 3 752 849.45	G3	+ 51 179.90	+ 3 755 057.20	
H1	+ 48 387.06	+ 3 752 907.71	H3	+ 51 243.50	+ 3 755 061.50	
J1	+ 48 473.97	+ 3 753 117.22	J3	+ 51 297.50	+ 3 755 063.50	
K1	+ 48 498.74	+ 3 753 171.48	K3	+ 51 432.50	+ 3 755 066.30	
L1	+ 48 525.99	+ 3 753 225.07	L3	+ 51 572.50	+ 3 755 065.60	
M1	+ 48 555.43	+ 3 753 276.53	M3	+ 51 572.41	+ 3 755 068.55	
N1	+ 48 587.12	+ 3 753 327.20	N3	+ 51 626.41	+ 3 755 067.08	
P1	+ 48 621.03	+ 3 753 376.55	P3	+ 51 799.32	+ 3 755 058.19	
Q1	+ 48 799.69	+ 3 753 621.44	Q3	+ 51 812.11	+ 3 755 056.59	
R1	+ 48 831.36	+ 3 753 660.07	R3	+ 51 824.86	+ 3 755 054.46	
S1	+ 48 865.57	+ 3 753 696.32	S3	+ 51 841.36	+ 3 755 050.36	
T1	+ 48 992.59	+ 3 753 813.70	T3	+ 51 866.11	+ 3 755 043.33	
U1	+ 49 013.53	+ 3 753 843.03	U3	+ 51 882.84	+ 3 755 038.29	
V1	+ 49 057.71	+ 3 753 878.71	V3	+ 51 899.39	+ 3 755 032.46	
W1	+ 49 087.85	+ 3 753 906.12	W3	+ 51 912.25	+ 3 755 027.36	
X1	+ 49 102.42	+ 3 753 922.16	X3	+ 51 930.61	+ 3 755 019.77	
Y1	+ 49 124.77	+ 3 753 947.36	Y3	+ 51 949.61	+ 3 755 010.64	
Z1	+ 49 205.05	+ 3 754 039.93	Z3	+ 51 963.71	+ 3 755 002.85	

**THE PORT LIMITS FOR THE PORT OF CAPE TOWN  
AS DEPICTED ON S.G. DIAGRAM No.6220/2008**

CO-ORDINATES					SHEET 3 OF 3		
Y System WGS19		X		Y System WGS19		X	
±	0.0	±	0.0	±	0.0	±	0.0
A4	+ 51 981.24	+ 3 754 992.34	A6	+ 52 709.99	+ 3 753 127.74		
B4	+ 51 994.11	+ 3 754 984.32	B6	+ 52 830.25	+ 3 753 112.10		
C4	+ 52 008.40	+ 3 754 974.56	C6	+ 52 864.20	+ 3 753 077.10		
D4	+ 52 025.27	+ 3 754 962.10	D6	+ 52 864.23	+ 3 753 072.82		
E4	+ 52 040.38	+ 3 754 950.26	E6	+ 52 844.27	+ 3 753 072.88		
F4	+ 52 056.92	+ 3 754 936.16	F6	+ 52 844.26	+ 3 753 068.96		
G4	+ 52 111.88	+ 3 754 888.20	G6	+ 52 920.51	+ 3 753 068.92		
H4	+ 52 145.87	+ 3 754 858.22	H6	+ 53 022.04	+ 3 752 963.15		
J4	+ 52 147.20	+ 3 754 855.21	J6	+ 53 022.76	+ 3 752 950.61		
K4	+ 52 251.59	+ 3 754 764.13	K6	+ 53 084.56	+ 3 752 887.10		
L4	+ 52 259.29	+ 3 754 773.74	L6	+ 53 060.59	+ 3 752 853.83		
M4	+ 52 479.68	+ 3 754 642.96	M6	+ 53 087.91	+ 3 752 787.74		
N4	+ 52 544.54	+ 3 754 587.30	N6	+ 53 076.16	+ 3 752 758.94		
P4	+ 52 675.99	+ 3 754 474.48	P6	+ 53 020.48	+ 3 752 724.78		
Q4	+ 52 685.91	+ 3 754 486.03	Q6	+ 52 876.23	+ 3 752 677.21		
R4	+ 52 697.31	+ 3 754 476.25	R6	+ 52 844.43	+ 3 752 666.73		
S4	+ 52 705.93	+ 3 754 468.79	S6	+ 52 850.52	+ 3 752 648.27		
T4	+ 52 657.99	+ 3 754 412.53	T6	+ 52 854.84	+ 3 752 635.18		
U4	+ 52 846.03	+ 3 754 251.09	U6	+ 52 857.68	+ 3 752 626.57		
V4	+ 52 921.87	+ 3 754 215.05	V6	+ 53 143.31	+ 3 752 720.77		
W4	+ 53 072.31	+ 3 754 146.55	W6	+ 53 292.77	+ 3 752 865.07		
X4	+ 53 304.18	+ 3 754 040.17	X6	+ 53 336.66	+ 3 752 816.46		
Y4	+ 53 317.79	+ 3 753 996.81	Y6	+ 53 567.61	+ 3 752 860.17		
Z4	+ 53 333.44	+ 3 753 984.62	Z6	+ 53 577.95	+ 3 752 890.09		
A5	+ 53 342.02	+ 3 753 976.20	A7	+ 53 779.69	+ 3 753 005.29		
B5	+ 53 349.59	+ 3 753 966.87	B7	+ 53 886.01	+ 3 752 965.52		
C5	+ 53 356.12	+ 3 753 956.80	C7	+ 54 023.20	+ 3 752 859.03		
D5	+ 53 362.08	+ 3 753 945.30	D7	+ 54 073.68	+ 3 752 874.90		
E5	+ 53 366.31	+ 3 753 933.69	E7	+ 54 096.02	+ 3 752 835.02		
F5	+ 53 369.22	+ 3 753 921.43	F7	+ 54 063.52	+ 3 752 813.01		
G5	+ 53 371.08	+ 3 753 909.89	G7	+ 54 034.92	+ 3 752 815.67		
H5	+ 53 371.18	+ 3 753 898.17	H7	+ 54 034.08	+ 3 752 809.51		
J5	+ 53 368.99	+ 3 753 879.26	J7	+ 54 065.36	+ 3 752 804.78		
K5	+ 53 364.68	+ 3 753 864.07	K7	+ 54 094.50	+ 3 752 811.90		
L5	+ 53 360.39	+ 3 753 852.91	L7	+ 54 107.00	+ 3 752 829.10		
M5	+ 53 354.68	+ 3 753 842.46	M7	+ 55 502.02	+ 3 752 888.54		
N5	+ 53 347.60	+ 3 753 832.56					
P5	+ 53 339.79	+ 3 753 823.62					
Q5	+ 53 336.96	+ 3 753 820.80					
R5	+ 53 316.74	+ 3 753 801.32					
S5	+ 53 310.01	+ 3 753 794.89					
T5	+ 53 296.66	+ 3 753 782.15					
U5	+ 53 218.88	+ 3 753 693.47					
V5	+ 52 964.55	+ 3 753 447.57					
W5	+ 52 739.10	+ 3 753 229.61					
X5	+ 52 769.66	+ 3 753 197.99					
Y5	+ 52 762.78	+ 3 753 191.34					
Z5	+ 52 768.63	+ 3 753 185.30					

**THE PORT LIMITS FOR THE PORT OF CAPE TOWN  
AS DEPICTED ON S.G. DIAGRAM No.6220/2008**





CO-ORDINATES					SHEET 2 OF 2	
	Y System WGS19 X			Y System WGS19 X		
	±	0.0	±	0.0	±	0.0
A	+ 109 039.70	+ 3 658 925.20	A2	+ 93 390.71	+ 3 652 233.75	
B	+ 97 356.29	+ 3 656 413.39	B2	+ 93 349.68	+ 3 652 268.98	
C	+ 97 352.85	+ 3 656 399.90	C2	+ 93 079.63	+ 3 651 536.53	
D	+ 97 344.45	+ 3 656 374.04	D2	+ 92 960.61	+ 3 651 213.88	
E	+ 97 341.81	+ 3 656 363.83	E2	+ 92 763.75	+ 3 651 104.99	
F	+ 97 338.40	+ 3 656 343.79	F2	+ 93 016.19	+ 3 651 789.77	
G	+ 97 349.55	+ 3 656 335.81	G2	+ 93 305.86	+ 3 652 574.50	
H	+ 97 361.93	+ 3 656 328.39	H2	+ 93 279.79	+ 3 652 589.24	
J	+ 97 369.97	+ 3 656 306.00	J2	+ 92 741.01	+ 3 652 890.36	
K	+ 97 376.66	+ 3 656 285.60	K2	+ 92 213.84	+ 3 653 185.62	
L	+ 97 380.09	+ 3 656 275.95	L2	+ 91 933.72	+ 3 653 319.96	
M	+ 97 384.78	+ 3 656 266.01	M2	+ 91 411.60	+ 3 653 687.41	
N	+ 97 394.93	+ 3 656 249.62	N2	+ 91 783.17	+ 3 653 964.65	
P	+ 97 428.70	+ 3 656 200.74	P2	+ 92 107.60	+ 3 654 206.79	
Q	+ 97 439.79	+ 3 656 185.45	Q2	+ 91 127.78	+ 3 655 149.82	
R	+ 97 447.83	+ 3 656 177.11	R2	+ 90 573.25	+ 3 655 819.47	
S	+ 97 453.26	+ 3 656 172.42	S2	+ 90 460.05	+ 3 656 020.25	
T	+ 97 471.67	+ 3 656 162.70	T2	+ 90 075.01	+ 3 656 811.80	
U	+ 97 549.25	+ 3 656 168.55	U2	+ 90 005.53	+ 3 657 078.06	
V	+ 97 560.10	+ 3 656 162.71	V2	+ 90 042.91	+ 3 657 084.41	
W	+ 97 527.40	+ 3 656 082.17	W2	+ 89 878.58	+ 3 657 713.93	
X	+ 96 560.58	+ 3 652 774.82	X2	+ 90 023.49	+ 3 657 811.65	
Y	+ 95 945.37	+ 3 652 707.37	Y2	+ 89 983.79	+ 3 658 059.76	
Z	+ 95 613.59	+ 3 652 649.49	Z2	+ 89 723.07	+ 3 658 170.97	
A1	+ 95 614.69	+ 3 652 613.76	A3	+ 89 615.93	+ 3 658 178.83	
B1	+ 95 693.44	+ 3 652 616.08	B3	+ 89 506.17	+ 3 658 271.18	
C1	+ 95 695.41	+ 3 652 190.32	C3	+ 89 522.96	+ 3 658 398.99	
D1	+ 95 696.62	+ 3 651 938.51	D3	+ 89 422.25	+ 3 658 474.00	
E1	+ 95 697.67	+ 3 651 705.01	E3	+ 89 391.54	+ 3 659 091.65	
F1	+ 95 647.83	+ 3 651 668.47	F3	+ 89 468.54	+ 3 659 222.53	
G1	+ 95 646.95	+ 3 651 858.92	G3	+ 89 405.16	+ 3 659 354.66	
H1	+ 95 121.10	+ 3 652 009.10	H3	+ 89 459.04	+ 3 659 913.18	
J1	+ 94 686.27	+ 3 652 035.52	J3	+ 89 531.49	+ 3 660 044.43	
K1	+ 94 673.12	+ 3 651 856.37	K3	+ 89 527.02	+ 3 660 108.81	
L1	+ 94 636.56	+ 3 651 877.19	L3	+ 97 993.00	+ 3 673 597.70	
M1	+ 94 429.73	+ 3 651 995.03				
N1	+ 94 444.00	+ 3 652 021.58				
P1	+ 94 321.51	+ 3 652 090.32				
Q1	+ 94 286.06	+ 3 652 026.87				
R1	+ 94 254.34	+ 3 652 044.52				
S1	+ 94 210.92	+ 3 652 053.38				
T1	+ 94 145.99	+ 3 652 058.44				
U1	+ 93 959.29	+ 3 652 061.17				
V1	+ 93 626.04	+ 3 652 086.80				
W1	+ 93 576.34	+ 3 652 101.82				
X1	+ 93 546.73	+ 3 652 121.24				
Y1	+ 93 553.04	+ 3 652 167.21				
Z1	+ 93 533.37	+ 3 652 189.91				

**THE PORT LIMITS FOR THE PORT OF SALDANHA BAY  
AS DEPICTED ON S.G. DIAGRAM No. 6221/2008**

CO-ORDINATES		
GEOGRAPHICAL		
	Latitude [S]	Longitude [E]
A	29° 15' 33"	16° 48' 36"
a	29° 14' 27"	16° 51' 18"
b	29° 17' 28"	16° 52' 34"
P	29° 18' 27"	16° 50' 08"
Y System WGS17 X		
	± 0.00	± 0.00
A	+ 18 466.90	+ 3 238 002.50
a	+ 14 092.10	+ 3 235 962.30
B	+ 12 841.51	+ 3 237 731.31
C	+ 12 841.68	+ 3 237 733.33
D	+ 12 813.63	+ 3 237 731.43
E	+ 12 804.19	+ 3 237 728.95
F	+ 12 796.44	+ 3 237 758.45
G	+ 12 800.77	+ 3 237 764.54
H	+ 12 804.81	+ 3 237 772.73
J	+ 12 807.64	+ 3 237 780.96
K	+ 12 808.86	+ 3 237 786.33
L	+ 12 808.71	+ 3 237 791.56
M	+ 12 786.48	+ 3 237 886.28
N	+ 12 792.79	+ 3 237 887.87
b	+ 12 047.00	+ 3 241 541.20
P	+ 15 964.70	+ 3 243 368.20


The figure A a high water mark B C D E F G H J K L M N high water mark b P  
 represents 3 058.9 hectares being

**THE PORT LIMITS FOR THE PORT OF PORT NOLLOTH  
 AS DEPICTED ON S.G. DIAGRAM No. 2427/2008**

situate in Richtersveld Municipality  
 Administrative District of Namaqualand

Province of Northern Cape

SHEET 2 OF 2



**NOTE:**  
The shaded area represents  
the body of water included in  
the Port Jurisdiction Area

**THE PORT LIMITS FOR THE PORT OF PORT NOLLOTH  
AS DEPICTED ON S.G. DIAGRAM No. 2427/2008**

Scale: 1 : 50 000