



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Regulation Gazette

No. 9978

Regulasiekoerant

Vol. 576

Pretoria, 28 June
Junie 2013

No. 36593

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.

CONTENTS**INHOUD**

<i>No.</i>	<i>Page No.</i>	<i>Gazette No.</i>	<i>No.</i>	<i>Bladsy No.</i>	<i>Koerant No.</i>
GOVERNMENT NOTICES			GOEWERMENSKENNISGEWINGS		
Labour, Department of			Arbeid, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
R. 445 Labour Relations Act, 1995: Bargaining Council for the Fishing Industry: Extension of period of operation of Main Collective Agreement	4	36593	R. 445 Labour Relations Act, 1995: Bargaining Council for the Fishing Industry: Extension of period of operation of Main Collective Agreement	4	36593
Trade and Industry, Department of			Handel en Nywerheid, Departement van		
<i>Government Notice</i>			<i>Goewermentskennisgewing</i>		
R. 446 National Regulator for Compulsory Specifications Act (5/2008): Proposed amendment of the Compulsory Specification for single-capped fluorescent lamps	5	36593	R. 446 National Regulator for Compulsory Specifications Act (5/2008): Proposed amendment of the Compulsory Specification for single-capped fluorescent lamps	5	36593

IMPORTANT ANNOUNCEMENT**Closing times** **PRIOR TO PUBLIC HOLIDAYS** for**GOVERNMENT NOTICES, GENERAL NOTICES,
REGULATION NOTICES AND PROCLAMATIONS****2013***The closing time is 15:00 sharp on the following days:*

- ▶ **1 August**, Thursday, for the issue of Thursday **8 August 2013**
- ▶ **8 August**, Thursday, for the issue of Friday **16 August 2013**
- ▶ **19 September**, Thursday, for the issue of Friday **27 September 2013**
- ▶ **12 December**, Thursday, for the issue of Friday **20 December 2013**
- ▶ **17 December**, Tuesday, for the issue of Friday **27 December 2013**
- ▶ **20 December**, Friday, for the issue of Friday **3 January 2014**

Late notices will be published in the subsequent issue, if under special circumstances, a late notice is accepted, a double tariff will be charged

The copy for a SEPARATE *Government Gazette* must be handed in not later than three calendar weeks before date of publication

BELANGRIKE AANKONDIGING**Sluitingstye** **VOOR VAKANSIEDAE** vir**GOEWERMENTS-, ALGEMENE- & REGULASIE-
KENNISGEWINGS ASOOK PROKLAMASIES****2013***Die sluitingstyd is stiptelik 15:00 op die volgende dae:*

- ▶ **1 Augustus**, Donderdag, vir die uitgawe van Donderdag **8 Augustus 2013**
- ▶ **8 Augustus**, Donderdag, vir die uitgawe van Vrydag **16 Augustus 2013**
- ▶ **19 September**, Donderdag, vir die uitgawe van Vrydag **27 September 2013**
- ▶ **12 Desember**, Donderdag, vir die uitgawe van Vrydag **20 Desember 2013**
- ▶ **17 Desember**, Dinsdag, vir die uitgawe van Vrydag **27 Desember 2013**
- ▶ **20 Desember**, Vrydag, vir die uitgawe van Vrydag **3 Januarie 2014**

Laat kennisgewings sal in die daaropvolgende uitgawe geplaas word. Indien 'n laat kennisgewing wel, onder spesiale omstandighede, aanvaar word, sal 'n dubbeltarief gehef word

Wanneer 'n APARTE *Staatskoerant* verlang word moet die kopie drie kalenderweke voor publikasie ingedien word

**GOVERNMENT NOTICES
GOEWERMENTSKENNISGEWINGS**

**DEPARTMENT OF LABOUR
DEPARTEMENT VAN ARBEID**

No. R. 445

28 June 2013

LABOUR RELATIONS ACT, 1995

**BARGAINING COUNCIL FOR THE FISHING INDUSTRY:
EXTENSION OF PERIOD OF OPERATION OF MAIN COLLECTIVE AGREEMENT**

I, **IAN ANTHONY MACUN**, Director: Collective Bargaining, duly authorized by the Minister of Labour, hereby, in terms of section 32(6) (a) (i) of the Labour Relations Act, 1995, extend the period fixed in Government Notices No R.587 of 27 July 2012 and No. R.55 of 1 February 2013, by a further period ending 31 December 2013.

**I A MACUN
DIRECTOR: COLLECTIVE BARGAINING**

**DEPARTMENT OF TRADE AND INDUSTRY
DEPARTEMENT VAN HANDEL EN NYWERHEID**

No. R. 446


28 June 2013

**NATIONAL REGULATOR FOR COMPULSORY SPECIFICATIONS ACT
(Act 5 of 2008)**

**PROPOSED AMENDMENT OF THE COMPULSORY SPECIFICATION FOR
SINGLE-CAPPED FLUORESCENT LAMPS (VC 9091)**

It is hereby made known under section 13(4) of the National Regulator for Compulsory Specifications Act, (Act 5 of 2008), that I, Dr Rob Davies, the Minister of Trade and Industry, on the recommendation of the NRCS Board, intends to amend the compulsory specification for Single-Capped Fluorescent Lamps as set out in the attached Schedule.

Any person, who wishes to comment on the intention of the Minister to thus amend the Compulsory Specification concerned, shall submit their comments, in writing, to the Chief Executive Officer, National Regulator for Compulsory Specifications, Private Bag X25, Brooklyn, 0075, on or before the date two (2) months after the publication of this notice.



**Dr Rob Davies, MP
Minister of Trade and Industry**

SCHEDULE

AMENDED COMPULSORY SPECIFICATION FOR SINGLE-CAPPED FLUORESCENT LAMPS (VC 9091)

1 Scope

1.1 This compulsory specification covers the energy efficiency, safety, performance and interchangeability requirements for single-capped tubular fluorescent lamps and other discharge lamps with integrated means for controlling starting and stable operation (self-ballasted lamps and non-self-ballasted lamps), intended for general lighting purposes that have:

- a rated wattage up to 60W
- a rated voltage of 100 to 250 V a.c.; and
- 2G7, 2GX7, GR8, 2G10, G10q, GR10q, GX10q, GY10q, 2G11, G23, GX23, G24, GX24, GX32, and Edison screw or Bayonet caps.

1.2 The following lamps intended for general lighting purposes are excluded from the lamp efficacy requirement in ANNEX AA of SANS 60969:

- Coloured lamps; and
- Reflector lamps

2 DEFINITIONS

- 2.1 For the purpose of this compulsory specification the definition in SANS 60968: *Self-ballasted lamps for general/lighting purposes*, shall apply.
- 2.2 In addition the following definitions shall apply:
- 2.2.1 **Applicant:** the manufacturer or importer seeking approval of single-capped fluorescent lamps. The applicant shall be an existing legal entity within the Republic of South Africa.
- 2.2.2 **Approval:** confirmation by the NRCS that a particular single-capped fluorescent lamp type satisfies the requirements of this compulsory specification.
- 2.2.3 **Conformity of production:** proof that single-capped fluorescent lamps have been manufactured to the approved design and continue to comply with the requirements of this compulsory specification.
- 2.2.4 **NRCS:** the National Regulator for Compulsory Specifications as established by the National Regulator for Compulsory Specifications Act, 2008 (Act No. 5 of 2008).
- 2.2.5 **Proof of conformity:** documented evidence of conformity with the requirements of this compulsory specification.
- 2.2.6 **Valid certificate of conformity:** a copy of an original certificate of conformity.
- 2.2.7 **Valid test report:** a copy of an original test report.

3 REQUIREMENTS

- 3.1 Single-capped fluorescent lamps for general use when supplied by single phase mains current without an isolating transformer shall be rated at the national standard low voltage, i.e. 230 V a.c. single phase, 50 Hz, or shall have a rated voltage range that includes 230 V a.c.
- 3.2 Single-capped fluorescent lamps shall comply with the safety requirements of SANS 61199, *Single -capped fluorescent lamps safety specifications* or SANS 60968, *Self-ballasted lamps for general lighting services - Safety requirements*, and with the requirements for efficiency of lamps given in Annex AA of SANS 60901, *Single-capped fluorescent lamps - Performance specifications* or Annex AA of SANS 60969, *Self-ballasted lamps for general lighting services – performance requirements*.
- 3.3 The manufacturer or importer shall apply to the NRCS for approval of every type and model of single-capped fluorescent lamp before offering it for sale, in accordance with the requirements of Annex A.
- 3.4 The manufacturer and/or importer shall inform the NRCS of any change in design or components affecting any mandatory requirement the NRCS may, at its discretion, demand the submission of fresh evidence of conformity or a new application for approval.
- 3.5 The manufacturer and/or importer shall on request provide the NRCS within five (5) working days with satisfactory proof of approval in respect of any single-capped fluorescent lamps included in the scope of this compulsory specification.
- 3.6 The manufacturer and/or importer shall on request provide the NRCS within five (5) working days with satisfactory proof of ongoing conformity with requirement 6 of this compulsory specification.

- 3.7 Failure to provide such proof shall constitute reasonable grounds for suspicion of non-compliance with the requirements of this compulsory specification.

4 EQUIVALENCE OF STANDARDS

Standards issued by different standardization bodies such as ISO, IEC and EN, will only be accepted if it is proven, in the form of a declaration report from an accredited conformity assessment body, to be technically equivalent to the relevant South African National Standard. The applicant shall be responsible for obtaining such a declaration report. Proof of conformity with such a standard shall be accepted as conformity with the corresponding South African National Standard.

5 CONFORMITY TO REFERENCED STANDARDS

- 5.1 For the purposes of this compulsory specification, a new edition of a referenced standard shall become effective six (6) months from the date of publication as a South African National Standard.
- 5.2 New products, or products resubmitted for approval because of a change in design or materials shall in all cases be evaluated against the requirements of the latest edition of any referenced standard.
- 5.3 When a new edition of a referenced standard is published, approvals of products in accordance with the previous edition of that standard shall remain valid for five years unless decided otherwise by the Minister.

6 EVIDENCE OF CONFORMITY

The following forms of evidence shall be submitted to the NRCS as proof of conformity with the requirements of this compulsory specification:

- 6.1 Valid test reports and valid certificate of conformity (where applicable) shall be in IEC format or any equivalent format acceptable to the NRCS and issued by an appropriately accredited and internationally recognized body being a member of an IAF/ILAC mutual recognition scheme.
- 6.2 The manufacturer shall appoint a product certification body recognized by the NRCS and that is accredited, or otherwise accepted, by an internationally recognized body being a member of an IAF/ILAC/IECEE mutual recognition scheme, to certify the conformity of the single-capped fluorescent lamps with all the requirements of this compulsory specification.
- 6.3 The certification system administered by the product certification body in 6.2 shall include testing of the products and assessment of the quality system of the manufacturer. Surveillance of the quality system shall be conducted and samples of single-capped fluorescent lamps of each type intended to comply with the requirements of this compulsory specification, shall be taken from the point of production and shall be assessed for on-going conformity.

The certification system shall include the following:

- a) samples from the point of production requested by the certification body;
- b) determination of the characteristics of the samples by testing;
- c) initial assessment of the production process and quality system;
- d) evaluation of the test reports;
- e) decision on certification of the manufacturer;
- f) granting certification to the manufacturer;
- g) surveillance of the production process and quality system, and
- h) surveillance by testing of samples from the factory.

A system 5 product certification contemplated in ISO/IEC Guide 67, *Conformity assessment- Fundamentals of product certification*, which covers the above mentioned certification system, shall be deemed to comply with this requirement.

- 6.4 The certification scheme shall not permit any deviation from the compulsory requirements.
- 6.5 The manufacturer and certification body shall immediately inform the NRCS of any deviation from the mandatory requirements.
- 6.6 In the event that non-conforming products are discovered the manufacturer and/or importer shall immediately recall them and inform the NRCS accordingly.
- 6.7 Evidence of conformity shall be traceable to the specific model and type of single-capped fluorescent lamp in question.

ANNEX A

APPROVAL OF SINGLE CAPPED FLUORESCENT LAMPS

A.1 APPLICATION FOR APPROVAL

An application for approval of each type of single capped fluorescent lamp shall include:

- A.1.1 Details of the type and model of each type of single capped fluorescent lamp for which approval is sought and the standard/s to which it is claimed to conform;
- A.1.2 Details of the manufacturing plant(s) in which the single-capped fluorescent lamp is produced;
- A.1.3 For new applications, proof of conformity, with all the requirements of the relevant compulsory specification, issued less than 36 months before the date of submission to the NRCS. The proof of conformity shall include the following:
 - a) A full valid test report confirming compliance with SANS/IEC 60968 and to Annex AA of SANS 60969 for the type of single-capped fluorescent lamps for which approval is sought, or a full valid test report confirming compliance with SANS/IEC 61199 and to Annex AA of SANS 60901 for the type of single-capped fluorescent lamps for which approval is sought.
 - b) A product certificate issued by a competent body contemplated in requirement 6.2 that confirm product certification (see requirement 6.3) of the single-capped fluorescent lamps for which approval is sought.

- c) An accreditation certificate or certificate of acceptance confirming accreditation or acceptance for the certification of single-capped fluorescent lamps according to the general requirements for bodies operating product certification systems (ISO/IEC 17065, *Conformity assessment- Requirements for bodies certifying products, processes and services* or ISO/IEC GUIDE 65, *General requirements for bodies operating product certification systems*). The scope of accreditation or acceptance certificate shall be suitable to cover all the requirements of this compulsory specification.

A.1.4 Identification markings and other information appearing on the product;

A.1.5 Any reasonable additional information as may be requested by the NRCS.

A.1.6 On expiry of the approval, an application for an extension may be granted, if the following is submitted:

- Proof of conformity of production, as defined in 2.2.3 of this compulsory specification.
- Valid product certificate contemplated in A.1.3 (b).
- A valid test report confirming continuous compliance to SANS/IEC 60968 and SANS/IEC 60969 or SANS/IEC 61199 and to Annex AA of SANS 60901.

A.2 APPROVAL

A.2.1 The NRCS shall assess the application, and shall decide to grant approval or not, at its sole discretion.

A.2.2 The NRCS shall assign a unique number to each approval.

A.2.3 The NRCS shall issue an approval for each successful application, to the applicant, when all the requirements have been met.

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Publications: Tel: (012) 334-4508, 334-4509, 334-4510
Advertisements: Tel: (012) 334-4673, 334-4674, 334-4504
Subscriptions: Tel: (012) 334-4735, 334-4736, 334-4737
Cape Town Branch: Tel: (021) 465-7531

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001
Publikasies: Tel: (012) 334-4508, 334-4509, 334-4510
Advertensies: Tel: (012) 334-4673, 334-4674, 334-4504
Subskripsies: Tel: (012) 334-4735, 334-4736, 334-4737
Kaapstad-tak: Tel: (021) 465-7531