



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID-AFRIKA

Vol. 594

Pretoria, 23 December 2014
Desember

No. 38370

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE

The Government Printing Works will not be held responsible for faxed documents not received due to errors on the fax machine or faxes received which are unclear or incomplete. Please be advised that an "OK" slip, received from a fax machine, will not be accepted as proof that documents were received by the GPW for printing. If documents are faxed to the GPW it will be the sender's responsibility to phone and confirm that the documents were received in good order.

Furthermore the Government Printing Works will also not be held responsible for cancellations and amendments which have not been done on original documents received from clients.

CONTENTS

| <i>No.</i> | <i>Page No.</i> | <i>Gazette No.</i> |
|--|---------------------|------------------------|
| GENERAL NOTICE | | |
| Transport, Department of | | |
| <i>General Notice</i> | | |
| 1168 National Road Traffic Act (93/1996): Publication of the National Road Traffic Regulations for comments..... | 3 | 38370 |

GENERAL NOTICE

NOTICE 1168 OF 2014

DEPARTMENT OF TRANSPORT

NATIONAL ROAD TRAFFIC ACT, 1996 (ACT NO. 93 OF 1996)

PUBLICATION OF THE NATIONAL ROAD TRAFFIC REGULATIONS FOR COMMENTS

The Minister of Transport intends to amend the National Road Traffic Regulations, 2000, and acting in terms of section 75 (6) of the National Road Traffic Act, 1996 (Act No. 93 of 1996) herewith publish the regulations in the Schedule for comments; All interested parties who have any objections, inputs or comments to the proposed amendments are called upon to lodge their objections, inputs or comments, within four weeks from the date of publication of this Notice to:

Mr JOHN MOTSATSIING
DEPARTMENT OF TRANSPORT
PRIVATE BAG X 193
PRETORIA
0001

Tel: (012) 309 3574
Fax (012) 309 3962
E-mail: motsatsj@dot.gov.za

Mr PHILLIP MAGAGANE
DEPARTMENT OF TRANSPORT
PRIVATE BAG X 193
PRETORIA
0001

Tel: (012) 309 3684
Fax (012) 309 3962
magaganp@dot.gov.za

SCHEDULE

Definition

1. In this Schedule "the Regulations" means the National Road Traffic Regulations published in Government Notice No. R. 225 of 17 March 2000, as amended by Government Notice No's. R. 761 of 31 July 2000, R. 941 of 22 September 2000, R. 726 of 3 August 2001, R. 2116 of 5 October 2001, R. 779 of 4 June 2002, R. 1341 of 25 September 2003, R. 881 of 23 July 2004, R. 871 of 2 September 2005, R. 1066 of 23 November 2005, R. 1318 of 2 December 2005, R. 1319 of 2 December 2005, R. 891 of 4 September 2006, R. 964 of 29 September 2006, R. 404 of 4 May 2007 and R. 865 of 28 September 2007, R. 589 of 27 May 2009, R. 359 of 12 May 2010, R. 541 of 29 June 2011, R. 209 of 9 March 2012 R. 758 of 9 October 2013, R. 890 of 19 November 2013 and R. 846 of 31 October 2014.

Amendment of regulation 1 of the Regulations

2. Regulation 1 of the Regulations is hereby amended by—

(a) the substitution of the definition of **“goods vehicle”** of the following definition:

“goods vehicle” means a motor vehicle, other than a motor cycle, motor tricycle, motor car, mini-bus or bus, designed or adapted for the conveyance of goods on a public road and includes a truck-tractor, adaptor dolly, converter dolly and breakdown vehicle;”;

(b) the substitution of the definition of **“microdot”** of the following definition:

“microdot” means a micro-particle with a diameter smaller than 1.8mm, which bears a unique optically readable microdot identifier of which the content and structure complies with SANS 534-1 “Vehicle security – Whole of vehicle marking Part 1: Microdot systems”; and is legible with equipment that magnifies the text 60 times;

(c) the insertion after the definition of **“microdot”** of the following definitions:

“microdot fitter” means a person who is employed by a microdot fitment centre to fit microdots to motor vehicles;”;

(d) by the insertion in the definition of **“National Traffic Information System”** after the phrase **“register of traffic register numbers”** of the following phrases:

- register of manufacturers of microdots;
- register of microdot fitment centres”;

Amendment of Regulation 110 of the Regulations

3. Regulation 110 of the regulations is hereby amended by the addition of the following subregulation after subregulation (8):

“(9) A holder of any document issued by a competent authority in any prescribed territory and serving in that territory a purpose similar to that of a professional driving permit shall not be allowed to operate on a public road a motor vehicle requiring a professional driving permit which is registered and licenced in the Republic with such a document.

Insertion of regulations 51A to 51P in the Regulations

4. The following regulations 51A to 51P are inserted after regulation 51 of the Regulations:

“51A. Manufacturer of microdots to register

A manufacturer of microdots shall not manufacture, sell or distribute microdots unless such manufacturer is registered as a manufacturer of microdots.

51B. Manner of application for registration of manufacturer of microdots

(1) An application for the registration of a manufacturer of microdots in terms of section 5K of the Act shall be made on form MDS as shown in Schedule 2.

(2) An application referred to in subregulation (1) shall be accompanied by—

- (a) acceptable identification of the applicant, and if such applicant is a body or authority, that of its proxy and representative and a letter of proxy;
- (b) the exact location of the proposed manufacturer of microdots;
- (c) the appropriate application fees as determined by the Minister; and
- (d) any other additional information or documents as may be required by the Department;

Provided that a manufacturer of microdots who operated as a manufacturer of microdots prior to the implementation of section 5K, shall comply with the provisions of this regulation 12 months after the date of publication of this regulation in the *gazette*.

51C. Requirements to be met for registration of a manufacturer of microdots

The requirements for registration of a manufacturer of microdots, shall be—

- (a) identification of the physical address of intended manufacturer of microdots,
- (b) proof of compliance with SANS 534-1 "Vehicle security – Whole of vehicle marking Part 1: Microdot systems" from the inspectorate of microdots;

51D. Manner of registration of a manufacturer of microdots

(1) The Department shall, upon receipt of an application for registration of a manufacturer of microdots made in terms of regulation 51B with due regard to the evaluation and recommendations of the inspectorate of microdots, satisfy itself that the applicant concerned complies with the requirements referred to in regulation 51C.

(2) If the Department is satisfied that the applicant comply with the requirements in terms of regulations 51B and 51C, the Department shall—

- (a) subject to the conditions it may deem fit, register such manufacturer of microdots;
- (b) record the particulars of such manufacturer of microdots on the register of manufacturer of microdots;
- (c) issue a certificate of registration on form MDR as shown in Schedule 2, to such manufacturer of microdots.

(3) A certificate of registration issued in terms of subregulation (2) (c) shall be displayed in a conspicuous place where members of the public who make use of the manufacturer of microdots can see such certificate.

(4) A manufacturer of microdots shall only operate on the premises where such manufacturer of microdots is registered for.

51E. Duties of a manufacturer of microdots

A manufacturer of microdots shall—

- (a) notify the Department within 14 days of any change in particulars or circumstances in relation to any information provided to the Department on the manufacturer of microdots;
- (b) ensure that proper control is exercised over the microdot fitment centre fitting microdots of such manufacturer of microdots or any employee, employed at such microdot fitment centre;
- (c) ensure that all records are kept;
- (e) ensure that all microdots fitted to a motor vehicle by the microdot fitment centre are forthwith loaded to the register of motor vehicles.

51F. Notification of change of particulars of a manufacturer of microdots

(1) Subject to the provisions of subregulation (3), the manufacturer of microdots, shall, upon the change of any of the particulars, notify the Department and the inspectorate of microdots of such change on form MDS as shown in Schedule 2, within 21 days after such change.

(2) The Department shall, upon receipt of a notification referred to in subregulation (1)—

- (a) in the case of change of premises, require the inspectorate of microdots to evaluate the new premises to ensure compliance with the regulations; and
- (b) update the register of manufacturer of microdots accordingly.

(3) In the event that the manufacturer of microdots sell or transfer ownership of the manufacturer of microdots, it shall be considered as a new application and the procedure referred to in regulation 51B shall apply.

51G. Manner of suspension or cancellation of registration of a manufacturer of microdots

(1) The Department shall upon being notified that a registered manufacturer of microdots does not comply with the provisions of this Act, or upon a recommendation of the inspectorate of microdots that a manufacturer of microdots does not comply with the requirements as contemplated in regulation 51C, satisfy itself of the non-compliance of such manufacturer of microdots.

(2) The Department shall, in considering the suspension or cancellation of the registration of a manufacturer of microdots on any matter—

- (a) notify the manufacturer of microdots of the failure of such manufacturer of microdots to comply with the requirements of this Act on form MDS2 as shown in Schedule 2; and
- (b) require such manufacturer of microdots to indicate in writing within 14 days from the date of the said notification—
 - (i) the reason for such failure; and
 - (ii) the details of the measures that have been taken to rectify and prevent such failure.

(3) If the Department is not satisfied with the reason or measures referred to in subregulation (2) (b), the Department shall inform such manufacturer of microdots and may—

(a) suspend, or

(b) cancel,

the registration of such manufacturer of microdots in the register of manufacturer of microdots.

(4) If the Department suspends or cancels the registration of a manufacturer of microdots, the Department shall notify the manufacturer of microdots of such suspension or cancellation and the reason thereof and, in the case of suspension, the period thereof on form MDS3 as shown in Schedule 2.

(5) The manufacturer of microdots whose registration has been cancelled, shall within 14 days after having been notified of such cancellation, submit to the Department the certificate of registration issued in respect of such manufacturer of microdots.

51H. Powers and duties of inspectorate of microdots

(1) The inspectorate of microdots shall—

(a) evaluate the manufacturer of microdots concerned in accordance with the requirements of this regulations and recommend to the Department the suitability of such manufacturer of microdots to be registered as a manufacturer of microdots;

(b) in respect of every registered manufacturer of microdots, conduct at least one inspection per year to monitor the compliance with the requirements of this Act by such manufacturer of microdots;

(c) advise any manufacturer of microdots on the improvement and maintenance of facilities and procedures, if deemed necessary; and

- (d) when necessary, recommend to the Department the suspension or cancellation of the registration of a manufacturer of microdots.

(2) A person who acts on behalf of the inspectorate of microdots, may at any reasonable time, without prior notice—

- (a) enter the premises of any manufacturer of microdots;
- (b) inspect any records of the manufacturer of microdots;
- (c) question any person with regard to any matter relating to the operation of manufacturer of microdots referred to in paragraph (a);
- (d) accompany an instructor in any motor vehicle when such instructor is training a person for a driving licence for the purpose of evaluation of the said instructor.”.

(3) The inspectorate of microdots shall—

- (a) evaluate the microdots fitment centre concerned in accordance with the requirements of this regulations and recommend to the MEC to the suitability of such microdot fitment centre to be registered as a microdot fitment centre;
- (b) in respect of every registered microdot fitment centre, conduct at least one inspection per year to monitor the compliance with the requirements of this Act by such microdot fitment centre;
- (c) advise any microdot fitment centre on the improvement and maintenance of facilities, fitment of microdots and procedures, if deemed necessary; and
- (d) when necessary, recommend to the MEC the suspension or cancellation of the registration of a microdot fitment centre.

(4) A person who acts on behalf of the inspectorate of microdots, may at any reasonable time, without prior notice—

- (a) enter the premises of any microdot fitment centre;
- (b) inspect any records of the microdot fitment centre;
- (c) question any person with regard to any matter relating to the operation of microdot fitment centre referred to in paragraph (a); and
- (d) accompany a microdot fitter when fitting microdots on any motor vehicle for the purpose of evaluation of such microdot fitter.”.

51I. Fee to defray expenditure incurred by the inspectorate of microdot

(1) A registered manufacturer of microdots and microdot fitment centre, shall pay a fee to the inspectorate of microdots as determined by the Minister.

(2) The fee collected in terms of sub regulation (1) shall be retained at such manufacturer of microdots and paid to the inspectorate of microdots on 1 January and 1 July of each year in respect of microdot sales to distributors or fitment centres during the preceding six months.

(3) The inspectorate of microdots shall submit to the Director-General not later than 1 March of each year a statement of fees received and costs incurred by or on behalf of such inspectorate of microdots for the period 1 January to 31 December of the preceding year.

(4) An applicant for registration of a manufacturer of microdots or microdot fitment centre shall pay the fee to the inspectorate of microdots as determined by the Minister for the evaluation of the premises for purposes of registration or changing of premises.

(5) A registered manufacturer of microdots or microdot fitment centre shall pay the fee to the inspectorate of microdots as determined by the Minister for the evaluation of

the new premises, if there is change of premises.

51J. Microdot fitment centre to register

A person, body or authority shall not fit microdots, unless registered as a microdot fitment centre.

51K. Manner of application for registration of microdot fitment centres

(1) An application for the registration of a microdot fitment centre in terms of section 5J (2) of the Act shall be made on form MDF as shown in Schedule 2.

(2) An application referred to in subregulation (1) shall be accompanied by—

- (a) acceptable identification of the applicant,
- (b) the particulars of every person, or the members or directors of every juristic person in whose name such microdot fitment centre shall be registered on form MFO as shown in Schedule 2;
- (c) the exact location of the proposed microdot fitment centre;
- (d) the appropriate application fees as determined by the Minister;
- (e) a clearance certificate of previous convictions for offences of—
 - (i) theft, whether under the common law or a statutory provision;
 - (ii) receiving stolen property knowing it to have been stolen;
 - (iii) fraud; or
 - (iv) forgery or uttering a forged document knowing it to have been forged,

if any, from the South African Police Services for any applicant or the spouse or partner of the applicant.;

- (f) affidavit declaring any current or prior involvement with any microdot fitment centre on which the applicant has had an interest either directly or indirectly during the past ten years;
- (g) tax clearance certificate from South African Revenue Services; and
- (h) affidavit declaring the refusal of the applicant or any spouse or partner of the applicant to register a testing station, by any other MEC; and

Provided that a microdot fitment centre that was in operation prior to the implementation of section 5J, shall comply with the provisions of this regulation 12 months after the date of publication of this regulation in the *gazette*.

51L. Consideration of suitability of microdot fitment centre and person, body or authority to operate a microdot fitment centre

(1) The MEC shall consider the application referred to in regulation 51J and shall, without limiting the factors to be considered, take the following into account—

- (a) the suitability of the applicant;
- (b) the refusal to register the applicant as a microdot fitment centre, by any other MEC;
- (c) the refusal of any spouse or partner of the applicant to operate a microdot fitment centre; and
- (d) the recommendation from the inspectorate of microdots.

(2) The MEC may require or obtain any additional information to consider the application.

(3) The MEC shall consider all matters relevant to the application as contemplated in regulation 51K.

(4) If the MEC is satisfied as to the suitability of the microdot fitment centre he or she shall notify the applicant in writing of his or her decision to approve the application.

(5) If the MEC is not satisfied as to the suitability of the microdot fitment centre he or she shall—

- (a) refuse to register the applicant as a microdot fitment centre and update the register of manufactures of microdot fitment centres of such refusal;
- (b) notify the applicant accordingly, and
- (c) provide the applicant with the reasons of such refusal in writing.

(6) A person or body of persons whose application to operate a microdot fitment centre has been refused by an MEC due to the unsuitability of such person, body or authority, may not apply in any other Province for the operation of a microdot fitment centre as contemplated in regulation 51K until such person or body of persons complies with the requirements of this Act.

51M. Requirements to be met for registration of a microdot fitment centre

The requirements for registration of a microdot fitment centre, shall be—

- (a) identification of the physical address of intended microdot fitment centre,
- (b) filing system;

- (c) proof of compliance with SANS 534-1 "Vehicle security – Whole of vehicle marking Part 1: Microdot systems" from the inspectorate of microdots;

51N. Manner of registration of a microdot fitment centre

(1) The MEC shall, upon receipt of an application for registration of a microdot fitment centre as contemplated in regulation 51K with due regard to the evaluation and recommendations of the inspectorate of microdots, satisfy himself or herself that the applicant concerned complies with the requirements referred to in regulation 51M.

(2) If the MEC is satisfied as to the suitability of the microdot fitment centre in terms of regulations 51L and 51M, he or she shall—

- (a) subject to the conditions he or she may deem fit, register such microdot fitment centre;
- (b) record the particulars of such microdot fitment centre on the register of microdot fitment centre;
- (c) issue a certificate of registration on form FCR as shown in Schedule 2, to such microdot fitment centre.

(3) A certificate of registration issued in terms of subregulation (2) (c) shall be displayed in a conspicuous place where members of the public who make use of the microdot fitment centre can see such certificate.

(4) A microdot fitment centre shall only be registered for the premises reflected on form FCR and may only be operated by the microdot fitment centre owner in whose name the microdot fitment centre is registered.

51O. Notification of change of particulars of a microdot fitment centre

(1) Subject to the provisions of subregulation (3), the microdot fitment centre owner in whose name the microdot fitment centre is registered, shall, upon the change of any of the particulars submitted in terms of regulations 51K, notify the MEC and the inspectorate of microdots of such change on form MDF and MFO as shown in Schedule 2, within 21 days after such change.

(2) The MEC shall, upon receipt of a notification referred to in subregulation (1), update the register of microdot fitment centres accordingly.

(3) In the event that the microdot fitment centre owner sell or transfer ownership of the microdot fitment centre, it shall be considered as a new application and the procedure referred to in regulation 51K shall apply.

51P. Manner of suspension or cancellation of registration of a microdot fitment centre

(1) The MEC shall upon being notified that a registered microdot fitment centre does not comply with the provisions of this Act, or upon a recommendation of the inspectorate of microdots that a microdot fitment centre does not comply with the requirements as contemplated in regulation 51M, satisfy himself or herself of the non-compliance of such microdot fitment centre.

(2) The MEC shall, in considering the suspension or cancellation of the registration of a microdot fitment centre on any matter—

- (a) notify the microdot fitment centre of the failure of such microdot fitment centre to comply with the requirements of this Act on form MDF2 as shown in Schedule 2; and
- (b) require such microdot fitment centre to indicate in writing within 14 days from the date of the said notification—

- (i) the reason for such failure; and
- (ii) the details of the measures that have been taken to rectify and prevent such failure.

(3) If the MEC is not satisfied with the reason or measures referred to in subregulation (2) (b), the MEC shall inform such microdot fitment centre and may—

- (a) suspend, or
- (b) cancel,

the registration of such microdot fitment centre in the register of microdot fitment centres.

(4) If the MEC suspends or cancels the registration of a microdot fitment centre, the MEC shall notify the microdot fitment centre of such suspension or cancellation and the reason thereof and, in the case of suspension, the period thereof on form MDF3 as shown in Schedule 2; and

(5) The microdot fitment centre whose registration has been cancelled, shall within 14 days after having been notified of such cancellation, submit to the MEC the certificate of registration issued in respect of such microdot fitment centre.

51Q. Duties of a microdot fitment centre

A microdot fitment centres shall—

- (a) notify the MEC within 14 days of any change in particulars or circumstances in relation to any information provided to the MEC on the microdot fitment centres;
- (b) ensure that proper control is exercised over any microdot fitter at such microdot fitment centre;

- (c) ensure that all records are kept; and
- (d) ensure that manufacturer of microdots are forthwith notified of all microdots fitted to a motor vehicle by the microdot fitment centre.

Amendment of regulation 139 of the Regulations

5. Regulation 139 of the Regulations is hereby amended by the addition of paragraph (d) after paragraph (c) of subregulation (1):

- “(d) the original microdot certificate as shown in schedule 2, issued by a registered microdot fitment centre: Provided that the provisions of this paragraph shall not apply in respect of motor vehicles first registered six months after the publication of this regulation in the *gazette*.”

Amendment of regulation 337C of the Regulations

6. Regulation 337C of the Regulations is hereby amended by the substitution for regulation 337C of the following regulation:

“Notwithstanding provisions contained in SANS 534-1“Vehicle security – Whole of vehicle marking Part 1: Microdot systems”, all the information relating to the fitment of microdots shall be stored on the NaTIS system.”.

Amendment of Schedule 2 of the Regulations

7. Schedule 2 is hereby amended by the insertion of the following forms and certificates:

MDF(1)(2014/12)

MDF

REPUBLIC OF SOUTH AFRICA

REPUBLIEK VAN SUID-AFRIKA

**APPLICATION AND NOTICE I.R.O.
REGISTRATION OF MICRODOT
FITMENT CENTRE**

(National Road Traffic Act, 1996)

**AANSOEK EN KENNISGEWING T.O.V.
REGISTRASIE VAN MICRODATADOT
INSTALLEERSENTRUM**

(Nasionale Padverkeerswet, 1996)

NOTE: For the purposes of the registration of a microdot fitment centre it shall be essential to produce the identity documents of the owners.

LET WEL: Vir die registrasiedoeleindes van 'n mikrodata installeersentrum is dit noodsaaklik om die identiteitsdokumente van die eienaar voor te lê.

| LIST OF POSSIBLE TRANSACTIONS | Mark with X | Parts of the form to be completed | LYS VAN MOONTLIKE TRANSAKSIES |
|--|-------------|-----------------------------------|---|
| APPLICATION FOR: | Merk met X | Dele van die vorm om in te vul | AANSOEK OM: |
| Registration | | A B C | Registrasie |
| Duplicate certificate of registration | | A B C | Duplikaatsertifikaat van registrasie |
| NOTICE OF CHANGE OF | | | KENNISGEWING VAN VERANDERING VAN |
| Particulars of microdot fitment centre | | A C | Besonderhede van mikrodatadot installeersentrum |

| PARTICULARS OF MICRODOT FITMENT CENTRE | A | BESONDERHEDE VAN MICRODATADOT INSTALLEERSENTRUM | | | | | | |
|--|--|---|-------------------------------------|---|--|--|--|----------------------------------|
| Type of identification (mark with X) | <table border="1"> <tr> <td>traffic register no. verkeersregisternr.</td> <td>business reg. no. besigh.reg.nr.</td> </tr> </table> | traffic register no. verkeersregisternr. | business reg. no. besigh.reg.nr. | Soort identifikasie (merk met X) | | | | |
| traffic register no. verkeersregisternr. | business reg. no. besigh.reg.nr. | | | | | | | |
| Identification number | <input type="text"/> | Identifikasienommer | | | | | | |
| Nature of organisation (mark with X) | <table border="1"> <tr> <td>one-man business eenmansaak</td> <td>partnership vennootskap</td> <td>government dept. staatsdept.</td> </tr> <tr> <td colspan="3">other (specify) ander (spesifiseer)</td> </tr> </table> | one-man business eenmansaak | partnership vennootskap | government dept. staatsdept. | other (specify) ander (spesifiseer) | | | Aard van instelling (merk met X) |
| one-man business eenmansaak | partnership vennootskap | government dept. staatsdept. | | | | | | |
| other (specify) ander (spesifiseer) | | | | | | | | |
| Name of organisation | <input type="text"/> | Naam van instelling | | | | | | |
| E-mail address | <input type="text"/> | E-posadres | | | | | | |
| Telephone number | <input type="text"/> - <input type="text"/> (code/kode) (number/nommer) | Telefoonnummer | | | | | | |
| Fax number | <input type="text"/> - <input type="text"/> (code/kode) (number/nommer) | Faksnummer | | | | | | |
| Postal address | <input type="text"/> | Posadres | | | | | | |
| Suburb City/Town | <input type="text"/> | Voorstad Stad/Dorp (postal code/poskode) | | | | | | |
| Street address | <input type="text"/> | Straatadres | | | | | | |
| Suburb City/Town | <input type="text"/> | Voorstad Stad/Dorp (postal code/poskode) | | | | | | |
| GPS coordinates | <input type="text"/> <input type="text"/> latitude/breedtegraad longitude/lengtegraad | GPS-koördinate | | | | | | |
| Address where notices must be served (mark with X) | <table border="1"> <tr> <td>postal address posadres</td> <td>street address straatadres</td> </tr> </table> | postal address posadres | street address straatadres | Adres waar kennisgewings beteken moet word (merk met X) | | | | |
| postal address posadres | street address straatadres | | | | | | | |

TURN OVER

MDF- P1

BLAAI OM

MFC (1)(2014/10)

MFC

ZZZZZZZZZZZZ9

**MICRODOT FITMENT CERTIFICATE
IN RESPECT OF MOTOR VEHICLE
(National Road Traffic Act, 1996)**

**MIKRODATADOT INSTALLEERSERTIFIKAAT
TEN OPSIGTE VAN MOTORVOERTUIG
(Nasionale Padverkeerswet, 1996)**

| | | |
|---|--|--|
| Fitment Centre | <input type="text"/> | Installeersentrum |
| Sample Dots <i>(Cover with transparant tape)</i> | <input type="text"/> | Voorbeeld Datadots <i>(Bedek met deursigtige kleefband)</i> |
| MID PIN | <input type="text"/> | MID PIN |
| Is PIN above verified <i>(PIN No. Scoped)</i> | <input type="checkbox"/> Yes / Ja <input type="checkbox"/> No / Nee | Is bogenoemde PIN geverifieer? |
| Is supporting document attached of Job Card | <input type="checkbox"/> Yes / Ja <input type="checkbox"/> No / Nee | Is bewys van Werk Kaart aangeheg? |
| Has this vehicle been previously microdotted | <input type="checkbox"/> Yes / Ja <input type="checkbox"/> No / Nee | Het die voertuig voorheen 'n mikrodot gehad? |
| First MID PIN | <input type="text"/> | Vorige MID PIN |
| Sample microdots <i>(First Fitment)</i> | <input type="text"/> | Voorbeeld mikrodatadots <i>(Vorige installering)</i> |
| Previous microdot location | <input type="text"/> | Plasing van vorige mikrodot |
| First PIN verified | <input type="checkbox"/> Yes / Ja <input type="checkbox"/> No / Nee | Vorige PIN geverifieer |
| Vehicle make | <input type="text"/> | Voertuigfabrikaat |
| Series name | <input type="text"/> | Reeksnaam |
| Vehicle colour | <input type="text"/> | Voertuigkleur |
| Derivative <i>(Engine Capacity/size cm2)</i> | <input type="text"/> | Afgeleide <i>(Enjin kapasiteit/grootte cm2)</i> |
| Chassis/VIN | <input type="text"/> | Onderstel/VIN |
| Engine number | <input type="text"/> | Enjinnummer |
| Owner Surname & Initials | <input type="text"/> | Van & Voorletters van eienaar |
| Contact number | <input type="text"/> | Kontaknummer |
| Licence number | <input type="text"/> | Lisensienommer |
| Register number | <input type="text"/> | Registernommer |
| Date of application | <input type="text"/> D: D <input type="text"/> M: M <input type="text"/> 2: 0 <input type="text"/> : | Datum van aansoek |
| Fitters full name | <input type="text"/> | Vollenaam van installeerder |

I, the undersigned hereby certify that on the date indicated, sample dots were scoped and found to correspond with PIN above and that I personally completed all DataDot fitment protocols and procedures according to SANS 534-1.

Ek, die ondergetekende sertifiseer hiermee dat die datum aangedui, voorbeeld dots was geïdentifiseer en korrespondeer met die bogenoemde PIN en dat ek persoonlik al die DataDot fikser protokolle en prosedures ingevul het volgens SANS 534-1.

| | | |
|---------------------------|----------------------|-------------------------------------|
| Fitter Signature | <input type="text"/> | Handtekening van Installeerder |
| Identity number of Fitter | <input type="text"/> | Identiteitsnommer van installeerder |

MICRODOT FITMENT CERTIFICATE / MIKRODATADOT INSTALLEERSERTIFIKAAT

| | | |
|--------------------|----------------------|---------------------------|
| Vehicle make | <input type="text"/> | Voertuigfabrikaat |
| Series name | <input type="text"/> | Reeksnaam |
| Engine number | <input type="text"/> | Enjinnummer |
| Chassis/VIN | <input type="text"/> | Onderstel/VIN |
| Licence number | <input type="text"/> | Lisensienommer |
| Vehicle colour | <input type="text"/> | Voertuigkleur |
| Installer | <input type="text"/> | Installeerder |
| Unique Fitter code | <input type="text"/> | Unieke Installeerder kode |
| MID PIN number | <input type="text"/> | MID PIN nommer |

ZZZZZZZZZZZZ9

www.microdotassociation.co.za
083 628 3037

This certifies that Microdots have been applied to the motor vehicle according to the recommended fitment specification as per SANS 534-1.
Hiermee word dit sertifiseer dat Microdots toegepas is aan die motorvoertuig volgens die aanbeveelde installeer spesifikasies in SANS 534-1.

Dealer Stamp
Handelaar Stempel

MFO(1)(2014/12)

REPUBLIC OF SOUTH AFRICA

REPUBLIEK VAN SUID-AFRIKA

**NOTICE I.R.O.
MICRODOT
FITMENT CENTRE OWNER**
(National Road Traffic Act, 1996)

Logo

**KENNISGEWING T.O.V.
MIKRODATADOT
INSTALLEERSENTRUM EIENAAR**
(Nasionale Padverkeerswet, 1996)

NOTE: It shall be essential to produce the identity document of the owner and, if applicable, a certified copy of the business registration certificate of the microdot fitment centre.

LET WEL: Dit is noodsaaklik dat die identiteitsdokument van die eienaar en, indien van toepassing, 'n gesertifiseerde afskrif van die besigheidsregistrasiesertifikaat van die microdatadot installeersentrum, voorgelê word.

| LIST OF POSSIBLE TRANSACTIONS | Mark with X Merk met X | Parts of the form to be completed Dele van die vorm om in te vul | LYS VAN MOONTLIKE TRANSAKSIES |
|--|---------------------------|---|---|
| APPLICATION FOR: | | | AANSOEK OM: |
| Registration | | A B C | Registrasie |
| Duplicate certificate of registration | | A C | Duplikaat sertifikaat van registrasie |
| NOTICE OF CHANGE OF | | | KENNISGEWING VAN VERANDERING VAN |
| Particulars of microdot fitment centre owner | | A B C | Besonderhede van mikrodatadot eienaar |

| PARTICULARS OF MICRODOT FITMENT CENTRE | A | BESONDERHEDE VAN MIKRODATADOT INSTALLEERSENTRUM |
|--|---|---|
| Type of identification (mark with X) | traffic register no. verkeersregisternr. | business reg. no. besigh.reg.nr. |
| Identification number | [Grid] | |
| Nature of organisation (mark with X) | local/prov/govt authority plaaslike/prov/staatsinstansie | partnership vennootskap |
| | one man business eenmansaak | close corporation beslote korporasie |
| | other (specify): ander (spesifiseer): | |
| Infrastructure number (if applicable) | [Grid] | New Nuu |
| Operating authority/ Organisation* | [Grid] | |
| Trade name (if any) | [Grid] | |
| E-mail address | [Grid] | |
| Contact telephone number during day | [Grid] - [Grid] (code/kode) (number/nommer) | Kontaktelefoonnommer bedags |
| Facsimile number | [Grid] - [Grid] (code/kode) (number/nommer) | Faksimileenommer |
| Cell phone number | [Grid] - [Grid] (code/kode) (number/nommer) | Selffoonnommer |
| Postal address | [Grid] | |
| Suburb | [Grid] | |
| City/Town | [Grid] | Stad/Dorp |
| Street address | [Grid] | Staatadres |
| Suburb | [Grid] | |
| City/Town | [Grid] | Stad/Dorp |
| Address where notices must be served (mark with X) | postal address posadres | street address straatadres |
| | | Adres waar kennisgewings beteken moet word (merk met X) |

TURN OVER

MFO P1

BLAAI OM

| | | | | | | | | | | |
|---|---|--|---|---|---|--|--|--|--|----------------------------------|
| PARTICULARS OF OWNER OF MICRODOT FITMENT CENTRE | B | BESONDERHEDE VAN EIENAAR VAN MIKRODATADOT INSTALLEERSENTRUM | | | | | | | | |
| Type of identification (mark with X) | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">traffic register no. verkeersregisternr.</td> <td style="width:50%;">business reg. no. besigh.reg.nr.</td> </tr> </table> | traffic register no. verkeersregisternr. | business reg. no. besigh.reg.nr. | Soort identifikasie (merk met X) | | | | | | |
| traffic register no. verkeersregisternr. | business reg. no. besigh.reg.nr. | | | | | | | | | |
| Identification number | <input style="width:100%;" type="text"/> | Identifikasienommer | | | | | | | | |
| Nature of organisation (mark with X) | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">local/prov/govt authority plaaslike/prov/staatsinstansie</td> <td style="width:25%;">partnership vennootskap</td> <td style="width:25%;">one man business eenmansaak</td> <td style="width:25%;">close corporation beslote korporasie</td> </tr> <tr> <td colspan="4">other (specify): ander (spesifiseer):</td> </tr> </table> | local/prov/govt authority plaaslike/prov/staatsinstansie | partnership vennootskap | one man business eenmansaak | close corporation beslote korporasie | other (specify): ander (spesifiseer): | | | | Aard van instelling (merk met X) |
| local/prov/govt authority plaaslike/prov/staatsinstansie | partnership vennootskap | one man business eenmansaak | close corporation beslote korporasie | | | | | | | |
| other (specify): ander (spesifiseer): | | | | | | | | | | |
| Organisation* | <input style="width:100%;" type="text"/> | Instansie* wat toetsstasie bedryf | | | | | | | | |
| Trade name (if any) | <input style="width:100%;" type="text"/> | Handelsnaam (indien enige) | | | | | | | | |
| E-mail address | <input style="width:100%;" type="text"/> | E-pos adres | | | | | | | | |
| Contact telephone number during day | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align:center;"><input style="width:100%;" type="text"/> (code/kode)</td> <td style="width:5%; text-align:center;">-</td> <td style="width:45%; text-align:center;"><input style="width:100%;" type="text"/> (number/nommer)</td> </tr> </table> | <input style="width:100%;" type="text"/> (code/kode) | - | <input style="width:100%;" type="text"/> (number/nommer) | Kontaktelefoonnommer bedags | | | | | |
| <input style="width:100%;" type="text"/> (code/kode) | - | <input style="width:100%;" type="text"/> (number/nommer) | | | | | | | | |
| Facsimile number | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align:center;"><input style="width:100%;" type="text"/> (code/kode)</td> <td style="width:5%; text-align:center;">-</td> <td style="width:45%; text-align:center;"><input style="width:100%;" type="text"/> (number/nommer)</td> </tr> </table> | <input style="width:100%;" type="text"/> (code/kode) | - | <input style="width:100%;" type="text"/> (number/nommer) | Faksimileenommer | | | | | |
| <input style="width:100%;" type="text"/> (code/kode) | - | <input style="width:100%;" type="text"/> (number/nommer) | | | | | | | | |
| Cell phone number | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align:center;"><input style="width:100%;" type="text"/> (code/kode)</td> <td style="width:5%; text-align:center;">-</td> <td style="width:45%; text-align:center;"><input style="width:100%;" type="text"/> (number/nommer)</td> </tr> </table> | <input style="width:100%;" type="text"/> (code/kode) | - | <input style="width:100%;" type="text"/> (number/nommer) | Selffoonnommer | | | | | |
| <input style="width:100%;" type="text"/> (code/kode) | - | <input style="width:100%;" type="text"/> (number/nommer) | | | | | | | | |
| Postal address | <input style="width:100%;" type="text"/> | | Posadres | | | | | | | |
| Suburb | <input style="width:100%;" type="text"/> | | Voorstad | | | | | | | |
| City/Town | <input style="width:100%;" type="text"/> | <input style="width:100%;" type="text"/> | Stad/Dorp | | | | | | | |
| Street address | <input style="width:100%;" type="text"/> | | Straatadres | | | | | | | |
| Suburb | <input style="width:100%;" type="text"/> | | Voorstad | | | | | | | |
| City/Town | <input style="width:100%;" type="text"/> | <input style="width:100%;" type="text"/> | Stad/Dorp | | | | | | | |
| Address where notices must be served (mark with X) | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">postal address posadres</td> <td style="width:50%;">street address straatadres</td> </tr> </table> | postal address posadres | street address straatadres | Adres waar kennisgewings beteken moet word (merk met X) | | | | | | |
| postal address posadres | street address straatadres | | | | | | | | | |

| | | | | | | | | | | | | | | | | |
|---|--|---|---|---|---|--|---|--|-----|--|---|--|---|--|--|--|
| DECLARATION | C | VERKLARING | | | | | | | | | | | | | | |
| I, the proprietor/designated signatory: | | Ek, die eienaar/gevolmagtigde: | | | | | | | | | | | | | | |
| (a) declare that all the particulars furnished by me in this form are true and correct; and | Signature | (a) verklaar dat alle besonderhede wat deur my op hierdie vorm verstrek is, waar en korrek is; en | | | | | | | | | | | | | | |
| (b) realise that a false declaration is punishable with a fine or imprisonment or both. | Place | (b) besef dat 'n vals verklaring strafbaar is met 'n boete of gevangenisstraf of beide. | | | | | | | | | | | | | | |
| | Date <table border="1" style="display:inline-table; border-collapse: collapse;"><tr><td style="width:20px;">2:0</td><td style="width:10px;">:</td><td style="width:20px;"></td><td style="width:10px;">:</td><td style="width:20px;"></td><td style="width:10px;">:</td><td style="width:20px;"></td></tr><tr><td style="text-align:center;">Y/J</td><td></td><td style="text-align:center;">M</td><td></td><td style="text-align:center;">D</td><td></td><td></td></tr></table> | 2:0 | : | | : | | : | | Y/J | | M | | D | | | |
| 2:0 | : | | : | | : | | | | | | | | | | | |
| Y/J | | M | | D | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | |
|--|--|---|------------|---|---|--|---|--|-----|--|---|--|---|--|--|--------------------------------------|
| FOR OFFICE USE ONLY | NET VIR KANTOORGEBRUIK | | | | | | | | | | | | | | | |
| Infrastructure number of Microdot Fitment centre | <input style="width:100%;" type="text"/> | Infrastruktuurnommer van Microdatadot installeersentrum | | | | | | | | | | | | | | |
| Date of application (effective date) | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:20px;">2:0</td> <td style="width:10px;">:</td> <td style="width:20px;"></td> <td style="width:10px;">:</td> <td style="width:20px;"></td> <td style="width:10px;">:</td> <td style="width:20px;"></td> </tr> <tr> <td style="text-align:center;">Y/J</td> <td></td> <td style="text-align:center;">M</td> <td></td> <td style="text-align:center;">D</td> <td></td> <td></td> </tr> </table> | 2:0 | : | | : | | : | | Y/J | | M | | D | | | Datum van aansoek (effektiewe datum) |
| 2:0 | : | | : | | : | | | | | | | | | | | |
| Y/J | | M | | D | | | | | | | | | | | | |
| Name and signature of counter official | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align:center;">Signature/Handtekening</td> <td style="width:50%; text-align:center;">Date/Datum</td> </tr> </table> | Signature/Handtekening | Date/Datum | Naam en handtekening van toonbankbeampte | | | | | | | | | | | | |
| Signature/Handtekening | Date/Datum | | | | | | | | | | | | | | | |
| Name and signature of data capturing official | <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%; text-align:center;">Signature/Handtekening</td> <td style="width:50%; text-align:center;">Date/Datum</td> </tr> </table> | Signature/Handtekening | Date/Datum | Naam en handtekening van datavasleggingsbeampte | | | | | | | | | | | | |
| Signature/Handtekening | Date/Datum | | | | | | | | | | | | | | | |

Short title and commencement

- 8.** These Regulations are published for comments
-

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Publications: Tel: (012) 748 6052, 748 6053, 748 6058

Advertisements: Tel: (012) 748 6205, 748 6208, 748 6209, 748 6210, 748 6211

Subscriptions: Tel: (012) 748 6054, 748 6055, 748 6057

Gedruk deur en verkrygbaar by die Staatsdrukker, Bosmanstraat, Privaatsak X85, Pretoria, 0001

Publikasies: Tel: (012) 748 6052, 748 6053, 748 6058

Advertensies: Tel: (012) 748 6205, 748 6208, 748 6209, 748 6210, 748 6211

Subskripsies: Tel: (012) 748 6054, 748 6055, 748 6057